




SPECIALIZING IN CUSTOM MADE ENCLOSURES

573-722-5591 • FAX: 573-722-5489

| NEMA ENCLOSURE INFORMATION | |
|-------------------------------------|--|
| NEMA TYPE 1 General Purpose | Type 1 enclosures are intended for indoor use primarily where not exposed to unusual service conditions to provide protection against accidental contact with enclosed apparatus. |
| NEMA TYPE 2 Droptight | Type 2 enclosures are intended for indoor use primarily to provide a degree of protection against limited amounts of falling water and dirt. |
| NEMA TYPE 3 Weatherproof | Type 3 enclosures are intended for outdoor use primarily to provide a degree of protection against windblown dust, rain, sleet and external ice formation. |
| NEMA TYPE 3R Raintight | Type 3R enclosures protect against entrance of water from a beating rain. Suitable for general outdoor application not requiring sleetproof. |
| NEMA TYPE 4 Watertight | Type 4 enclosures are intended for indoor or outdoor use primarily to provide a degree of protection against windblown dust and rain, splashing water and hose-directed water during cleaning operations, etc. |
| NEMA TYPE 4X NEMA TYPE 6 | Same provisions as Type 4. In addition, are corrosion resistant. Submersible watertight. Dust-tight and sleet (ice) resistant - indoor and outdoor. |
| NEMA TYPE 7,8,9&10 | These enclosures are for use in hazardous locations. |
| NEMA TYPE 11 Acid/fume Resistant | Type 11 enclosures provide oil immersion of apparatus such that it is suitable for application where equipment is subject to acid or other corrosive fumes. |
| NEMA TYPE 12 | Type 12 enclosures are intended for indoor use primarily to provide a degree of protection against dust, falling dirt, non-corrosive liquids and coolant seepage. |




300 S. Industrial Drive • Advance, Missouri 63730

573-722-5591 • FAX: 573-722-5489




SCHAEFER'S ELECTRICAL ENCLOSURES

We Specialize in Custom-Made Enclosures



Schaefer's Electrical Enclosures is a full service metal fabrication plant, specializing in electrical enclosures. Located in Advance, Missouri, we have been in business for 15 years and have built our company on customer service. We have the latest in 3-D modeling-software (Solid Edge) and can produce our parts directly off of our CAD files. You can e-mail us your drawing files (dwg, .dxf) at sppei@clas.net and we can easily integrate them into our system.

After engineering, the parts are cut on one of two 55 ton Amada CNC turret presses, one with a 60²x72² table and the other with an 80²x80² table with auto-repositioning. These machines are extremely accurate on through holes (0.002²) as well as overall part accuracy (0.010²). We have standard English and Metric punches, as well as a variety of forming tools: knockouts, pushbuttons, louvers and tapping tools to handle whatever your punching needs are.



We bend our parts on one of 3 Amada CNC press brakes, ranging up to 13' bed length and 135 tons. These machines are extremely accurate and flexible, allowing us to bend almost any flange & angle combination. The combination of our punches and brakes, ensure accurate repeatable parts every time.



SCHAEFER'S **ELECTRICAL ENCLOSURES**

We Specialize in Custom-Made Enclosures

Our skilled group of welders and grinders can process carbon steel, stainless steel and aluminum. Once the enclosure is completed, we clean and phosphatize the steel prior to powder coating with our TGIC polyester ASA-61 inside and out. Special colors can be painted either wet or powder.

With the addition of the equipment mentioned above, Schaefer's has never made a better looking box. Our quality rivals the best in the business, and we are Underwriter's Laboratory (UL) approved over our full NEMA line up. Schaefer's lead times are some of the most aggressive in the industry with production on even the most special of enclosures being 3 weeks or less. We also stock a large selection of standard enclosures that can ship the same day.

Call one of our experienced customer service representatives,
Brenda Boese or Mike Birkman, at

573-722-5591

today and give us a chance to quote your next project.

Our catalog and other company information can be found on our website,
www.electrical-enclosures.com





NEMA 1 ENCLOSURES AND ACCESSORIES

| | |
|--|---|
| Screw Cover Pull Enclosures | 1 |
| Flush Covers | 1 |
| Transformer Cabinets | 2 |
| Protective Weather Hood for Transformer Cabinets | 2 |
| Hinged Cabinets - Small | 3 |
| Hinged Cabinets and Panels - Large | 4 |
| Hinged Cabinets - Extra Large | 4 |
| Wireway Flangeless Lay-in Screw Cover Duct | 5 |
| Wireway Flangeless Lay-in Hinge Cover Duct | 5 |
| Fittings for Nema 1 Wireway Duct | 6 |
| Telephone Cabinets | 7 |
| Moisture Proof Gasketed Screw Cover Enclosures | 8 |

NEMA 3R ENCLOSURES

| | |
|---|----|
| Screw Cover Enclosures | 10 |
| Screw Cover Gutter | 11 |
| Small Hinge Cover Enclosures | 8 |
| Large Hinge Cover Enclosures | 9 |
| Lift-off Hinge Cover Enclosure | 9 |
| Large 2 Door Wall Mount Enclosure | 9 |

JIC ENCLOSURES

| | |
|--|----|
| JIC Wiring Trough with Lift Off Cover | 11 |
| JIC Wiring Trough with Continuous Hinged Cover | 12 |
| JIC Clamp Cover Wiring Enclosure | 13 |
| JIC Continuous Hinge Wiring Enclosure | 13 |
| JIC NEMA 4 Clamp Cover Enclosure | 13 |
| JIC NEMA 4 Continuous Hinged Enclosure | 13 |
| Large JIC Oil-tight Enclosure | 14 |
| JIC Screw Cover Enclosure | 14 |

OIL-TIGHT PUSH BUTTON ENCLOSURES

| | |
|---|----|
| Standard Oil-tight Push Button Enclosure | 26 |
| Extra Deep Oil-tight Push Button Enclosure | 26 |
| Miniature Oil-tight Push Button Enclosure | 26 |
| Sloping Front Oil-tight Push Button Enclosure | 27 |
| Pendant Oil-tight Push Button Enclosure | 26 |
| Slimline Oil-tight Push Button Enclosure | 27 |
| Large Continuous Hinge Cover Push Button Enclosure with Panel | 27 |
| Sloping Front Oil-Tight Push Button Enclosure with Hinged Lid | 27 |

We Specialize in Custom-Made Enclosures

*Visit our web page at www.electrical-enclosures.com or
email us at info@electrical-enclosures.com for more infor-
mation or a custom quotation.*



NEMA 4 TYPE ENCLOSURES

| | |
|--|----|
| Single Door Hinged Enclosures | 16 |
| Single Door Hinged Disconnect Enclosures | 16 |
| Free Standing Single Door and Double Door Enclosures | 18 |
| Double Door Floor Mount Enclosures | 18 |
| 4-12 Single Door Hinged Enclosures | 19 |
| Elite Series Enclosures | 33 |

NEMA 4X TYPE ENCLOSURES

| | |
|--|----|
| Stainless Steel JIC NEMA 4 Clamp Cover Enclosure | 12 |
| Stainless Steel JIC NEMA 4 Continuous Hinged Enclosure | 12 |
| Stainless Steel Hinged Single Door Enclosures | 17 |
| Stainless Steel Single Door Hinged Disconnect Enclosures | 17 |
| Stainless Steel Double Door Floor Mount Enclosures | 18 |
| Stainless Steel 4X-12 Single Door Hinged Enclosures | 19 |

NEMA 12 TYPE ENCLOSURES AND ACCESSORIES

| | |
|--|----|
| Single Door Wall Mounted Enclosures | 20 |
| Flush Mounted Enclosures | 23 |
| Two Door Floor Mounted Enclosures | 23 |
| Multi-door Enclosures with Panels | 22 |
| Free Standing Single Door Enclosures | 24 |
| Free Standing Double Door Enclosures | 24 |
| Double Door Wall Mounted Enclosures | 22 |
| Single Door Wall Mounted Disconnect Enclosures | 21 |
| Double Door Flange Mount Floor Mount Disconnect Enclosures | 22 |
| Flange Mount Freestanding Disconnect Enclosures | 25 |

CONSOLETS AND CONSOLES

| | |
|--|----|
| Oil-tight Consolets | 28 |
| Pedestal for Consolet and Push Button Enclosures | 28 |
| Custom Made Consoles | 29 |

ACCESSORIES

| | |
|-------------------------|----|
| Drip Shield Kits | 30 |
| Floor Stand Kits | 31 |
| Hole Seals | 31 |
| Louver Plate Kits | 32 |
| Touch Up Paint | 30 |

| | |
|---------------------------------|-----------|
| CONDITIONS OF SALE | 35 |
|---------------------------------|-----------|

NEMA 1 SCREW COVER PULL ENCLOSURES



UL® AND ETL®
LISTED

Construction:

- € Fabricated from 12, 14 or 16 gauge steel.
- € Available with or without removable concentric knockouts.
- € Galvanneal construction available for an additional 10% charge. Specify galvanneal construction by placing "G" behind part number.
- € Optional flush covers listed below.

Finish:

ANSI-61 gray polyester powder.

| ITEM WITH KO'S | ITEM WITHOUT KO'S | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------------|-------------------|------------|-------|-----------|-----------|-----------------|
| SPSC-444 | SPSC-444N | 4 4 4 | 16 | 10 | 21 | 6.87 |
| SPSC-464 | SPSC-464N | 4 6 4 | 16 | 10 | 26 | 8.14 |
| SPSC-664 | SPSC-664N | 6 6 4 | 16 | 10 | 34 | 9.77 |
| SPSC-684 | SPSC-684N | 6 8 4 | 16 | 10 | 42 | 11.53 |
| SPSC-6124 | SPSC-6124N | 6 12 4 | 16 | 10 | 55 | 14.80 |
| SPSC-884 | SPSC-884N | 8 8 4 | 16 | 10 | 51 | 13.45 |
| SPSC-8104 | SPSC-8104N | 8 10 4 | 16 | 5 | 29 | 15.44 |
| SPSC-8124 | SPSC-8124N | 8 12 4 | 16 | 5 | 34 | 17.52 |
| SPSC-10104 | SPSC-10104N | 10 10 4 | 16 | 5 | 38 | 17.73 |
| SPSC-10124 | SPSC-10124N | 10 12 4 | 16 | 5 | 39 | 20.04 |
| SPSC-12124 | SPSC-12124N | 12 12 4 | 16 | 5 | 46 | 22.72 |
| SPSC-12154 | SPSC-12154N | 12 15 4 | 16 | 5 | 55 | 26.69 |
| SPSC-12184 | SPSC-12184N | 12 18 4 | 16 | 5 | 64 | 30.65 |
| SPSC-15154 | SPSC-15154N | 15 15 4 | 16 | 5 | 64 | 31.42 |
| SPSC-15184 | SPSC-15184N | 15 18 4 | 16 | 3 | 45 | 36.11 |
| SPSC-18184 | SPSC-18184N | 18 18 4 | 16 | 3 | 52 | 39.15 |
| SPSC-666 | SPSC-666N | 6 6 6 | 16 | 10 | 44 | 11.86 |
| SPSC-686 | SPSC-686N | 6 8 6 | 16 | 10 | 53 | 13.78 |
| SPSC-6126 | SPSC-6126N | 6 12 6 | 16 | 10 | 69 | 18.33 |
| SPSC-886 | SPSC-886N | 8 8 6 | 16 | 10 | 65 | 16.12 |

| ITEM WITH KO'S | ITEM WITHOUT KO'S | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------------|-------------------|------------|-------|-----------|-----------|-----------------|
| SPSC-8106 | SPSC-8106N | 8 10 6 | 16 | 5 | 37 | 18.46 |
| SPSC-8126 | SPSC-8126N | 8 12 6 | 16 | 5 | 41 | 20.82 |
| SPSC-10106 | SPSC-10106N | 10 10 6 | 16 | 5 | 44 | 21.05 |
| SPSC-10126 | SPSC-10126N | 10 12 6 | 16 | 5 | 47 | 23.67 |
| SPSC-12126 | SPSC-12126N | 12 12 6 | 16 | 5 | 60 | 26.69 |
| SPSC-12156 | SPSC-12156N | 12 15 6 | 16 | 5 | 66 | 31.16 |
| SPSC-12186 | SPSC-12186N | 12 18 6 | 16 | 5 | 76 | 35.69 |
| SPSC-15156 | SPSC-15156N | 15 15 6 | 16 | 5 | 74 | 36.35 |
| SPSC-15186 | SPSC-15186N | 15 18 6 | 16 | 3 | 52 | 41.56 |
| SPSC-18186 | SPSC-18186N | 18 18 6 | 16 | 3 | 59 | 47.66 |
| SPSC-18246 | SPSC-18246N | 18 24 6 | 14 | 2 | 64 | 77.25 |
| SPSC-24246 | SPSC-24246N | 24 24 6 | 14 | 1 | 39 | 96.24 |
| N/A | SPSC-24306N | 24 30 6 | 14 | 1 | 49 | 115.39 |
| SPSC-24248 | SPSC-24248N | 24 24 8 | 14 | 1 | 46 | 106.42 |
| N/A | SPSC-24308N | 24 30 8 | 14 | 1 | 55 | 126.70 |
| N/A | SPSC-30308N | 30 30 8 | 12 | 1 | 81 | 197.22 |
| N/A | SPSC-24368N | 24 36 8 | 14 | 1 | 62 | 147.11 |
| N/A | SPSC-30368N | 30 36 8 | 12 | 1 | 100 | 228.50 |
| N/A | SPSC-363612N | 36 36 12 | 12 | 1 | 128 | 304.52 |

FLUSH COVERS FOR SCREW COVER PULL ENCLOSURES.

Application:

Converts "SPSC" surface mount enclosures into flush mount enclosures.

Construction:

- € Fabricated from 16 and 14 gauge steel.
- € Galvanneal construction available for an additional 10% charge. Specify galvanneal construction by placing "G" behind part number.
- € Part number refers to height and width of screw cover box - i.e. SPSC-684 box would accept SPSF-68 flush lid.

Finish:

ANSI-61 gray polyester powder.



| ITEM | SIZE H x W | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|------------|-----------|-----------|-----------------|
| SPSF-44 | 5½ 5½ | 1 | 1 | 1.63 |
| SPSF-46 | 5½ 7½ | 1 | 1 | 1.63 |
| SPSF-66 | 8 8 | 1 | 1 | 1.63 |
| SPSF-68 | 8 10 | 1 | 1½ | 1.63 |
| SFSF-612 | 8 14 | 1 | 2 | 2.04 |
| SPSF-88 | 10 10 | 1 | 2 | 2.04 |
| SPSF-810 | 10 12 | 1 | 2 | 2.34 |
| SPSF-812 | 10 14 | 1 | 2½ | 2.62 |
| SPSF-1010 | 12 12 | 1 | 2½ | 2.75 |

| ITEM | SIZE H x W | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|------------|-----------|-----------|-----------------|
| SPSF-1012 | 12 14 | 1 | 3½ | 3.16 |
| SPSF-1212 | 14 14 | 1 | 3½ | 3.78 |
| SPSF-1215 | 14 17 | 1 | 4 | 4.32 |
| SPSF-1218 | 14 20 | 1 | 5 | 4.90 |
| SPSF-1515 | 17 17 | 1 | 5 | 4.96 |
| SPSF-1518 | 17 20 | 1 | 6 | 5.76 |
| SPSF-1818 | 20 20 | 1 | 8½ | 6.65 |
| SPSF-1824 | 20 26 | 1 | 11 | 8.67 |
| SPSF-2424 | 26 26 | 1 | 15 | 10.99 |

NEMA 1 TYPE TRANSFORMER CABINETS



Construction:

- € Fabricated from 12 or 14 gauge steel.
- € Heavy-duty butt hinges or continuous hinges.
- € Single door furnished with hasp.
- € Double door features 3-point padlocking "T" handle.



Finish:

ANSI-61 gray polyester powder.

Single Door Transformer Cabinets

UL[®] AND ETL[®]
LISTED

Double Door Transformer Cabinets

| ITEM | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|-------|--------------|--------------|-----------------------|
| SPTSD-12189 | 12 18 9 | 14 | 1 | 27 | 81.02 |
| SPTSD-18189 | 18 18 9 | 14 | 1 | 35 | 95.67 |
| SPTSD-24329 | 24 32 9 | 14 | 1 | 65 | 141.96 |
| SPTSD-182410 | 18 24 10 | 14 | 1 | 45 | 104.71 |
| SPTSD-242410 | 24 24 10 | 14 | 1 | 55 | 126.15 |
| SPTSD-243010 | 24 30 10 | 14 | 1 | 65 | 146.10 |
| SPTSD-243210 | 24 32 10 | 14 | 1 | 70 | 154.94 |
| SPTSD-243610 | 24 36 10 | 14 | 1 | 75 | 169.39 |

| ITEM | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|-------|--------------|--------------|-----------------------|
| SPTDD-303010 | 30 30 10 | 12 | 1 | 103 | 237.68 |
| SPTDD-322410 | 32 24 10 | 14 | 1 | 73 | 188.87 |
| SPTDD-362410 | 36 24 10 | 14 | 1 | 80 | 231.31 |
| SPTDD-363010 | 36 30 10 | 12 | 1 | 122 | 265.88 |
| SPTDD-303610 | 30 36 10 | 12 | 1 | 119 | 270.77 |
| SPTDD-323210 | 32 32 10 | 12 | 1 | 114 | 247.30 |
| SPTDD-363210 | 36 32 10 | 12 | 1 | 123 | 280.24 |
| SPTDD-323610 | 32 36 10 | 12 | 1 | 123 | 285.87 |
| SPTDD-363610 | 36 36 10 | 12 | 1 | 134 | 308.63 |
| SPTDD-443010 | 44 30 10 | 12 | 1 | 133 | 321.21 |

Protective Weather Hood

| ITEM | SIZE: WIDTH & DEPTH OF CABINETS | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|---------------------------------------|--------------|--------------|-----------------------|
| SPTWH-129 | 12 9 | 1 | 3 | 22.04 |
| SPTWH-189 | 18 9 | 1 | 5 | 24.11 |
| SPTWH-249 | 24 9 | 1 | 7 | 26.19 |
| SPTWH-1810 | 18 10 | 1 | 5 | 25.50 |
| SPTWH-2410 | 24 10 | 1 | 7 | 30.20 |
| SPTWH-3010 | 30 10 | 1 | 9 | 34.73 |
| SPTWH-3210 | 32 10 | 1 | 9 | 38.58 |
| SPTWH-3610 | 36 10 | 1 | 10 | 43.00 |
| SPTWH-4410 | 44 10 | 1 | 12 | 54.31 |



Application:

Offers protection from falling dirt, rain snow and other elements.


Construction:

Hood has a drip shield type front and is flanged on sides and rear.

Visit our web page at www.electrical-enclosures.com or email us at info@electrical-enclosures.com for more information or a custom quotation.



SMALL NEMA 1 ENCLOSURES AND SUBPANELS



SMALL NEMA 1 ENCLOSURES

Construction:

- € Fabricated from 16 gauge steel.
- € Flush latches that can be operated with a coin or screwdriver.
- € Standard size cabinets have continuous hinge on height dimension.

Finish:

ANSI-61 gray polyester powder.

UL ® AND ETL ®
LISTED

| ITEM | SIZE | | | STD. PKG. | SHPG. WT. | LIST PRICE |
|-------------|------|----|---|-----------|-----------|------------|
| | W | H | D | | | |
| SPN1-664 | 6 | 6 | 4 | 10 | 40 | 25.82 |
| SPN1-684 | 6 | 8 | 4 | 10 | 50 | 28.18 |
| SPN1-884 | 8 | 8 | 4 | 6 | 35 | 31.32 |
| SPN1-8104 | 8 | 10 | 4 | 6 | 39 | 34.33 |
| SPN1-10104 | 10 | 10 | 4 | 2 | 16 | 37.79 |
| SPN1-10124 | 10 | 12 | 4 | 2 | 19 | 41.30 |
| SPN1-12124 | 12 | 12 | 4 | 2 | 22 | 45.24 |
| SPN1-12144 | 12 | 14 | 4 | 2 | 28 | 49.28 |
| SPN1-686 | 6 | 8 | 6 | 6 | 36 | 31.68 |
| SPN1-8106 | 8 | 10 | 6 | 4 | 36 | 38.81 |
| SPN1-10106 | 10 | 10 | 6 | 1 | 10 | 42.82 |
| SPN1-10126 | 10 | 12 | 6 | 1 | 11 | 46.75 |
| SPN1-12126 | 12 | 12 | 6 | 1 | 13 | 51.30 |
| SPN1-12146 | 12 | 14 | 6 | 1 | 14 | 55.87 |
| SPN1-12166S | 12 | 16 | 6 | 1 | 16 | 60.38 |
| SPN1-12206 | 12 | 20 | 6 | 1 | 23 | 69.41 |
| SPN1-12246 | 12 | 24 | 6 | 1 | 26 | 78.48 |
| SPN1-12128 | 12 | 12 | 8 | 1 | 14 | 57.28 |
| SPN1-12148 | 12 | 14 | 8 | 1 | 21 | 62.34 |

*SUBPANELS MUST BE ORDERED SEPARATELY.

ADD 8% IF ORDERING LESS THAN STANDARD CARTONS

We Specialize in Custom-Made Enclosures

SMALL NEMA 1 SUBPANELS

Application:

For use in: Small NEMA 1's, NEMA 3R, Oil-Tight, and RHC fabricated from 14 gauge steel.

Finish:

White polyester powder.

ADD 8% IF ORDERING LESS THAN STANDARD CARTONS

| ITEM | SIZE | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|------|-----|-----------|-----------|-----------------|
| | W | H | | | |
| SPN1P-66 | 4¼ | 4¼ | 10 | 4 | 2.34 |
| SPN1P-68 | 4¼ | 6¼ | 10 | 6 | 2.74 |
| SPN1P-88 | 6¼ | 6¼ | 10 | 9 | 3.25 |
| SPN1P-810 | 6¼ | 8¼ | 10 | 11 | 3.82 |
| SPN1P-1010 | 8¼ | 8¼ | 10 | 15 | 4.48 |
| SPN1P-1012 | 8¼ | 10¼ | 10 | 19 | 5.24 |
| SPN1P-1212 | 10¼ | 10¼ | 10 | 24 | 6.25 |
| SPN1P-1214 | 10¼ | 12¼ | 10 | 28 | 6.98 |
| SPN1P-1216 | 10¼ | 14¼ | 10 | 32 | 7.86 |
| SPN1P-1220 | 10¼ | 18¼ | 10 | 40 | 9.62 |
| SPN1P-1224 | 10¼ | 22¼ | 10 | 52 | 11.44 |





LARGE AND EXTRA LARGE NEMA 1'S

LARGE NEMA 1 ENCLOSURES WITH SUBPANELS

Construction:

- € Fabricated from 14 gauge steel.
- € Includes removable 12 or 14 gauge panels.
- € All cabinet doors have butt hinges on height dimension and flush paddle latches.

Finish:

ANSI-61 gray polyester powder.
Subpanels-white polyester powder.



UL ® AND ETL ®
LISTED

Call today for a
quote on your
custom enclosure
needs!

EXTRA LARGE NEMA 1 ENCLOSURES

| ITEM | SIZE W H D | STD. PKG. | SHPG. WT. | LIST PRICE |
|---------------|--------------------------------------|--------------|--------------|---------------|
| SPLN1X-30429 | 30 42 9 ¹ / ₄ | 1 | 100 | 332.04 |
| SPLN1X-36429 | 36 42 9 ¹ / ₄ | 1 | 119 | 377.90 |
| SPLN1X-36489 | 36 48 9 ¹ / ₄ | 1 | 135 | 418.24 |
| SPLN1X-304211 | 30 42 11 ¹ / ₄ | 1 | 112 | 353.66 |
| SPLN1X-364211 | 36 42 11 ¹ / ₄ | 1 | 130 | 400.42 |
| SPLN1X-364811 | 36 48 11 ¹ / ₄ | 1 | 144 | 443.45 |
| SPLN1X-304213 | 30 42 13 ¹ / ₄ | 1 | 124 | 408.32 |
| SPLN1X-364213 | 36 42 13 ¹ / ₄ | 1 | 141 | 462.07 |
| SPLN1X-364813 | 36 48 13 ¹ / ₄ | 1 | 154 | 509.99 |
| SPLN1X-364817 | 36 48 17 ¹ / ₄ | 1 | 168 | 518.80 |

Construction:


- € Fabricated from 14 gauge steel.
- € Cabinets have continuous hinge doors with keylocking handles.

Finish:

ANSI-61 gray polyester powder
inside and out.

UL ® AND ETL ®
LISTED

*SUBPANELS MUST BE
ORDERED SEPARATELY. SEE PAGE 15.



| ITEM | SIZE W H D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------------------------------|--------------|--------------|-----------------------|
| SPLN1-12166 | 12 16 6 ⁻⁵ / ₈ | 1 | 24 | 100.40 |
| SPLN1-16166 | 16 16 6 ⁻⁵ / ₈ | 1 | 30 | 113.66 |
| SPLN1-16206 | 16 20 6 ⁻⁵ / ₈ | 1 | 35 | 126.84 |
| SPLN1-20166 | 20 16 6 ⁻⁵ / ₈ | 1 | 35 | 126.84 |
| SPLN1-20206 | 20 20 6 ⁻⁵ / ₈ | 1 | 43 | 142.27 |
| SPLN1-16246 | 16 24 6 ⁻⁵ / ₈ | 1 | 41 | 139.84 |
| SPLN1-20246 | 20 24 6 ⁻⁵ / ₈ | 1 | 50 | 157.91 |
| SPLN1-24246 | 24 24 6 ⁻⁵ / ₈ | 1 | 61 | 175.86 |
| SPLN1-20306 | 20 30 6 ⁻⁵ / ₈ | 1 | 62 | 181.75 |
| SPLN1-24306 | 24 30 6 ⁻⁵ / ₈ | 1 | 73 | 203.46 |
| SPLN1-24366 | 24 36 6 ⁻⁵ / ₈ | 1 | 87 | 229.79 |
| SPLN1-30366 | 30 36 6 ⁻⁵ / ₈ | 1 | 101 | 267.43 |
| SPLN1-12168 | 12 16 8 ⁻⁵ / ₈ | 1 | 26 | 108.65 |
| SPLN1-16208 | 16 20 8 ⁻⁵ / ₈ | 1 | 39 | 137.52 |
| SPLN1-20208 | 20 20 8 ⁻⁵ / ₈ | 1 | 45 | 154.26 |
| SPLN1-20248 | 20 24 8 ⁻⁵ / ₈ | 1 | 52 | 171.05 |
| SPLN1-24208 | 24 20 8 ⁻⁵ / ₈ | 1 | 52 | 171.05 |
| SPLN1-24248 | 24 24 8 ⁻⁵ / ₈ | 1 | 62 | 190.33 |
| SPLN1-20308 | 20 30 8 ⁻⁵ / ₈ | 1 | 64 | 196.83 |
| SPLN1-24308 | 24 30 8 ⁻⁵ / ₈ | 1 | 78 | 219.45 |
| SPLN1-30308 | 30 30 8 ⁻⁵ / ₈ | 1 | 93 | 253.05 |
| SPLN1-24368 | 24 36 8 ⁻⁵ / ₈ | 1 | 93 | 247.70 |
| SPLN1-30368 | 30 36 8 ⁻⁵ / ₈ | 1 | 109 | 287.14 |
| SPLN1-24428 | 24 42 8 ⁻⁵ / ₈ | 1 | 105 | 276.39 |
| SPLN1-202410 | 20 24 10 ⁻⁵ / ₈ | 1 | 56 | 184.15 |
| SPLN1-243010 | 24 30 10 ⁻⁵ / ₈ | 1 | 84 | 235.10 |
| SPLN1-303610 | 30 36 10 ⁻⁵ / ₈ | 1 | 116 | 306.93 |
| SPLN1-242412 | 24 24 12 ⁻⁵ / ₈ | 1 | 72 | 218.84 |
| SPLN1-303612 | 30 36 12 ⁻⁵ / ₈ | 1 | 119 | 326.52 |

NEMA 1 WIREWAY FLANGELESS LAY-IN WIREWAYS

Construction:

- € Fabricated from 14 and 16 gauge steel.
 - € Available with or without knockouts.
- Please specify when ordering.

LAY-IN SCREW COVER DUCT



UL® AND ETL® LISTED

Application:

To house electrical wiring where dust, dirt, oil and water are not serious problems.

Finish:

ANSI-61 gray polyester powder inside and outside.

LAY-IN HINGE COVER DUCT




| ITEM WITH KO | ITEM WITHOUT KO | SIZE W H LENGTH | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|-----------------|--------------------|----|-----|-----------|-----------|-----------------|
| SPS-221 | SPS-221N | 2½ | 2½ | 12 | 4 | 9 | 9.23 |
| SPS-222 | SPS-222N | 2½ | 2½ | 24 | 4 | 18 | 13.27 |
| SPS-223 | SPS-223N | 2½ | 2½ | 36 | 4 | 28 | 18.39 |
| SPS-224 | SPS-224N | 2½ | 2½ | 48 | 4 | 36 | 25.51 |
| SPS-225 | SPS-225N | 2½ | 2½ | 60 | 4 | 46 | 30.67 |
| SPS-2210 | SPS-2210N | 2½ | 2½ | 120 | 4 | 90 | 63.25 |
| SPS-441 | SPS-441N | 4 | 4 | 12 | 4 | 14 | 9.47 |
| SPS-442 | SPS-442N | 4 | 4 | 24 | 4 | 28 | 15.10 |
| SPS-443 | SPS-443N | 4 | 4 | 36 | 4 | 41 | 22.88 |
| SPS-444 | SPS-444N | 4 | 4 | 48 | 4 | 58 | 30.56 |
| SPS-445 | SPS-445N | 4 | 4 | 60 | 4 | 73 | 32.64 |
| SPS-4410 | SPS-4410N | 4 | 4 | 120 | 4 | 138 | 69.38 |
| SPS-661 | SPS-661N | 6 | 6 | 12 | 2 | 11 | 19.35 |
| SPS-662 | SPS-662N | 6 | 6 | 24 | 2 | 22 | 25.01 |
| SPS-663 | SPS-663N | 6 | 6 | 36 | 2 | 31 | 33.63 |
| SPS-664 | SPS-664N | 6 | 6 | 48 | 2 | 42 | 45.93 |
| SPS-665 | SPS-665N | 6 | 6 | 60 | 2 | 51 | 49.98 |
| SPS-6610 | SPS-6610N | 6 | 6 | 120 | 2 | 100 | 119.60 |
| SPS-881 | SPS-881N | 8 | 8 | 12 | 1 | 10 | 31.53 |
| SPS-882 | SPS-882N | 8 | 8 | 24 | 1 | 18 | 47.93 |
| SPS-883 | SPS-883N | 8 | 8 | 36 | 1 | 27 | 73.48 |
| SPS-884 | SPS-884N | 8 | 8 | 48 | 1 | 37 | 92.40 |
| SPS-885 | SPS-885N | 8 | 8 | 60 | 1 | 45 | 100.01 |
| SPS-8810 | SPS-8810N | 8 | 8 | 120 | 1 | 84 | 208.94 |
| N/A | SPS-12121N | 12 | 12 | 12 | 1 | 16 | 43.80 |
| N/A | SPS-12122N | 12 | 12 | 24 | 1 | 28 | 85.67 |
| N/A | SPS-12123N | 12 | 12 | 36 | 1 | 48 | 127.54 |
| N/A | SPS-12124N | 12 | 12 | 48 | 1 | 54 | 153.00 |
| N/A | SPS-12125N | 12 | 12 | 60 | 1 | 71 | 177.49 |
| N/A | SPS-121210N | 12 | 12 | 120 | 1 | 130 | 368.96 |

| ITEM WITH KO'S | ITEM WITHOUT KO'S | SIZE W H LENGTH | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------------|-------------------|--------------------|----|-----|-----------|-----------|-----------------|
| SPH-221 | SPH-221N | 2½ | 2½ | 12 | 4 | 9 | 9.23 |
| SPH-222 | SPH-222N | 2½ | 2½ | 24 | 4 | 18 | 13.27 |
| SPH-223 | SPH-223N | 2½ | 2½ | 36 | 4 | 28 | 18.39 |
| SPH-224 | SPH-224N | 2½ | 2½ | 48 | 4 | 36 | 25.51 |
| SPH-225 | SPH-225N | 2½ | 2½ | 60 | 4 | 46 | 30.67 |
| SPH-2210 | SPH-2210N | 2½ | 2½ | 120 | 4 | 90 | 63.25 |
| SPH-441 | SPH-441N | 4 | 4 | 12 | 4 | 14 | 9.47 |
| SPH-442 | SPH-442N | 4 | 4 | 24 | 4 | 28 | 15.10 |
| SPH-443 | SPH-443N | 4 | 4 | 36 | 4 | 41 | 22.88 |
| SPH-444 | SPH-444N | 4 | 4 | 48 | 4 | 58 | 30.56 |
| SPH-445 | SPH-445N | 4 | 4 | 60 | 4 | 73 | 32.64 |
| SPH-4410 | SPH-4410N | 4 | 4 | 120 | 4 | 138 | 69.38 |
| SPH-661 | SPH-661N | 6 | 6 | 12 | 2 | 11 | 19.35 |
| SPH-662 | SPH-662N | 6 | 6 | 24 | 2 | 22 | 25.01 |
| SPH-663 | SPH-663N | 6 | 6 | 36 | 2 | 31 | 33.63 |
| SPH-664 | SPH-664N | 6 | 6 | 48 | 2 | 42 | 45.93 |
| SPH-665 | SPH-665N | 6 | 6 | 60 | 2 | 51 | 49.98 |
| SPH-6610 | SPH-6610N | 6 | 6 | 120 | 2 | 100 | 119.60 |
| SPH-881 | SPH-881N | 8 | 8 | 12 | 1 | 10 | 31.53 |
| SPH-882 | SPH-882N | 8 | 8 | 24 | 1 | 18 | 47.93 |
| SPH-883 | SPH-883N | 8 | 8 | 36 | 1 | 27 | 73.48 |
| SPH-884 | SPH-884N | 8 | 8 | 48 | 1 | 37 | 92.40 |
| SPH-885 | SPH-885N | 8 | 8 | 60 | 1 | 45 | 100.01 |
| SPH-8810 | SPH-8810N | 8 | 8 | 120 | 1 | 84 | 208.94 |
| N/A | SPH-12121N | 12 | 12 | 12 | 1 | 16 | 43.80 |
| N/A | SPH-12122N | 12 | 12 | 24 | 1 | 28 | 85.67 |
| N/A | SPH-12123N | 12 | 12 | 36 | 1 | 48 | 127.54 |
| N/A | SPH-12124N | 12 | 12 | 48 | 1 | 54 | 153.00 |
| N/A | SPH-12125N | 12 | 12 | 60 | 1 | 71 | 177.49 |
| N/A | SPH-121210N | 12 | 12 | 120 | 1 | 130 | 368.96 |

FITTINGS FOR NEMA 1 WIREWAY DUCT

NEMA 1 WIREWAY FLANGELESS LAY-IN RING COVER DUCT



| | ITEM | SIZE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|---------------|-----------|-------|-----------|-----------|-----------------|
| END CAP | SPE-22 | 2½ 2½ | 24 | 6 | 2.52 |
| | SPE-44 | 4 4 | 15 | 7 | 2.99 |
| | SPE-66 | 6 6 | 15 | 13 | 4.59 |
| | SPE-88 | 8 8 | 12 | 24 | 6.20 |
| | SPE-1212N | 12 12 | 5 | 19 | 14.14 |
| TEE | SPT-22 | 2½ 2½ | 1 | 2 | 19.95 |
| | SPT-44 | 4 4 | 1 | 3 | 22.97 |
| | SPT-66 | 6 6 | 1 | 5 | 29.74 |
| | SPT-88 | 8 8 | 1 | 9 | 46.65 |
| | SPT-1212 | 12 12 | 1 | 18 | 100.69 |
| CROSS | SPX-22 | 2½ 2½ | 1 | 2 | 25.01 |
| | SPX-44 | 4 4 | 1 | 3 | 28.22 |
| | SPX-66 | 6 6 | 1 | 6 | 34.68 |
| | SPX-88 | 8 8 | 1 | 8 | 55.48 |
| | SPX-1212 | 12 12 | 1 | 16 | 115.25 |
| TELESCOPE | SPAF-22 | 2½ 2½ | 1 | 4 | 26.51 |
| | SPAF-44 | 4 4 | 1 | 6 | 29.59 |
| | SPAF-66 | 6 6 | 1 | 8 | 74.88 |
| | SPAF-88 | 8 8 | 1 | 12 | 89.51 |
| | SPAF-1212 | 12 12 | 1 | 20 | 134.29 |
| CONNECTOR | SPC-22 | 2½ 2½ | 24 | 6 | 2.50 |
| | SPC-44 | 4 4 | 10 | 4 | 2.99 |
| | SPC-66 | 6 6 | 10 | 6 | 4.54 |
| | SPC-88 | 8 8 | 12 | 10 | 6.10 |
| | SPC-1212 | 12 12 | 5 | 8 | 13.18 |
| PANEL ADAPTER | SPPA-22 | 2½ 2½ | 5 | 1 | 7.70 |
| | SPPA-44 | 4 4 | 5 | 2 | 9.15 |
| | SPPA-66 | 6 6 | 5 | 4 | 13.47 |
| | SPPA-88 | 8 8 | 5 | 4 | 18.85 |
| | SPPA-1212 | 12 12 | 5 | 8 | 39.46 |

| | ITEM | SIZE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------------------|-------------|-------|-----------|-----------|-----------------|
| OPEN ADAPTER | SPOPA-22 | 2½ 2½ | 5 | 3 | 12.33 |
| | SPOPA-44 | 4 4 | 5 | 5 | 18.18 |
| | SPOPA-66 | 6 6 | 5 | 5 | 24.30 |
| | SPOPA-88 | 8 8 | 5 | 14 | 30.47 |
| | SPOPA-1212 | 12 12 | 1 | 2 | 58.85 |
| HANGER | SPBH-22 | 2½ 2½ | 10 | 14 | 5.52 |
| | SPBH-44 | 4 4 | 10 | 17 | 7.58 |
| | SPBH-66 | 6 6 | 10 | 23 | 12.26 |
| | SPBH-88 | 8 8 | 10 | 29 | 17.06 |
| | SPBH-1212 | 12 12 | 6 | 43 | 38.50 |
| REDUCER | SPR-42 | 4 2½ | 4 | 3 | 14.28 |
| | SPR-64 | 6 4 | 4 | 4 | 28.53 |
| | SPR-86 | 8 6 | 4 | 7 | 32.61 |
| | SPR-128 | 12 8 | 1 | 3 | 47.93 |
| | SPR-1210 | 12 10 | 1 | 3 | 47.93 |
| SWEEP ELBOW - 90 DEGREES | SPSL-2290 | 2½ 2½ | 1 | 3 | 37.84 |
| | SPSL-4490 | 4 4 | 1 | 4 | 43.80 |
| | SPSL-6690 | 6 6 | 1 | 8 | 64.20 |
| | SPSL-8890 | 8 8 | 1 | 13 | 81.24 |
| | SPSL-121290 | 12 12 | 1 | 23 | 172.29 |
| ELBOW - 90 DEGREES | SPL-2290 | 2½ 2½ | 1 | 2 | 20.66 |
| | SPL-4490 | 4 4 | 1 | 3 | 24.87 |
| | SPL-6690 | 6 6 | 1 | 5 | 29.59 |
| | SPL-8890 | 8 8 | 1 | 8 | 45.77 |
| | SPL-121290 | 12 12 | 1 | 19 | 83.42 |
| ELBOW - 45 DEGREES | SPL-2245 | 2½ 2½ | 1 | 1 | 20.66 |
| | SPL-4445 | 4 4 | 1 | 2 | 24.87 |
| | SPL-6645 | 6 6 | 1 | 3 | 29.59 |
| | SPL-8845 | 8 8 | 1 | 7 | 45.77 |
| | SPL-121245 | 12 12 | 1 | 10 | 83.42 |

NEMA TYPE 1 TELEPHONE CABINETS

Application:

Communication wiring panels and junction or terminal units.

Construction:

- € Continuous hinge on height dimension.
- € Single door units contain a paddle latch.
- € Frame on flush enclosure extends 1" beyond all four sides of enclosure.
- € No knockouts.

Finish:

ANSI-61 gray polyester powder.

SURFACE MOUNTED CABINETS



UL ® AND ETL®
LISTED

FLUSH MOUNTED CABINETS



| ITEM | SIZE W H D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|--------------|--------------|-----------------------|
| SPTSM-12124 | 12 12 4 | 1 | 10 | 57.98 |
| SPTSM-12154 | 12 15 4 | 1 | 12 | 69.05 |
| SPTSM-12184 | 12 18 4 | 1 | 14 | 80.52 |
| SPTSM-12244 | 12 24 4 | 1 | 18 | 101.88 |
| SPTSM-15154 | 15 15 4 | 1 | 14 | 81.36 |
| SPTSM-15184 | 15 18 4 | 1 | 17 | 93.41 |
| SPTSM-15244 | 15 24 4 | 1 | 22 | 122.25 |
| SPTSM-18184 | 18 18 4 | 1 | 20 | 109.14 |
| SPTSM-18244 | 18 24 4 | 1 | 29 | 142.57 |
| SPTSM-24244 | 24 24 4 | 1 | 38 | 177.86 |
| SPTSM-12126 | 12 12 6 | 1 | 11 | 69.39 |
| SPTSM-12156 | 12 15 6 | 1 | 14 | 79.52 |
| SPTSM-12186 | 12 18 6 | 1 | 16 | 91.12 |
| SPTSM-12246 | 12 24 6 | 1 | 20 | 114.27 |
| SPTSM-15156 | 15 15 6 | 1 | 16 | 93.09 |
| SPTSM-15186 | 15 18 6 | 1 | 19 | 107.31 |
| SPTSM-15246 | 15 24 6 | 1 | 24 | 134.13 |
| SPTSM-18186 | 18 18 6 | 1 | 22 | 122.52 |
| SPTSM-18246 | 18 24 6 | 1 | 32 | 159.00 |
| SPTSM-24246 | 24 24 6 | 1 | 41 | 196.27 |

| ITEM | SIZE W H D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|--------------|--------------|-----------------------|
| SPTFM-12124 | 12 12 4 | 1 | 11 | 57.98 |
| SPTFM-12154 | 12 15 4 | 1 | 13 | 69.05 |
| SPTFM-12184 | 12 18 4 | 1 | 15 | 80.52 |
| SPTFM-12244 | 12 24 4 | 1 | 20 | 101.88 |
| SPTFM-15154 | 15 15 4 | 1 | 16 | 81.36 |
| SPTFM-15184 | 15 18 4 | 1 | 19 | 93.41 |
| SPTFM-15244 | 15 24 4 | 1 | 25 | 122.25 |
| SPTFM-18184 | 18 18 4 | 1 | 22 | 109.14 |
| SPTFM-18244 | 18 24 4 | 1 | 31 | 142.57 |
| SPTFM-24244 | 24 24 4 | 1 | 41 | 177.86 |
| SPTFM-12126 | 12 12 6 | 1 | 12 | 69.39 |
| SPTFM-12156 | 12 15 6 | 1 | 15 | 79.52 |
| SPTFM-12186 | 12 18 6 | 1 | 17 | 91.12 |
| SPTFM-12246 | 12 24 6 | 1 | 27 | 114.27 |
| SPTFM-15156 | 15 15 6 | 1 | 18 | 93.09 |
| SPTFM-15186 | 15 18 6 | 1 | 21 | 107.31 |
| SPTFM-15246 | 15 24 6 | 1 | 27 | 134.13 |
| SPTFM-18186 | 18 18 6 | 1 | 24 | 122.52 |
| SPTFM-18246 | 18 24 6 | 1 | 34 | 159.00 |
| SPTFM-24246 | 24 24 6 | 1 | 44 | 196.27 |

Visit our web page at www.electrical-enclosures.com or
email us at info@electrical-enclosures.com for more
information or a custom quotation.

MOISTURE PROOF GASKETED SCREW COVER ENCLOSURES

ETL ® LISTED

| ITEM | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|-------|--------------|--------------|-----------------------|
| SPMP-664 | 6 6 4 | 14 | 10 | 40 | 41.30 |
| SPMP-684 | 6 8 4 | 14 | 10 | 53 | 45.39 |
| SPMP-884 | 8 8 4 | 14 | 10 | 64 | 50.45 |
| SPMP-8104 | 8 10 4 | 14 | 6 | 45 | 55.39 |
| SPMP-10104 | 10 10 4 | 14 | 5 | 48 | 61.16 |
| SPMP-10126 | 10 12 6 | 14 | 5 | 63 | 75.87 |
| SPMP-12126 | 12 12 6 | 14 | 1 | 14 | 83.27 |
| SPMP-12166 | 12 16 6 | 14 | 1 | 18 | 98.10 |
| SPMP-16166 | 16 16 6 | 14 | 1 | 23 | 116.03 |
| SPMP-16206 | 16 20 6 | 14 | 1 | 26 | 134.19 |
| SPMP-20208 | 20 20 8 | 14 | 1 | 35 | 172.05 |
| SPMP-20248 | 20 24 8 | 14 | 1 | 40 | 195.07 |
| SPMP-24248 | 24 24 8 | 14 | 1 | 46 | 221.38 |
| SPMP-24308 | 24 30 8 | 14 | 1 | 57 | 260.80 |
| SPMP-243610 | 24 36 10 | 14 | 1 | 73 | 324.88 |
| SPMP-303612 | 30 36 12 | 12 | 1 | 115 | 471.73 |
| SPMP-363612 | 36 36 12 | 12 | 1 | 135 | 540.09 |



Application:

Junction boxes, pull boxes, terminal boxes, wiring boxes, etc.

Construction:

- € Fabricated from 12 or 14 gauge galvanized steel.
- € Seams are continuously welded.
- € Most requirements of NEMA 3 and 4 are met, so they can be used indoor and outdoor--wherever moisture or dust is a problem.
- € Captivated cover screws thread into sealed wells to hold the cover in place, preventing dust, liquids, etc. from entering into the enclosure.

Finish:

ANSI-61 gray polyester powder finish.

NEMA 3R TYPE RAINPROOF ENCLOSURES

SMALL NEMA 3R RAINPROOF HINGE COVER ENCLOSURES

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE |
|-------------|---------------|--------------|--------------|---------------|
| SPRHC-664 | 6 6 4 | 10 | 44 | 26.55 |
| SPRHC-864 | 8 6 4 | 10 | 53 | 29.43 |
| SPRHC-884 | 8 8 4 | 10 | 63 | 35.82 |
| SPRHC-886 | 8 8 6 | 10 | 80 | 37.32 |
| SPRHC-1086 | 10 8 6 | 5 | 45 | 41.41 |
| SPRHC-12106 | 12 10 6 | 5 | 56 | 50.23 |
| SPRHC-12126 | 12 12 6 | 5 | 64 | 55.15 |



ETL ® LISTED

Construction:

- € Fabricated from 16 gauge galvalume steel.
- € The cover is continuously hinged on left side and has a padlockable latch on right side.
- € Provisions for the mounting of a subpanel are included.

Finish:

ANSI-61 gray polyester powder over galvalume steel.

*SUBPANELS ORDERED SEPARATELY.
SEE PAGE 3.

LARGE NEMA 3R RAINPROOF HINGE COVER ENCLOSURES

ETL ® LISTED

Construction:

- € Fabricated from 14 or 16 gauge galvanized steel.
- € Provisions for the mounting of a subpanel are included.

Finish:

ANSI-61 gray polyester powder over galvanized steel.



*SUBPANELS ORDERED
SEPARATELY. SEE PAGE 15.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE |
|---------------|---------------|--------------|--------------|---------------|
| SPLRHC-16126 | 16 12 6 | 1 | 22 | 71.85 |
| SPLRHC-16166 | 16 16 6 | 1 | 28 | 84.17 |
| SPLRHC-20166 | 20 16 6 | 1 | 33 | 96.48 |
| SPLRHC-20208 | 20 20 8 | 1 | 43 | 131.53 |
| SPLRHC-24208 | 24 20 8 | 1 | 49 | 147.93 |
| SPLRHC-24248 | 24 24 8 | 1 | 57 | 166.96 |
| SPLRHC-30248 | 30 24 8 | 1 | 65 | 195.19 |
| SPLRHC-303012 | 30 30 12 | 1 | 94 | 317.27 |
| SPLRHC-362412 | 36 24 12 | 1 | 85 | 259.06 |
| SPLRHC-363012 | 36 30 12 | 1 | 105 | 362.03 |
| SPLRHC-423012 | 42 30 12 | 1 | 121 | 406.69 |
| SPLRHC-363612 | 36 36 12 | 1 | 122 | 413.08 |
| SPLRHC-423612 | 42 36 12 | 1 | 136 | 464.17 |
| SPLRHC-483612 | 48 36 12 | 1 | 153 | 515.27 |
| SPLRHC-603612 | 60 36 12 | 1 | 170 | 617.49 |

NEMA 3R LIFT-OFF HINGE COVER ENCLOSURE

ETL ® LISTED

Construction:

- € Fabricated from 14 or 16 gauge galvanized steel.
- € The door is hinged on left side with lift-off hinges.

Finish:

ANSI-61 gray polyester powder finish over galvanized steel.



*SUBPANELS ORDERED
SEPARATELY. SEE PAGE 15.

| ITEM | SIZE H W D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|-------|--------------|--------------|-----------------------|
| SPLOH-864 | 8 6 4 | 16 | 10 | 51 | 21.93 |
| SPLOH-886 | 8 8 6 | 16 | 10 | 70 | 28.01 |
| SPLOH-1086 | 10 8 6 | 16 | 5 | 45 | 30.86 |
| SPLOH-12106 | 12 10 6 | 16 | 5 | 55 | 37.64 |
| SPLOH-12126 | 12 12 6 | 16 | 5 | 63 | 41.47 |
| SPLOH-16126 | 16 12 6 | 14 | 1 | 16 | 53.90 |
| SPLOH-16166 | 16 16 6 | 14 | 1 | 25 | 68.44 |
| SPLOH-20166 | 20 16 6 | 14 | 1 | 29 | 78.15 |
| SPLOH-20208 | 20 20 8 | 14 | 1 | 38 | 98.58 |
| SPLOH-24208 | 24 20 8 | 14 | 1 | 45 | 111.09 |
| SPLOH-24248 | 24 24 8 | 14 | 1 | 49 | 125.20 |
| SPLOH-30248 | 30 24 8 | 14 | 1 | 60 | 146.45 |

LARGE 2 DOOR NEMA 3R (WALL MOUNTING TYPE)

Construction:

- € Fabricated from 12 gauge galvanized steel.
- € The doors are hinged with continuous hinges.

Finish:

ANSI-61 gray powder finish over galvanized steel.

ETL ® LISTED




*SUBPANELS ORDERED
SEPARATELY. SEE PAGE 15.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. PER PKG | LIST PRICE EACH |
|--------------|---------------|--------------|-------------------------|-----------------------|
| SPHCD-303612 | 30 36 12 | 1 | 140 | 416.25 |
| SPHCD-304212 | 30 42 12 | 1 | 160 | 466.16 |
| SPHCD-304812 | 30 48 12 | 1 | 180 | 516.07 |
| SPHCD-364212 | 36 42 12 | 1 | 180 | 530.40 |
| SPHCD-364812 | 36 48 12 | 1 | 200 | 587.47 |
| SPHCD-303016 | 30 30 16 | 1 | 130 | 413.82 |
| SPHCD-303616 | 30 36 16 | 1 | 150 | 468.61 |
| SPHCD-304216 | 30 42 16 | 1 | 159 | 523.26 |
| SPHCD-363616 | 36 36 16 | 1 | 170 | 530.47 |
| SPHCD-364216 | 36 42 16 | 1 | 195 | 592.24 |

RAINFOOF SCREW COVER ENCLOSURES

Construction:

- € Fabricated from 12, 14, or 16 gauge galvanized steel.
- € Knockouts furnished in the bottom of 14 and 16 gauge enclosures.
- € Knockouts are not furnished on special order enclosures.
- € These do not have subpanel mounting provisions.



Finish:

ANSI-61 gray polyester powder inside and outside over galvanized steel.

ADD 8% IF ORDERING LESS THAN STANDARD BUNDLES

ETL ® LISTED

| ITEM | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|-------|--------------|--------------|-----------------------|
| SPRSC-444 | 4 4 4 | 16 | 10 | 21 | 13.08 |
| SPRSC-464 | 4 6 4 | 16 | 10 | 28 | 13.47 |
| SPRSC-664 | 6 6 4 | 16 | 10 | 34 | 15.67 |
| SPRSC-684 | 6 8 4 | 16 | 10 | 42 | 18.01 |
| SPRSC-6124 | 6 12 4 | 16 | 10 | 57 | 22.55 |
| SPRSC-884 | 8 8 4 | 16 | 10 | 51 | 20.79 |
| SPRSC-8104 | 8 10 4 | 16 | 5 | 30 | 23.45 |
| SPRSC-8124 | 8 12 4 | 16 | 5 | 34 | 26.24 |
| SPRSC-10104 | 10 10 4 | 16 | 5 | 36 | 26.64 |
| SPRSC-10124 | 10 12 4 | 16 | 5 | 41 | 30.98 |
| SPRSC-12124 | 12 12 4 | 16 | 5 | 47 | 33.55 |
| SPRSC-12154 | 12 15 4 | 16 | 5 | 59 | 38.99 |
| SPRSC-12184 | 12 18 4 | 16 | 5 | 62 | 48.44 |
| SPRSC-15244 | 15 24 4 | 16 | 3 | 58 | 81.46 |
| SPRSC-18244 | 18 24 4 | 16 | 2 | 50 | 91.22 |
| SPRSC-666 | 6 6 6 | 16 | 10 | 44 | 20.95 |
| SPRSC-686 | 6 8 6 | 16 | 10 | 52 | 21.20 |
| SPRSC-6126 | 6 12 6 | 16 | 10 | 69 | 27.19 |
| SPRSC-886 | 8 8 6 | 16 | 10 | 63 | 24.41 |
| SPRSC-8106 | 8 10 6 | 16 | 5 | 37 | 27.57 |
| SPRSC-8126 | 8 12 6 | 16 | 5 | 42 | 30.77 |
| SPRSC-10106 | 10 10 6 | 16 | 5 | 43 | 31.26 |
| SPRSC-10126 | 10 12 6 | 16 | 5 | 49 | 34.90 |
| SPRSC-12126 | 12 12 6 | 16 | 5 | 55 | 39.01 |
| SPRSC-12156 | 12 15 6 | 16 | 5 | 66 | 45.17 |
| SPRSC-12186 | 12 18 6 | 16 | 5 | 74 | 51.29 |

| ITEM | SIZE W H D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------------|---------------|-------|--------------|--------------|-----------------------|
| SPRSC-12246 | 12 24 6 | 16 | 1 | 27 | 73.71 |
| SPRSC-15186 | 15 18 6 | 16 | 3 | 53 | 69.10 |
| SPRSC-15246 | 15 24 6 | 16 | 2 | 44 | 85.23 |
| SPRSC-18126 | 18 12 6 | 16 | 5 | 92 | 51.38 |
| SPRSC-18186 | 18 18 6 | 16 | 3 | 61 | 78.38 |
| SPRSC-18246 | 18 24 6 | 14 | 2 | 62 | 96.81 |
| SPRSC-12128 | 12 12 8 | 16 | 2 | 26 | 44.49 |
| SPRSC-12188 | 12 18 8 | 16 | 1 | 19 | 58.16 |
| SPRSC-15188 | 15 18 8 | 16 | 1 | 25 | 77.58 |
| SPRSC-18188 | 18 18 8 | 16 | 1 | 25 | 87.62 |
| SPRSC-18248 | 18 24 8 | 14 | 1 | 38 | 107.67 |
| SPRSC-24248 | 24 24 8 | 14 | 1 | 49 | 132.41 |
| SPRSC-24308 | 24 30 8 | 14 | 1 | 58 | 157.02 |
| SPRSC-121210 | 12 12 10 | 16 | 1 | 16 | 49.92 |
| SPRSC-161610 | 16 16 10 | 16 | 1 | 30 | 83.03 |
| SPRSC-181812 | 18 18 12 | 16 | 1 | 38 | 106.13 |
| SPRSC-182412 | 18 24 12 | 14 | 1 | 46 | 129.37 |
| SPRSC-242412 | 24 24 12 | 14 | 1 | 68 | 157.09 |
| SPRSC-243612 * | 24 36 12 | 12 | 1 | 128 | 284.38 |
| SPRSC-303612 * | 30 36 12 | 12 | 1 | 152 | 296.57 |
| SPRSC-364212 * | 36 42 12 | 12 | 1 | 200 | 384.49 |
| SPRSC-364812 * | 36 48 12 | 12 | 1 | 220 | 428.45 |
| SPRSC-242416 * | 24 24 16 | 14 | 1 | 67 | 181.73 |
| SPRSC-303016 * | 30 30 16 | 12 | 1 | 150 | 294.59 |
| SPRSC-363616 * | 36 36 16 | 12 | 1 | 201 | 384.47 |
| * NO KNOCKOUTS | | | | | |

NEMA 3R TYPE WEATHERPROOF RAINPROOF SCREW COVER GUTTER



ADD 8% IF ORDERING LESS
THAN STANDARD BUNDLES

| ITEM | SIZE H D LONG | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|------------------|-------|--------------|--------------|-----------------------|
| SPRSCG-4412 | 4 4 12 | 16 | 4 | 19 | 28.41 |
| SPRSCG-4424 | 4 4 24 | 16 | 4 | 36 | 40.27 |
| SPRSCG-4436 | 4 4 36 | 16 | 4 | 53 | 52.35 |
| SPRSCG-4448 | 4 4 48 | 16 | 4 | 70 | 64.24 |
| SPRSCG-4460 | 4 4 60 | 16 | 4 | 85 | 76.19 |
| SPRSCG-4472 | 4 4 72 | 16 | 4 | 102 | 96.31 |
| SPRSCG-6612 | 6 6 12 | 16 | 2 | 15 | 36.88 |
| SPRSCG-6624 | 6 6 24 | 16 | 2 | 27 | 54.79 |
| SPRSCG-6636 | 6 6 36 | 16 | 2 | 38 | 72.74 |

Construction:

- € The body is fabricated from 14 or 16 gauge galvaneal steel.
- € The removable cover is a slip-on style, fastened with screws located along the bottom edge. Mounting holes are located in back.

Finish:

ANSI-61 gray polyester powder over galvaneal steel.

ETL® LISTED

| ITEM | SIZE H D LONG | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|------------------|-------|--------------|--------------|-----------------------|
| SPRSCG-6648 | 6 6 48 | 16 | 2 | 50 | 90.63 |
| SPRSCG-6660 | 6 6 60 | 16 | 2 | 62 | 108.54 |
| SPRSCG-6672 | 6 6 72 | 16 | 2 | 74 | 126.44 |
| SPRSCG-8812 | 8 8 12 | 14 | 1 | 11 | 48.77 |
| SPRSCG-8824 | 8 8 24 | 14 | 1 | 18 | 73.46 |
| SPRSCG-8836 | 8 8 36 | 14 | 1 | 25 | 98.31 |
| SPRSCG-8848 | 8 8 48 | 14 | 1 | 34 | 123.10 |
| SPRSCG-8860 | 8 8 60 | 14 | 1 | 42 | 147.93 |
| SPRSCG-8872 | 8 8 72 | 14 | 1 | 49 | 197.34 |

JIC WIRING TROUGHS



JIC WIRING TROUGHS WITH LIFT-OFF COVERS

Construction:

- € The body is fabricated from 14 gauge steel.
- € There are no holes or knockouts.
- € The troughs have lift-off lids and external screw clamps to ensure a complete seal between cover and body.
- € Mounting feet are provided.
- € NEMA 12 RATING

Finish:

ANSI-61 gray polyester powder inside and outside.

ETL® LISTED

UL® & CUL®
LISTED

| ITEM | SIZE H W L | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|---------------|--------------|--------------|-----------------------|
| SPJT-2212 | 2½ 2½ 12 | 1 | 5 | 50.43 |
| SPJT-2218 | 2½ 2½ 18 | 1 | 7 | 55.01 |
| SPJT-2224 | 2½ 2½ 24 | 1 | 8 | 59.71 |
| SPJT-4412 | 4 4 12 | 1 | 7 | 57.55 |
| SPJT-4418 | 4 4 18 | 1 | 9 | 64.93 |
| SPJT-4424 | 4 4 24 | 1 | 11 | 72.33 |
| SPJT-4436 | 4 4 36 | 1 | 17 | 87.23 |
| SPJT-4448 | 4 4 48 | 1 | 22 | 102.08 |
| SPJT-6612 | 6 6 12 | 1 | 10 | 68.04 |
| SPJT-6618 | 6 6 18 | 1 | 13 | 79.24 |
| SPJT-6624 | 6 6 24 | 1 | 17 | 90.30 |
| SPJT-6636 | 6 6 36 | 1 | 26 | 112.70 |
| SPJT-6648 | 6 6 48 | 1 | 31 | 134.95 |

NEMA 4X JIC Enclosures

Application:

For use in areas which may be regularly hosed down or otherwise very wet. Also used in areas where corrosion problems exist.

Construction:

- € Fabricated from 14 gauge type 304 stainless steel.
- € Clamp cover features stainless steel clamps and screws on four sides of cover.
- € Hinge cover features clamps and screws on three sides of cover.

Finish:

Lid and tub feature a brushed finish.



Stainless Steel Clamp Cover JIC NEMA 4X Enclosure

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|--------------|--------------|-----------------------|
| SPJ4SS-443 | 4 4 3 | 16 | 32 | 97.65 |
| SPJ4SS-643 | 6 4 3 | 12 | 24 | 124.79 |
| SPJ4SS-664 | 6 6 4 | 10 | 50 | 142.19 |
| SPJ4SS-864 | 8 6 4 | 9 | 36 | 159.69 |
| SPJ4SS-1084 | 10 8 4 | 6 | 54 | 201.38 |
| SPJ4SS-12105 | 12 10 5 | 1 | 12 | 288.06 |
| SPJ4SS-14126 | 14 12 6 | 1 | 17 | 350.51 |
| SPJ4SS-16146 | 16 14 6 | 1 | 21 | 419.98 |

* SUBPANELS ORDERED
SEPARATELY. SEE PAGE 15.

ETL® LISTED
UL® & CUL®
LISTED



Stainless Steel Hinge Cover JIC NEMA 4X Enclosure

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|---------------|---------------|--------------|--------------|-----------------------|
| SPJH4SS-644 | 6 4 4 | 16 | 48 | 146.76 |
| SPJH4SS-664 | 6 6 4 | 10 | 40 | 165.02 |
| SPJH4SS-864 | 8 6 4 | 9 | 55 | 183.39 |
| SPJH4SS-1084 | 10 8 4 | 6 | 54 | 227.01 |
| SPJH4SS-12106 | 12 10 6 | 1 | 13 | 318.16 |
| SPJH4SS-12126 | 12 12 6 | 1 | 15 | 350.92 |
| SPJH4SS-14126 | 14 12 6 | 1 | 18 | 383.76 |
| SPJH4SS-16146 | 16 14 6 | 1 | 21 | 456.65 |



JIC WIRING TROUGHS

WITH CONTINUOUS HINGED COVER

UL® & CUL® LISTED

Application:

To protect wiring from dust, dirt, oil, and water.

Construction:

- € Fabricated from 14 gauge steel.
- € There are no holes or knockouts.
- € Troughs have continuous hinges and external screw clamps to ensure a complete seal between cover and body.

€ Mounting feet provided.

€ NEMA 12 RATING

Finish:

ANSI-61 gray polyester powder inside and outside.

| ITEM | SIZE H W L | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|---------------|--------------|--------------|-----------------------|
| SPJTH-2212 | 2½ 2½ 12 | 1 | 3 | 48.65 |
| SPJTH-2218 | 2½ 2½ 18 | 1 | 5 | 52.38 |
| SPJTH-2224 | 2½ 2½ 24 | 1 | 6 | 56.12 |
| SPJTH-2230 | 2½ 2½ 30 | 1 | 9 | 59.84 |
| SPJTH-2236 | 2½ 2½ 36 | 1 | 10 | 63.61 |
| SPJTH-2248 | 2½ 2½ 48 | 1 | 13 | 71.15 |
| SPJTH-2260 | 2½ 2½ 60 | 1 | 16 | 78.59 |
| SPJTH-2272 | 2½ 2½ 72 | 1 | 19 | 86.09 |
| SPJTH-4412 | 4 4 12 | 1 | 6 | 60.38 |
| SPJTH-4418 | 4 4 18 | 1 | 10 | 68.11 |
| SPJTH-4424 | 4 4 24 | 1 | 11 | 75.88 |
| SPJTH-4430 | 4 4 30 | 1 | 15 | 83.76 |
| SPJTH-4436 | 4 4 36 | 1 | 18 | 91.51 |
| SPJTH-4448 | 4 4 48 | 1 | 22 | 107.21 |
| SPJTH-4460 | 4 4 60 | 1 | 25 | 122.73 |
| SPJTH-4472 | 4 4 72 | 1 | 30 | 138.35 |
| SPJTH-6612 | 6 6 12 | 1 | 10 | 71.42 |

| ITEM | SIZE H W L | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|--------------|--------------|-----------------------|
| SPJTH-6618 | 6 6 18 | 1 | 12 | 83.14 |
| SPJTH-6624 | 6 6 24 | 1 | 16 | 94.76 |
| SPJTH-6630 | 6 6 30 | 1 | 19 | 106.51 |
| SPJTH-6636 | 6 6 36 | 1 | 24 | 118.26 |
| SPJTH-6648 | 6 6 48 | 1 | 30 | 141.61 |
| SPJTH-6660 | 6 6 60 | 1 | 32 | 165.12 |
| SPJTH-6672 | 6 6 72 | 1 | 44 | 188.48 |
| SPJTH-8812 | 8 8 12 | 1 | 13 | 80.50 |
| SPJTH-8824 | 8 8 24 | 1 | 23 | 110.45 |
| SPJTH-8836 | 8 8 36 | 1 | 32 | 140.48 |
| SPJTH-8848 | 8 8 48 | 1 | 40 | 170.48 |
| SPJTH-8860 | 8 8 60 | 1 | 49 | 203.72 |
| SPJTH-121224 | 12 12 24 | 1 | 34 | 140.48 |
| SPJTH-121236 | 12 12 36 | 1 | 49 | 153.00 |
| SPJTH-121248 | 12 12 48 | 1 | 60 | 242.94 |
| SPJTH-121260 | 12 12 60 | 1 | 73 | 287.92 |

JIC WIRING ENCLOSURES

Application:

JIC wiring enclosures are designed to be used as instrument housings, electrical control enclosures, terminal wiring boxes or electrical junction boxes.

Construction:

- € Fabricated from 14 or 16 gauge steel.
- € Modifications are available upon special request.

Finish:

ANSI-61 gray polyester powder.



ETL® LISTED
UL® & CUL®
LISTED

*SUBPANELS MUST BE
ORDERED SEPARATELY.
SEE PAGE 15.

** NEMA 12 RATING

ADD 8% IF ORDERING LESS
THAN STANDARD CARTONS.



CLAMP COVER JIC WIRING ENCLOSURES**

| ITEM | SIZE H W D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|---------------|-------|--------------|--------------|-----------------------|
| SPJ-443 | 4 4 3 | 16 | 16 | 36 | 23.01 |
| SPJ-444 | 4 4 4 | 16 | 12 | 32 | 24.25 |
| SPJ-643 | 6 4 3 | 16 | 12 | 36 | 26.57 |
| SPJ-644 | 6 4 4 | 16 | 9 | 31 | 28.04 |
| SPJ-664 | 6 6 4 | 16 | 10 | 49 | 30.99 |
| SPJ-863 | 8 6 3½ | 14 | 10 | 53 | 33.58 |
| SPJ-866 | 8 6 6 | 14 | 6 | 34 | 38.60 |
| SPJ-884 | 8 8 4 | 14 | 6 | 41 | 38.04 |
| SPJ-1084 | 10 8 4 | 14 | 6 | 47 | 40.88 |
| SPJ-1086 | 10 8 6 | 14 | 4 | 36 | 47.03 |
| SPJ-10106 | 10 10 6 | 14 | 1 | 12 | 51.22 |
| SPJ-12105 | 12 10 5 | 14 | 1 | 12 | 52.20 |
| SPJ-12126 | 12 12 6 | 14 | 1 | 14 | 62.71 |
| SPJ-14126 | 14 12 6 | 14 | 1 | 17 | 65.97 |
| SPJ-16146 | 16 14 6 | 14 | 1 | 21 | 77.53 |
| SPJ-16148 | 16 14 8 | 14 | 1 | 24 | 86.76 |

CLAMP COVER JIC NEMA 4 ENCLOSURES

FEATURING LIFT OFF COVERS

| ITEM | SIZE H W D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|---------------|-------|--------------|--------------|-----------------------|
| SPJ4-443 | 4 4 3 | 16 | 16 | 42 | 31.70 |
| SPJ4-643 | 6 4 3 | 16 | 10 | 34 | 36.11 |
| SPJ4-664 | 6 6 4 | 16 | 10 | 50 | 42.01 |
| SPJ4-863 | 8 6 3½ | 14 | 10 | 56 | 44.51 |
| SPJ4-1084 | 10 8 4 | 14 | 6 | 52 | 55.51 |
| SPJ4-12105 | 12 10 5 | 14 | 1 | 12 | 70.80 |
| SPJ4-14126 | 14 12 6 | 14 | 1 | 18 | 89.54 |
| SPJ4-16146 | 16 14 6 | 14 | 1 | 22 | 105.27 |

Application:

NEMA 4 JIC enclosures are designed for use in areas which may be regularly hosed down or otherwise very wet.

ETL® LISTED
UL® & CUL®
LISTED

CONTINUOUS HINGE JIC WIRING ENCLOSURES**

| ITEM | SIZE H W D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|-------|--------------|--------------|-----------------------|
| SPJH-443 | 4 4 3 | 16 | 16 | 36 | 24.53 |
| SPJH-444 | 4 4 4 | 16 | 12 | 32 | 25.73 |
| SPJH-643 | 6 4 3 | 16 | 12 | 36 | 28.27 |
| SPJH-644 | 6 4 4 | 16 | 9 | 31 | 29.85 |
| SPJH-664 | 6 6 4 | 16 | 10 | 45 | 32.92 |
| SPJH-863 | 8 6 3½ | 14 | 10 | 57 | 34.94 |
| SPJH-866 | 8 6 6 | 14 | 6 | 37 | 40.29 |
| SPJH-884 | 8 8 4 | 14 | 6 | 44 | 39.64 |
| SPJH-1084 | 10 8 4 | 14 | 6 | 47 | 43.38 |
| SPJH-1086 | 10 8 6 | 14 | 4 | 40 | 48.87 |
| SPJH-10106 | 10 10 6 | 14 | 1 | 12 | 53.90 |
| SPJH-12064 | 12 6 4 | 14 | 4 | 32 | 42.13 |
| SPJH-12105 | 12 10 5 | 14 | 1 | 12 | 55.47 |
| SPJH-12108 | 12 10 8 | 14 | 1 | 16 | 65.62 |
| SPJH-12126 | 12 12 6 | 14 | 1 | 15 | 64.39 |
| SPJH-14086 | 14 8 6 | 14 | 1 | 13 | 57.59 |
| SPJH-14126 | 14 12 6 | 14 | 1 | 16 | 69.98 |
| SPJH-14128 | 14 12 8 | 14 | 1 | 21 | 77.91 |
| SPJH-16106 | 16 10 6 | 14 | 1 | 17 | 68.68 |
| SPJH-16146 | 16 14 6 | 14 | 1 | 21 | 82.33 |
| SPJH-16148 | 16 14 8 | 14 | 1 | 24 | 91.51 |
| SPJH-161410 | 16 14 10 | 14 | 1 | 28 | 100.81 |

CONTINUOUS HINGED JIC NEMA 4 ENCLOSURES

| ITEM | SIZE H W D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|-------|--------------|--------------|-----------------------|
| SPJH4-443 | 4 4 3 | 16 | 16 | 32 | 35.27 |
| SPJH4-643 | 6 4 3 | 16 | 10 | 41 | 39.86 |
| SPJH4-664 | 6 6 4 | 16 | 10 | 51 | 46.42 |
| SPJH4-863 | 8 6 3½ | 14 | 10 | 58 | 49.16 |
| SPJH4-1084 | 10 8 4 | 14 | 6 | 51 | 61.01 |
| SPJH4-1086 | 10 8 6 | 14 | 4 | 40 | 62.43 |
| SPJH4-12105 | 12 10 5 | 14 | 1 | 13 | 77.98 |
| SPJH4-12126 | 12 12 6 | 14 | 1 | 15 | 82.24 |
| SPJH4-14126 | 14 12 6 | 14 | 1 | 18 | 98.32 |
| SPJH4-16146 | 16 14 6 | 14 | 1 | 21 | 115.70 |

LARGE JIC OIL-TIGHT ENCLOSURES

Application:

For housing electrical controls, terminals, and instruments and to provide protection from dust, dirt, oil and water.

Construction:

- € Featuring a strong and rigid construction, they are fabricated from 14 gauge steel.
- € A continuous hinge is provided on the long side.
- € The door can be removed by pulling the hinge pin.
- € Body stiffeners and door stiffeners are provided in larger enclosures for extra rigidity.
- € External feet are furnished for mounting.
- € NEMA 12 RATING

Finish:

ANSI-61 gray polyester powder inside and outside.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. PER PKG. | LIST PRICE EACH |
|--------------|---------------|--------------|--------------------------|-----------------------|
| SPLJH-20167 | 20 16 7 | 1 | 31 | 129.78 |
| SPLJH-20207 | 20 20 7 | 1 | 37 | 143.74 |
| SPLJH-24207 | 24 20 7 | 1 | 43 | 157.58 |
| SPLJH-24247 | 24 24 7 | 1 | 48 | 173.50 |
| SPLJH-30207 | 30 20 7 | 1 | 50 | 178.55 |
| SPLJH-30247 | 30 24 7 | 1 | 58 | 197.63 |
| SPLJH-36247 | 36 24 7 | 1 | 69 | 221.64 |
| SPLJH-20169 | 20 16 9 | 1 | 36 | 139.13 |
| SPLJH-20209 | 20 20 9 | 1 | 41 | 154.06 |
| SPLJH-24209 | 24 20 9 | 1 | 47 | 168.96 |
| SPLJH-24249 | 24 24 9 | 1 | 54 | 185.99 |
| SPLJH-30209 | 30 20 9 | 1 | 55 | 191.38 |
| SPLJH-30249 | 30 24 9 | 1 | 62 | 211.52 |
| SPLJH-36249 | 36 24 9 | 1 | 76 | 237.09 |
| SPLJH-36309 | 36 30 9 | 1 | 90 | 271.97 |
| SPLJH-42309 | 42 30 9 | 1 | 103 | 302.07 |
| SPLJH-42369 | 42 36 9 | 1 | 115 | 341.65 |
| SPLJH-242411 | 24 24 11 | 1 | 58 | 224.13 |
| SPLJH-362411 | 36 24 11 | 1 | 77 | 252.82 |
| SPLJH-483611 | 48 36 11 | 1 | 139 | 401.23 |
| SPLJH-302413 | 30 24 13 | 1 | 70 | 239.44 |
| SPLJH-363013 | 36 30 13 | 1 | 100 | 306.00 |

UL® & CUL®

LISTED

JIC SCREW COVER ENCLOSURES

| ITEM | SIZE H W D | GAUGE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|-------|--------------|--------------|-----------------------|
| SPJSC-443 | 4 4 3 | 16 | 16 | 38 | 27.04 |
| SPJSC-444 | 4 4 4 | 16 | 12 | 34 | 28.49 |
| SPJSC-643 | 6 4 3 | 16 | 12 | 38 | 31.12 |
| SPJSC-644 | 6 4 4 | 16 | 9 | 32 | 32.88 |
| SPJSC-664 | 6 6 4 | 16 | 10 | 49 | 36.23 |
| SPJSC-863 | 8 6 3½ | 14 | 10 | 53 | 38.52 |
| SPJSC-866 | 8 6 6 | 14 | 6 | 42 | 44.47 |
| SPJSC-884 | 8 8 4 | 14 | 6 | 45 | 43.87 |
| SPJSC-1084 | 10 8 4 | 14 | 6 | 50 | 47.90 |
| SPJSC-1086 | 10 8 6 | 14 | 4 | 38 | 53.97 |
| SPJSC-10104 | 10 10 4 | 14 | 1 | 10 | 52.69 |
| SPJSC-10106 | 10 10 6 | 14 | 1 | 11 | 59.54 |
| SPJSC-12105 | 12 10 5 | 14 | 1 | 12 | 61.22 |
| SPJSC-12126 | 12 12 6 | 14 | 1 | 15 | 71.13 |
| SPJSC-14126 | 14 12 6 | 14 | 1 | 16 | 77.26 |
| SPJSC-16146 | 16 14 6 | 14 | 1 | 20 | 91.08 |
| SPJSC-16148 | 16 14 8 | 14 | 1 | 25 | 101.01 |

Construction:

- € Fabricated from 14 or 16 gauge carbon steel.
- € Lids have captivated cover screws threaded into sealed wells.
- € NEMA 12 RATING

Finish:

ANSI-61 gray polyester powder.

UL® & CUL®

LISTED

SUBPANELS ONLY

SUBPANELS FOR:

Small JIC, JIC-NEMA 4 Enclosures
and Small NEMA 3R Lift-Off Enclosures.

ADD 8% IF ORDERING LESS
THAN STANDARD CARTONS.

Construction:

Fabricated from 14 gauge steel.

Finish:

White polyester powder.



| ITEM | SIZE H W | STD. PKG. | SHPG. WT. | LIST PRICE |
|----------|---------------|--------------|--------------|---------------|
| SPP-64 | 4-7/8 2-7/8 | 10 | 3 | 2.26 |
| SPP-66 | 4-7/8 4-7/8 | 10 | 5 | 2.69 |
| SPP-86 | 6-7/8 4-7/8 | 10 | 8 | 3.07 |
| SPP-88 | 6-7/8 6-7/8 | 10 | 11 | 3.58 |
| SPP-108 | 8-7/8 6-7/8 | 10 | 14 | 4.37 |
| SPP-1010 | 8-7/8 8-7/8 | 10 | 17 | 4.95 |
| SPP-126 | 10-7/8 4-7/8 | 10 | 12 | 3.91 |
| SPP-1210 | 10-7/8 8-7/8 | 10 | 20 | 5.67 |
| SPP-1212 | 10-7/8 10-7/8 | 10 | 26 | 6.63 |
| SPP-148 | 12-7/8 6-7/8 | 10 | 19 | 5.43 |
| SPP-1412 | 12-7/8 10-7/8 | 10 | 31 | 7.46 |
| SPP-1610 | 14-7/8 8-7/8 | 10 | 27 | 7.29 |
| SPP-1614 | 14-7/8 12-7/8 | 10 | 42 | 9.87 |
| SPP-1224 | 9 21 | 1 | 7 | 24.40 |
| SPP-1612 | 13 9 | 1 | 3 | 14.42 |
| SPP-1616 | 13 13 | 1 | 5 | 17.73 |

SUBPANELS FOR:

NEMA 4 (2 Door Floor Mount), NEMA 12 (2 Door Floor Mount),
NEMA 12 (2 Door Wall Mount), NEMA 12 (2 Door Extra Volume).


Construction:

Fabricated from 10 gauge steel.

Finish:

White polyester powder.

| ITEM | SIZE H W | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|-------------|--------------|--------------|-----------------------|
| SPDD-4242 | 39 39 | 1 | 63 | 113.51 |
| SPDD-4260 | 38 56 | 1 | 75 | 166.47 |
| SPDD-4842 | 45 39 | 1 | 75 | 128.59 |
| SPDD-4848 | 44 44 | 1 | 82 | 153.68 |
| SPDD-6048 | 56 44 | 1 | 103 | 198.26 |
| SPDD-5442 | 50 38 | 1 | 79 | 137.91 |
| SPDD-6060 | 56 56 | 1 | 128 | 244.74 |
| SPDD-7260 | 68 56 | 1 | 151 | 291.38 |
| SPDD-7272 | 68 68 | 1 | 184 | 348.09 |



SUBPANELS FOR:

NEMA 12 Single Door, NEMA 4 Single Door,
Large Oil-Tight JIC, Extra Large NEMA 1,
NEMA 3R Hinge Cover, NEMA 3R Lift-Off,
2-Door Wall Mount and NEMA 4X-Single Door.

Construction:

Fabricated from 12 gauge steel.

Finish:

White polyester powder.

| ITEM | SIZE H W | STD. PKG. | SHPG. WT. | LIST PRICE |
|----------|-------------|--------------|--------------|---------------|
| SPP-1224 | 9 21 | 1 | 7 | 24.40 |
| SPP-1612 | 13 9 | 1 | 3 | 14.42 |
| SPP-1616 | 13 13 | 1 | 5 | 17.73 |
| SPP-2012 | 17 9 | 1 | 5 | 16.69 |
| SPP-2016 | 17 13 | 1 | 6 | 21.00 |
| SPP-2020 | 17 17 | 1 | 9 | 25.38 |
| SPP-2416 | 21 13 | 1 | 10 | 28.49 |
| SPP-2420 | 21 17 | 1 | 12 | 33.21 |
| SPP-2424 | 21 21 | 1 | 15 | 41.32 |
| SPP-3016 | 27 13 | 1 | 13 | 32.87 |
| SPP-3020 | 27 17 | 1 | 16 | 39.56 |
| SPP-3024 | 27 21 | 1 | 19 | 49.03 |
| SPP-3030 | 27 27 | 1 | 24 | 62.35 |
| SPP-3630 | 33 27 | 1 | 29 | 72.79 |
| SPP-4230 | 39 27 | 1 | 36 | 83.27 |
| SPP-3624 | 33 21 | 1 | 23 | 56.67 |
| SPP-3636 | 33 33 | 1 | 36 | 85.56 |
| SPP-4236 | 33 39 | 1 | 42 | 98.34 |
| SPP-4224 | 39 21 | 1 | 29 | 64.36 |
| SPP-4824 | 45 21 | 1 | 31 | 72.04 |
| SPP-4830 | 45 27 | 1 | 40 | 93.70 |
| SPP-4836 | 45 33 | 1 | 48 | 111.14 |
| SPP-6030 | 57 27 | 1 | 50 | 114.61 |
| SPP-6036 | 57 33 | 1 | 61 | 136.70 |
| SPP-7230 | 69 27 | 1 | 58 | 135.66 |
| SPP-7236 | 69 33 | 1 | 71 | 162.21 |

NEMA 4 TYPE ENCLOSURES

Application: NEMA 4 SINGLE DOOR WALL

For housing electrical controls, terminals, and instruments in areas which may be regularly hosed down or otherwise very wet.

MOUNT ENCLOSURE



UL [®] LISTED

*SUBPANELS MUST BE ORDERED SEPARATELY. SEE PAGE 15.

Construction:

- € Single Door NEMA 4's are fabricated from 14 gauge steel.
- € Door clamps are quick and easy to operate.
- € Body and door stiffeners are provided in larger enclosures for added strength.

Finish:

ANSI-61 gray polyester powder.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE |
|------------|---------------|--------------|--------------|---------------|
| SPN4-16126 | 16 12 6 | 1 | 24 | 210.46 |
| SPN4-16166 | 16 16 6 | 1 | 29 | 226.76 |
| SPN4-16206 | 16 20 6 | 1 | 33 | 243.05 |
| SPN4-20166 | 20 16 6 | 1 | 33 | 243.05 |
| SPN4-20206 | 20 20 6 | 1 | 38 | 262.29 |
| SPN4-24126 | 24 12 6 | 1 | 32 | 237.14 |
| SPN4-24166 | 24 16 6 | 1 | 39 | 259.29 |
| SPN4-24206 | 24 20 6 | 1 | 45 | 281.42 |
| SPN4-24246 | 24 24 6 | 1 | 51 | 303.60 |
| SPN4-30206 | 30 20 6 | 1 | 53 | 310.15 |
| SPN4-30246 | 30 24 6 | 1 | 61 | 336.82 |
| SPN4-36246 | 36 24 6 | 1 | 69 | 370.04 |
| SPN4-16128 | 16 12 8 | 1 | 27 | 220.94 |
| SPN4-20168 | 20 16 8 | 1 | 36 | 256.23 |
| SPN4-20208 | 20 20 8 | 1 | 43 | 277.07 |
| SPN4-20248 | 20 24 8 | 1 | 50 | 297.60 |
| SPN4-24208 | 24 20 8 | 1 | 50 | 297.60 |
| SPN4-24248 | 24 24 8 | 1 | 57 | 321.22 |
| SPN4-24308 | 24 30 8 | 1 | 66 | 356.67 |
| SPN4-30208 | 30 20 8 | 1 | 56 | 328.64 |

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE |
|-------------|---------------|--------------|--------------|---------------|
| SPN4-30248 | 30 24 8 | 1 | 67 | 356.68 |
| SPN4-30308 | 30 30 8 | 1 | 79 | 398.90 |
| SPN4-36248 | 36 24 8 | 1 | 75 | 392.05 |
| SPN4-36308 | 36 30 8 | 1 | 95 | 440.88 |
| SPN4-42308 | 42 30 8 | 1 | 105 | 483.02 |
| SPN4-42368 | 42 36 8 | 1 | 120 | 538.37 |
| SPN4-48368 | 48 36 8 | 1 | 137 | 587.22 |
| SPN4-60368 | 60 36 8 | 1 | 164 | 685.01 |
| SPN4-201610 | 20 16 10 | 1 | 39 | 269.64 |
| SPN4-242010 | 24 20 10 | 1 | 53 | 314.06 |
| SPN4-302410 | 30 24 10 | 1 | 73 | 376.63 |
| SPN4-363010 | 36 30 10 | 1 | 100 | 465.34 |
| SPN4-483010 | 48 30 10 | 1 | 124 | 554.13 |
| SPN4-483610 | 48 36 10 | 1 | 148 | 618.25 |
| SPN4-603610 | 60 36 10 | 1 | 166 | 720.50 |
| SPN4-302412 | 30 24 12 | 1 | 77 | 396.72 |
| SPN4-363012 | 36 30 12 | 1 | 103 | 489.70 |
| SPN4-483612 | 48 36 12 | 1 | 152 | 649.29 |
| SPN4-363016 | 36 30 16 | 1 | 121 | 539.50 |
| SPN4-483616 | 48 36 16 | 1 | 170 | 711.62 |
| SPN4-603616 | 60 36 16 | 1 | 199 | 827.11 |

NEMA 4 SINGLE DOOR WALL MOUNTED DISCONNECT ENCLOSURE

Application:

For use in same locations as Schaefer's standard NEMA 4 enclosures.

Construction:

- € Fabricated from 14 gauge carbon steel.
- € Door hinged on left side and secured on remaining three sides with clamps and screws.
- € Features removable print pocket.
- € Body and door stiffeners are provided in larger enclosures for added strength.
- € External feet are provided for mounting.
- € Furnished with holes in right flange for mounting of operating handle or mechanism.

Finish:

ANSI-61 gray polyester powder.

UL [®] LISTED

| ITEM | SIZE H W D | SHPG. WT. | OPTIONAL SUBPANEL | LIST PRICE EACH |
|--------------|--------------------------------------|--------------|----------------------|-----------------------|
| SPSN4-24228 | 24 21 ³ / ₈ 8 | 51 | SPP-2420 | 392.21 |
| SPSN4-24258 | 24 25 ³ / ₈ 8 | 55 | SPP-2424 | 423.41 |
| SPSN4-30258 | 30 25 ³ / ₈ 8 | 67 | SPP-3024 | 470.16 |
| SPSN4-36328 | 36 31 ³ / ₈ 8 | 94 | SPP-3630 | 581.11 |
| SPSN4-423212 | 42 31 ³ / ₈ 12 | 128 | SPP-4230 | 706.64 |
| SPSN4-423812 | 42 37 ³ / ₈ 12 | 141 | SPP-4236 | 766.50 |
| SPSN4-483812 | 48 37 ³ / ₈ 12 | 157 | SPP-4836 | 855.63 |
| SPSN4-603812 | 60 37 ³ / ₈ 12 | 188 | SPP-6036 | 995.93 |

PLEASE SPECIFY DISCONNECT SPECIFICATIONS WHEN ORDERING.

NEMA 4 TYPE ENCLOSURES

STAINLESS STEEL NEMA 4X SINGLE DOOR WALL MOUNT ENCLOSURE

Application:

For housing electrical controls, terminals, and instruments in areas which may be regularly hosed down or otherwise very wet. Enclosures are suitable for out-door use.

Construction:

- € Fabricated from 14 gauge, type 304 stainless steel.
- € Door has a continuous hinge and features quick and easy to operate stainless steel door clamps on three sides.
- € A padlocking hasp and staple is provided.
- € Body and door stiffeners are provided in larger enclosures for added strength.

Finish:

Features a brushed finish

UL  LISTED

***SUBPANELS MUST
BE ORDERED
SEPARATELY.
SEE PAGE 15.**

| ITEM | SIZE | | | STD. PKG. | SHPG. WT. | LIST PRICE |
|--------------|------|----|---|--------------|--------------|---------------|
| | H | W | D | | | |
| SPN4SS-16126 | 16 | 12 | 6 | 1 | 23 | 565.13 |
| SPN4SS-16166 | 16 | 16 | 6 | 1 | 28 | 626.03 |
| SPN4SS-20166 | 20 | 16 | 6 | 1 | 33 | 687.09 |
| SPN4SS-20206 | 20 | 20 | 6 | 1 | 38 | 759.10 |
| SPN4SS-24206 | 24 | 20 | 6 | 1 | 44 | 831.33 |
| SPN4SS-16128 | 16 | 12 | 8 | 1 | 26 | 604.01 |
| SPN4SS-20168 | 20 | 16 | 8 | 1 | 35 | 735.63 |
| SPN4SS-24168 | 24 | 16 | 8 | 1 | 41 | 803.57 |
| SPN4SS-24208 | 24 | 20 | 8 | 1 | 47 | 890.52 |
| SPN4SS-24248 | 24 | 24 | 8 | 1 | 55 | 980.95 |
| SPN4SS-24308 | 24 | 30 | 8 | 1 | 69 | 1,113.95 |
| SPN4SS-30208 | 30 | 20 | 8 | 1 | 58 | 1,008.84 |
| SPN4SS-30248 | 30 | 24 | 8 | 1 | 66 | 1,113.95 |
| SPN4SS-30308 | 30 | 30 | 8 | 1 | 76 | 1,271.93 |
| SPN4SS-36248 | 36 | 24 | 8 | 1 | 76 | 1,247.07 |
| SPN4SS-36308 | 36 | 30 | 8 | 1 | 95 | 1,430.12 |



| ITEM | SIZE | | | STD. PKG. | SHPG. WT. | LIST PRICE |
|---------------|------|----|----|--------------|--------------|---------------|
| | H | W | D | | | |
| SPN4SS-42368 | 42 | 36 | 8 | 1 | 132 | 1,795.97 |
| SPN4SS-48368 | 48 | 36 | 8 | 1 | 143 | 1,978.95 |
| SPN4SS-201610 | 20 | 16 | 10 | 1 | 40 | 787.03 |
| SPN4SS-242010 | 24 | 20 | 10 | 1 | 53 | 953.07 |
| SPN4SS-362410 | 36 | 24 | 10 | 1 | 82 | 1,330.26 |
| SPN4SS-363010 | 36 | 30 | 10 | 1 | 100 | 1,521.56 |
| SPN4SS-423010 | 42 | 30 | 10 | 1 | 116 | 1,687.92 |
| SPN4SS-242412 | 24 | 24 | 12 | 1 | 64 | 1,113.97 |
| SPN4SS-302412 | 30 | 24 | 12 | 1 | 77 | 1,263.63 |
| SPN4SS-363012 | 36 | 30 | 12 | 1 | 107 | 1,613.15 |
| SPN4SS-363612 | 36 | 36 | 12 | 1 | 127 | 1,793.33 |
| SPN4SS-483612 | 48 | 36 | 12 | 1 | 162 | 2,211.74 |
| SPN4SS-603612 | 60 | 36 | 12 | 1 | 190 | 2,611.06 |
| SPN4SS-302416 | 30 | 24 | 16 | 1 | 88 | 1,410.59 |
| SPN4SS-363016 | 36 | 30 | 16 | 1 | 123 | 1,800.16 |
| SPN4SS-483616 | 48 | 36 | 16 | 1 | 179 | 2,444.35 |

NEMA 4X SINGLE DOOR WALL MOUNT DISCONNECT ENCLOSURE (STAINLESS STEEL - TYPE 304)

Application:

For use in same locations as Schaefer's standard NEMA 4X enclosures.

Construction:

- € Fabricated from 14 gauge, type 304 stainless steel.
- € Door is hinged on left side and secured on remaining three sides with clamps and screws.
- € Features removable print pocket.
- € Body and door stiffeners are provided in larger enclosures for added strength.
- € External feet are provided for mounting.
- € Furnished with holes in right flange for mounting of operating handle or mechanism.

| ITEM | SIZE | | | SHPG. WT. | OPTIONAL SUBPANEL | LIST PRICE EACH |
|----------------|------|--------------------------------|----|--------------|----------------------|-----------------------|
| | H | W | D | | | |
| SPSN4-24228SS | 24 | 21 ³ / ₈ | 8 | 51 | SPP-2420 | 1,004.62 |
| SPSN4-24258SS | 24 | 25 ³ / ₈ | 8 | 55 | SPP-2424 | 1,104.52 |
| SPSN4-30258SS | 30 | 25 ³ / ₈ | 8 | 67 | SPP-3024 | 1,254.30 |
| SPSN4-36258SS | 36 | 25 ³ / ₈ | 8 | 76 | SPP-3630 | 1,403.99 |
| SPSN4-36328SS | 36 | 31 ³ / ₈ | 8 | 94 | SPP-3630 | 1,610.02 |
| SPSN4-423212SS | 42 | 31 ³ / ₈ | 12 | 128 | SPP-4230 | 2,012.74 |
| SPSN4-423812SS | 42 | 37 ³ / ₈ | 12 | 141 | SPP-4236 | 2,265.48 |
| SPSN4-483812SS | 48 | 37 ³ / ₈ | 12 | 157 | SPP-4836 | 2,490.32 |
| SPSN4-603812SS | 60 | 37 ³ / ₈ | 12 | 188 | SPP-6036 | 2,939.68 |

UL  LISTED

PLEASE SPECIFY DISCONNECT SPECIFICATIONS WHEN ORDERING.

NEMA 4 FREESTANDING ENCLOSURE

NEMA 4 FREESTANDING SINGLE DOOR

Application:

Designed to house electrical and electronic controls, instruments and components in areas which may be hosed down. Similar to NEMA 12 cabinets, but with additional hold-down clamps on top, bottom and open side of door for maximum dust and moisture-proof protection.

UL [®] LISTED

Construction:

€ Fabricated from 12-gauge steel.

Finish:

ANSI-61 gray polyester powder.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE |
|---------------|---------------|--------------|--------------|---------------|
| SPN4FS-722518 | 72 25 18 | 1 | 258 | 1,244.38 |
| SPN4FS-723124 | 72 31 24 | 1 | 347 | 1,519.53 |
| SPN4FS-723724 | 72 37 24 | 1 | 383 | 1,656.55 |

*SUBPANELS MUST BE ORDERED SEPARATELY.

SEE PAGE 30.

NEMA 4 FLOOR MOUNT DOUBLE DOOR

Construction:

€ Double door on 12" legs.

€ Fabricated from 12 gauge steel except for back, which is 10 gauge steel.

Finish:

ANSI-61 gray polyester powder.

UL [®] LISTED

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE |
|--------------|---------------|--------------|--------------|---------------|
| SPN4D-624810 | 62 48 10 | 1 | 357 | 1,580.13 |
| SPN4D-626012 | 62 60 12 | 1 | 507 | 1,827.16 |
| SPN4D-746012 | 74 60 12 | 1 | 560 | 2,089.69 |
| SPN4D-747212 | 74 72 12 | 1 | 626 | 2,326.19 |
| SPN4D-747224 | 74 72 24 | 1 | 805 | 2,739.74 |

*SUBPANELS MUST BE ORDERED SEPARATELY.

SEE PAGE 15.

STAINLESS STEEL NEMA 4 DOUBLE DOOR

FLOOR MOUNT ENCLOSURES

Construction:

€ Fabricated from 12 gauge type 304 stainless steel.

€ Continuously welded seams.

€ Rolled lip around door opening to exclude liquids.

€ Stainless steel clamps and screws on three sides of doors.

€ Heavy duty continuous hinges.

€ Hasp and staple on each door for padlocking.

€ Removable print pocket provided.

€ 12" legs welded to bottom of enclosure.

€ Removable lifting eyes installed.

€ Collar studs provided for optional panel.

€ Doors sealed with oil-resistant gasketing.

€ Optional panels are painted with white polyester powder.

€ Conform to NEMA type 4, type 4x, and type 12 standards.

UL [®] LISTED

| ITEM | SIZE H W D | SHPG. WT. | LIST PRICE |
|----------------|---------------|--------------|---------------|
| SPN4DSS-624810 | 62 48 10 | 357 | 6,605.31 |
| SPN4DSS-626010 | 62 60 10 | 433 | 7,795.08 |
| SPN4DSS-624812 | 62 48 12 | 385 | 6,779.61 |
| SPN4DSS-626012 | 62 60 12 | 507 | 7,604.35 |
| SPN4DSS-746012 | 74 60 12 | 560 | 8,871.73 |
| SPN4DSS-747212 | 74 72 12 | 626 | 9,366.80 |
| SPN4DSS-747224 | 74 72 24 | 805 | 11,684.68 |



NEMA 4-12 TYPE ENCLOSURES

NEMA 4-12 SINGLE DOOR ENCLOSURE


Construction:

- € Fabricated from 14 gauge, type 304 stainless steel.
- € Continuously welded seams.
- € Hidden piano hinge.
- € Slotted quarterturn latch(es).
- € Mounting holes provided in back.
- € Optional mounting feet available (welded on).
- € Print pocket provided.
- € Oil-resistant door gasket.
- € Subpanel studs for NEMA 12 type subpanel.

Finish:

Surface has a brushed finish.

| ITEM # | SIZE H W D | SHPG WT. | LIST PRICE EACH |
|-----------------|---------------|-------------|-----------------------|
| SPN412SS-16126 | 16 12 6 | 17 | 511.94 |
| SPN412SS-20166 | 20 16 6 | 30 | 622.46 |
| SPN412SS-20208 | 20 20 8 | 38 | 737.91 |
| SPN412SS-24208 | 24 20 8 | 45 | 808.27 |
| SPN412SS-24248 | 24 24 8 | 53 | 888.58 |
| SPN412SS-30248 | 30 24 8 | 68 | 1,009.07 |
| SPN412SS-30308 | 30 30 8 | 89 | 1,152.21 |
| SPN412SS-36308 | 36 30 8 | 98 | 1,295.28 |
| SPN412SS-363612 | 36 36 12 | 121 | 1,641.81 |



NEMA 4-12 SINGLE DOOR ENCLOSURE

Construction:

- € Fabricated from 14 gauge carbon steel.
- € Continuously welded seams.
- € Hidden piano hinge.
- € Slotted quarterturn latch(es).
- € Mounting holes provided in back.
- € Print pocket provided.
- € Oil-resistant door gasket.
- € Subpanel studs for NEMA 12 type subpanel.

Finish:

ANSI-61 gray polyester powder.

| ITEM | SIZE H W D | SHPG. WT. | LIST PRICE EACH |
|---------------|---------------|--------------|-----------------------|
| SPN412-12126 | 12 12 6 | 14 | 169.73 |
| SPN412-16126 | 16 12 6 | 17 | 181.20 |
| SPN412-16166 | 16 16 6 | 26 | 195.20 |
| SPN412-20166 | 20 16 6 | 30 | 209.21 |
| SPN412-20206 | 20 20 6 | 36 | 219.20 |
| SPN412-20168 | 20 16 8 | 33 | 220.68 |
| SPN412-24168 | 24 16 8 | 38 | 235.95 |
| SPN412-20208 | 20 20 8 | 38 | 238.44 |
| SPN412-24208 | 24 20 8 | 45 | 256.31 |
| SPN412-30208 | 30 20 8 | 64 | 282.97 |
| SPN412-24248 | 24 24 8 | 53 | 276.63 |
| SPN412-30248 | 30 24 8 | 68 | 307.21 |
| SPN412-36248 | 36 24 8 | 74 | 323.26 |
| SPN412-30308 | 30 30 8 | 89 | 343.42 |
| SPN412-36308 | 36 30 8 | 98 | 379.70 |
| SPN412-202012 | 20 20 12 | 45 | 263.90 |
| SPN412-242412 | 24 24 12 | 62 | 307.21 |
| SPN412-302412 | 30 24 12 | 80 | 341.49 |
| SPN412-402412 | 40 24 12 | 97 | 406.07 |
| SPN412-363012 | 36 30 12 | 107 | 421.68 |
| SPN412-363612 | 36 36 12 | 121 | 467.44 |
| SPN412-423612 | 42 36 12 | 139 | 513.15 |
| SPN412-483612 | 48 36 12 | 157 | 559.08 |
| SPN412-603612 | 60 36 12 | 207 | 650.69 |
| SPN412-242416 | 24 24 16 | 74 | 338.13 |
| SPN412-363016 | 36 30 16 | 116 | 463.63 |
| SPN412-483616 | 48 36 16 | 151 | 631.44 |

NEMA 12 TYPE ENCLOSURES

NEMA 12 SINGLE DOOR WALL MOUNTED ENCLOSURES

Application:

Designed to house electrical controls, terminals and instruments, providing protection from dust, dirt, oil, and water.

Construction:

- € Fabricated from 14 gauge steel.
- € All seams are continuously welded.
- € No knockouts or holes.
- € Door clamps are quick and easy to operate.
- € The door can be removed by pulling the hinge pin.
- € Body stiffeners and door stiffeners are provided in larger enclosures for added strength.

Finish:


ANSI-61 gray polyester powder.



*SUBPANELS MUST BE ORDERED SEPARATELY. SEE PAGE 30.

| ITEM | SIZE H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|----|---|--------------|--------------|-----------------------|
| SPN12-12246 | 12 | 24 | 6 | 1 | 32 | 186.78 |
| SPN12-16126 | 16 | 12 | 6 | 1 | 23 | 165.77 |
| SPN12-16166 | 16 | 16 | 6 | 1 | 27 | 178.59 |
| SPN12-16206 | 16 | 20 | 6 | 1 | 33 | 191.40 |
| SPN12-20126 | 20 | 12 | 6 | 1 | 29 | 176.21 |
| SPN12-20166 | 20 | 16 | 6 | 1 | 32 | 191.40 |
| SPN12-20206 | 20 | 20 | 6 | 1 | 38 | 206.45 |
| SPN12-20246 | 20 | 24 | 6 | 1 | 46 | 221.55 |
| SPN12-24126 | 24 | 12 | 6 | 1 | 25 | 186.78 |
| SPN12-24166 | 24 | 16 | 6 | 1 | 39 | 204.20 |
| SPN12-24206 | 24 | 20 | 6 | 1 | 44 | 221.55 |
| SPN12-24246 | 24 | 24 | 6 | 1 | 52 | 239.02 |
| SPN12-30166 | 30 | 16 | 6 | 1 | 46 | 223.34 |
| SPN12-30206 | 30 | 20 | 6 | 1 | 57 | 244.15 |
| SPN12-30246 | 30 | 24 | 6 | 1 | 59 | 265.24 |
| SPN12-36246 | 36 | 24 | 6 | 1 | 72 | 291.37 |
| SPN12-36306 | 36 | 30 | 6 | 1 | 86 | 327.93 |
| SPN12-12248 | 12 | 24 | 8 | 1 | 35 | 197.18 |
| SPN12-16128 | 16 | 12 | 8 | 1 | 27 | 173.89 |
| SPN12-16168 | 16 | 16 | 8 | 1 | 31 | 187.87 |
| SPN12-16208 | 16 | 20 | 8 | 1 | 29 | 201.87 |
| SPN12-20128 | 20 | 12 | 8 | 1 | 30 | 185.57 |
| SPN12-20168 | 20 | 16 | 8 | 1 | 35 | 201.87 |
| SPN12-20208 | 20 | 20 | 8 | 1 | 44 | 218.15 |
| SPN12-20248 | 20 | 24 | 8 | 1 | 45 | 234.38 |
| SPN12-24128 | 24 | 12 | 8 | 1 | 35 | 197.17 |
| SPN12-24168 | 24 | 16 | 8 | 1 | 41 | 215.77 |
| SPN12-24208 | 24 | 20 | 8 | 1 | 49 | 234.38 |
| SPN12-24248 | 24 | 24 | 8 | 1 | 55 | 252.99 |
| SPN12-24308 | 24 | 30 | 8 | 1 | 64 | 280.90 |
| SPN12-30208 | 30 | 20 | 8 | 1 | 55 | 258.76 |
| SPN12-30248 | 30 | 24 | 8 | 1 | 63 | 280.90 |

ETL® APPROVED
UL® & CUL®
LISTED



| ITEM | SIZE H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|----|----|--------------|--------------|-----------------------|
| SPN12-30308 | 30 | 30 | 8 | 1 | 79 | 314.12 |
| SPN12-30368 | 30 | 36 | 8 | 1 | 90 | 347.38 |
| SPN12-36248 | 36 | 24 | 8 | 1 | 77 | 308.82 |
| SPN12-36308 | 36 | 30 | 8 | 1 | 97 | 347.38 |
| SPN12-36368 | 36 | 36 | 8 | 1 | 104 | 385.52 |
| SPN12-42248 | 42 | 24 | 8 | 1 | 85 | 336.82 |
| SPN12-42308 | 42 | 30 | 8 | 1 | 106 | 380.38 |
| SPN12-42368 | 42 | 36 | 8 | 1 | 118 | 423.94 |
| SPN12-48248 | 48 | 24 | 8 | 1 | 97 | 364.64 |
| SPN12-48308 | 48 | 30 | 8 | 1 | 119 | 413.56 |
| SPN12-48368 | 48 | 36 | 8 | 1 | 132 | 462.35 |
| SPN12-60368 | 60 | 36 | 8 | 1 | 163 | 539.39 |
| SPN12-161210 | 16 | 12 | 10 | 1 | 29 | 182.00 |
| SPN12-201610 | 20 | 16 | 10 | 1 | 40 | 212.26 |
| SPN12-202010 | 20 | 20 | 10 | 1 | 46 | 229.72 |
| SPN12-241210 | 24 | 12 | 10 | 1 | 39 | 207.56 |
| SPN12-242010 | 24 | 20 | 10 | 1 | 51 | 247.20 |
| SPN12-242410 | 24 | 24 | 10 | 1 | 63 | 267.04 |
| SPN12-302010 | 30 | 20 | 10 | 1 | 60 | 273.38 |
| SPN12-302410 | 30 | 24 | 10 | 1 | 69 | 297.45 |
| SPN12-362410 | 36 | 24 | 10 | 1 | 84 | 327.20 |
| SPN12-363010 | 36 | 30 | 10 | 1 | 95 | 366.43 |
| SPN12-423010 | 42 | 30 | 10 | 1 | 111 | 401.39 |
| SPN12-423610 | 42 | 36 | 10 | 1 | 124 | 446.38 |
| SPN12-483010 | 48 | 30 | 10 | 1 | 126 | 436.24 |
| SPN12-483610 | 48 | 36 | 10 | 1 | 138 | 486.82 |
| SPN12-603610 | 60 | 36 | 10 | 1 | 171 | 567.32 |
| SPN12-201612 | 20 | 16 | 12 | 1 | 42 | 222.84 |
| SPN12-242012 | 24 | 20 | 12 | 1 | 57 | 260.01 |
| SPN12-242412 | 24 | 24 | 12 | 1 | 65 | 280.90 |
| SPN12-302412 | 30 | 24 | 12 | 1 | 79 | 312.43 |
| SPN12-303012 | 30 | 30 | 12 | 1 | 94 | 358.23 |
| SPN12-362412 | 36 | 24 | 12 | 1 | 89 | 343.84 |
| SPN12-363012 | 36 | 30 | 12 | 1 | 101 | 385.57 |
| SPN12-363612 | 36 | 36 | 12 | 1 | 125 | 427.53 |
| SPN12-423012 | 42 | 30 | 12 | 1 | 122 | 422.26 |
| SPN12-423612 | 42 | 36 | 12 | 1 | 135 | 469.38 |
| SPN12-483612 | 48 | 36 | 12 | 1 | 151 | 511.29 |
| SPN12-603612 | 60 | 36 | 12 | 1 | 176 | 595.00 |



NEMA 12 SINGLE DOOR WALL MOUNTED ENCLOSURES

(Continued)

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|--------------|--------------|-----------------------|
| SPN12-723012 | 72 30 12 | 1 | 181 | 605.46 |
| SPN12-723612 | 72 36 12 | 1 | 215 | 679.31 |
| SPN12-242016 | 24 20 16 | 1 | 67 | 285.63 |
| SPN12-242416 | 24 24 16 | 1 | 75 | 308.84 |
| SPN12-302416 | 30 24 16 | 1 | 86 | 343.67 |
| SPN12-363016 | 36 30 16 | 1 | 120 | 424.82 |
| SPN12-423616 | 42 36 16 | 1 | 155 | 514.87 |
| SPN12-483616 | 48 36 16 | 1 | 176 | 560.13 |

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------|--------------|--------------|-----------------------|
| SPN12-603616 | 60 36 16 | 1 | 200 | 632.79 |
| SPN12-723016 | 72 30 16 | 1 | 206 | 664.80 |
| SPN12-302420 | 30 24 20 | 1 | 96 | 375.16 |
| SPN12-363020 | 36 30 20 | 1 | 127 | 462.61 |
| SPN12-483620 | 48 36 20 | 1 | 190 | 609.20 |
| SPN12-603620 | 60 36 20 | 1 | 219 | 707.01 |
| SPN12-723020 | 72 30 20 | 1 | 227 | 724.15 |
| SPN12-302424 | 30 24 24 | 1 | 109 | 406.80 |
| SPN12-723024 | 72 30 24 | 1 | 243 | 755.70 |

NEMA 12 SINGLE DOOR WALL MOUNTED DISCONNECT ENCLOSURE

Application:

Schaefer NEMA 12 disconnect enclosures have the same dust-tight and oil-tight features as our standard NEMA 12 enclosures.

Construction:

- € Fabricated from 14 gauge steel.
- € All seams are continuously welded.
- € No knockouts are provided.
- € Features removable print pocket.
- € Body and door stiffeners are furnished in larger models for added strength.
- € Furnished with holes in body and door for mounting the operating handle, operating mechanism, and door closing mechanism.
- € Schaefer's standard keylocking handle is optionally available for disconnect enclosures.

Finish:

ANSI-61 gray polyester powder.

PLEASE SPECIFY DISCONNECT SPECIFICATIONS WHEN ORDERING.

*SUBPANELS ARE TO BE ORDERED SEPARATELY. SEE PAGE 15.

***DISCONNECT SWITCH, CIRCUIT BREAKER, OPERATING MECHANISM, AND OPERATING HANDLE ARE NOT FURNISHED WITH THE ENCLOSURE.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | SUBPANEL CATALOG # | LIST PRICE EACH |
|-----------------|--|--------------|--------------|-----------------------|-----------------------|
| SPSDN12-20218 | 20 21 ³ / ₈ 8 | 1 | 44 | SPP-2020 | 293.52 |
| SPSDN12-24218 | 24 21 ³ / ₈ 8 | 1 | 51 | SPP-2420 | 315.27 |
| SPSDN12-24258 | 24 25 ³ / ₈ 8 | 1 | 58 | SPP-2424 | 340.39 |
| SPSDN12-30218 | 30 21 ³ / ₈ 8 | 1 | 59 | SPP-3020 | 348.24 |
| SPSDN12-30258 | 30 25 ³ / ₈ 8 | 1 | 63 | SPP-3024 | 378.01 |
| SPSDN12-36258 | 36 25 ³ / ₈ 8 | 1 | 77 | SPP-3624 | 415.55 |
| SPSDN12-36318 | 36 31 ³ / ₈ 8 | 1 | 94 | SPP-3630 | 467.04 |
| SPSDN12-42318 | 42 31 ³ / ₈ 8 | 1 | 109 | SPP-4230 | 511.72 |
| SPSDN12-42378 | 42 37 ³ / ₈ 8 | 1 | 128 | SPP-4236 | 570.24 |
| SPSDN12-48378 | 48 37 ³ / ₈ 8 | 1 | 137 | SPP-4836 | 622.06 |
| SPSDN12-60378 | 60 37 ³ / ₈ 8 | 1 | 153 | SPP-6036 | 725.69 |
| SPSDN12-202110 | 20 21 ³ / ₈ 10 ¹ / ₄ | 1 | 45 | SPP-2020 | 309.06 |
| SPSDN12-242110 | 24 21 ³ / ₈ 10 ¹ / ₄ | 1 | 55 | SPP-2420 | 332.70 |
| SPSDN12-242510 | 24 25 ³ / ₈ 10 ¹ / ₄ | 1 | 60 | SPP-2424 | 359.11 |
| SPSDN12-302110 | 30 21 ³ / ₈ 10 ¹ / ₄ | 1 | 59 | SPP-3020 | 367.73 |
| SPSDN12-302510 | 30 25 ³ / ₈ 10 ¹ / ₄ | 1 | 71 | SPP-3024 | 399.13 |
| SPSDN12-362510 | 36 25 ³ / ₈ 10 ¹ / ₄ | 1 | 82 | SPP-3624 | 438.93 |
| SPSDN12-363110 | 36 31 ³ / ₈ 10 ¹ / ₄ | 1 | 105 | SPP-3630 | 492.89 |
| SPSDN12-423110 | 42 31 ³ / ₈ 10 ¹ / ₄ | 1 | 119 | SPP-4230 | 539.91 |
| SPSDN12-423710 | 42 37 ³ / ₈ 10 ¹ / ₄ | 1 | 139 | SPP-4236 | 600.62 |
| SPSDN12-483710 | 48 37 ³ / ₈ 10 ¹ / ₄ | 1 | 148 | SPP-4836 | 654.92 |
| SPSDN12-603710 | 60 37 ³ / ₈ 10 ¹ / ₄ | 1 | 178 | SPP-6036 | 773.01 |
| SPSDN12-302612 | 30 25 ³ / ₈ 10 ¹ / ₄ | 1 | 76 | SPP-3024 | 420.40 |
| SPSDN12-363212 | 36 31 ³ / ₈ 12 | 1 | 103 | SPP-3630 | 518.73 |
| SPSDN12-423212 | 42 31 ³ / ₈ 12 | 1 | 123 | SPP-4230 | 568.17 |
| SPSDN12-423812 | 42 37 ³ / ₈ 12 | 1 | 138 | SPP-4236 | 631.59 |
| SPSDN12-483812 | 48 37 ³ / ₈ 12 | 1 | 153 | SPP-4836 | 687.86 |
| SPSDN12-603812 | 60 37 ³ / ₈ 12 | 1 | 183 | SPP-6036 | 800.53 |
| SPSDN12-603812A | 60 37 ³ / ₈ 12 | 1 | 175 | SPP-6036 | 823.32 |
| SPSDN12-363216 | 36 31 ³ / ₈ 16 | 1 | 117 | SPP-3630 | 571.59 |
| SPSDN12-483816 | 48 37 ³ / ₈ 16 | 1 | 175 | SPP-4836 | 753.51 |
| SPSDN12-603816 | 60 37 ³ / ₈ 16 | 1 | 200 | SPP-6036 | 875.62 |

NEMA 12 DOUBLE DOOR WALL MOUNTED ENCLOSURES

Application:

Designed to house electrical controls, terminals and instruments, providing protection from dust, dirt, oil, and water.

| ITEM | SIZE H W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|---------------|--------------|--------------|-----------------------|
| SPWF-244208 | 24 42 8 | 1 | 94 | 446.5403 |
| SPWF-244808 | 24 48 8 | 1 | 106 | 484.1344 |
| SPWF-304210 | 30 42 10 | 1 | 117 | 532.5631 |
| SPWF-304810 | 30 48 10 | 1 | 130 | 578.8663 |
| SPWF-306010 | 30 60 10 | 1 | 150 | 671.5708 |
| SPWF-364212 | 36 42 12 | 1 | 131 | 622.8805 |
| SPWF-364812 | 36 48 12 | 1 | 149 | 678.525 |
| SPWF-366012 | 36 60 12 | 1 | 177 | 789.6941 |
| SPWF-424212 | 42 42 12 | 1 | 187 | 685.9043 |
| SPWF-424812 | 42 48 12 | 1 | 202 | 748.5139 |
| SPWF-426012 | 42 60 12 | 1 | 250 | 873.1663 |
| SPWF-484812 | 48 48 12 | 1 | 226 | 818.0668 |

Construction:

- € Fabricated from 14 gauge steel.
- € Strong and rigid construction with continuously welded seams.
- € No holes or knockouts are provided.
- € A rolled lip on two sides of the door and all sides of the enclosure opening increases strength and keeps out dirt and liquids when door is open.
- € Features heavy gauge continuous hinges on height dimension.
- € Removable print pocket.
- € Body door stiffeners in larger models.
- € Collar studs are provided for mounting subpanels.

*SUBPANELS MUST
BE ORDERED
SEPARATELY. SEE
PAGE 15.

UL® & CUL®

LISTED

ETL® APPROVED

Finish:

ANSI-61 gray polyester powder.

NEMA 12 DOUBLE DOOR RIGHT FLANGE FLOOR MOUNT ENCLOSURES

Construction:

- Fabricated from 10 and 12 gauge carbon steel.
- Removable centerpost.
- Both doors have continuous hinges and 3-point padlocking handles installed.
- Standard lifting eyes.
- € 15" floor kits.
- Enclosures have mechanical interlock system with the right door to serve as the master door.

PLEASE SPECIFY DISCONNECT
SPECIFICATIONS WHEN
ORDERING.

ETL® APPROVED

UL® LISTED

| ITEM | SIZE H W D | SHPG. WT. | LIST PRICE EACH | SUBPANEL (optional) |
|------------|---------------|--------------|-----------------------|------------------------|
| SP-60X4912 | 60 49 12 | 485 | 2,165.06 | SPDD-6048 |
| SP-60X6112 | 60 61 12 | 535 | 2,425.87 | SPDD-6060 |
| SP-72X6112 | 72 61 12 | 635 | 2,686.77 | SPDD-7260 |
| SP-72X7312 | 72 73 12 | 710 | 2,990.99 | SPDD-7272 |
| SP-60X4918 | 60 49 18 | 535 | 2,360.36 | SPDD-6048 |
| SP-60X6118 | 60 61 18 | 630 | 2,642.91 | SPDD-6060 |
| SP-72X6118 | 72 61 18 | 797 | 2,925.32 | SPDD-7260 |
| SP-72X7318 | 72 73 18 | 845 | 3,251.31 | SPDD-7272 |
| SP-60X4924 | 60 49 24 | 639 | 2,478.00 | SPDD-6048 |
| SP-60X6124 | 60 61 24 | 727 | 2,743.46 | SPDD-6060 |
| SP-72X7324 | 72 73 24 | 970 | 3,501.31 | SPDD-7272 |

NEMA 12 MULTI-DOOR ENCLOSURES WITH SUBPANELS

Application:

Designed to house electrical controls, terminals and instruments; providing protection from dust, dirt, oil and water.

Finish:

ANSI-61 gray polyester powder.

UL® & CUL®

LISTED

ETL® LISTED

Construction:

- Fabricated from 10 and 12 gauge steel.
- Features continuously welded seams.
- Uniquely gasketed, overlapping doors which eliminate the need for a center post.
- Each enclosure is equipped with heavy duty lifting eyes, body stiffeners, 3-point padlocking handles, removable print pockets, provision for fluorescent lighting, and mechanical interlock with right hand door serving as master door.
- 10 gauge removable subpanels are included.

| ITEM | SIZE H W D | PANEL 1 | PANEL 2 | SHPG. WT. | LIST PRICE EACH |
|----------|-----------------------|-------------|-------------|--------------|-----------------------|
| SP-86M3E | 86 1/8 112 14 1/8 | (1) 78 X 70 | (1) 78 X 34 | 1850 | 4,890.37 |
| SP-86M4E | 86 1/8 149 1/8 14 1/8 | (2) 78 X 70 | NONE | 2000 | 6,125.63 |
| SP-86M5E | 86 1/8 187 14 1/8 | (2) 78 X 70 | (1) 78 X 34 | 2900 | 7,406.36 |

TWO DOOR FLOOR MOUNTED NEMA 12 ENCLOSURES

Application:


Designed to house electrical controls, terminals and instruments; providing protection from dust, dirt, oil and water.

Construction:

- Fabricated from 10 and 12 gauge steel.
- Features continuously welded seams.
- Uniquely gasketed, overlapping doors which eliminate the need for a center post with a 3-point latching mechanism, operated by an oil-tight keylocking handle to keep doors securely closed.
- Each enclosure is equipped with 12 inch floor stands, heavy duty lifting eyes, and body stiffeners.
- Collar studs are provided for mounting optional subpanels.

Finish:

ANSI-61 gray polyester powder.



| ITEM | SIZE H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|---------------|---------------|----|----|--------------|--------------|-----------------------|
| SPN12D-54428 | 54 | 42 | 8 | 1 | 285 | 855.66 |
| SPN12D-60488 | 60 | 48 | 8 | 1 | 342 | 1,166.16 |
| SPN12D-604810 | 60 | 48 | 10 | 1 | 357 | 1,203.70 |
| SPN12D-606010 | 60 | 60 | 10 | 1 | 415 | 1,349.13 |
| SPN12D-726010 | 72 | 60 | 10 | 1 | 525 | 1,542.88 |
| SPN12D-727210 | 72 | 72 | 10 | 1 | 590 | 1,718.54 |
| SPN12D-604812 | 60 | 48 | 12 | 1 | 375 | 1,241.22 |
| SPN12D-606012 | 60 | 60 | 12 | 1 | 430 | 1,390.64 |
| SPN12D-726012 | 72 | 60 | 12 | 1 | 550 | 1,590.16 |
| SPN12D-727212 | 72 | 72 | 12 | 1 | 625 | 1,770.17 |
| SPN12D-604816 | 60 | 48 | 16 | 1 | 405 | 1,315.75 |
| SPN12D-606016 | 60 | 60 | 16 | 1 | 460 | 1,473.81 |
| SPN12D-726016 | 72 | 60 | 16 | 1 | 600 | 1,684.31 |
| SPN12D-727216 | 72 | 72 | 16 | 1 | 696 | 1,873.00 |
| SPN12D-604820 | 60 | 48 | 20 | 1 | 435 | 1,390.64 |
| SPN12D-726020 | 72 | 60 | 20 | 1 | 650 | 1,778.29 |
| SPN12D-727220 | 72 | 72 | 20 | 1 | 765 | 1,975.98 |
| SPN12D-604824 | 60 | 48 | 24 | 1 | 465 | 1,465.29 |
| SPN12D-606024 | 60 | 60 | 24 | 1 | 520 | 1,639.39 |
| SPN12D-726024 | 72 | 60 | 24 | 1 | 700 | 1,872.59 |
| SPN12D-727224 | 72 | 72 | 24 | 1 | 835 | 2,078.97 |

*SUBPANELS MUST BE ORDERED
SEPARATELY. SEE PAGE 15.

UL® AND CUL®
LISTED

ETL® APPROVED

NEMA 12 FLUSH MOUNTED ENCLOSURE

Application:

Designed to house electrical controls, terminals and instruments; providing protection from dust, dirt, oil and water.

Construction:

- Fabricated from 14 gauge steel.
- Strong and rigid construction.
- All seams are continuously welded.
- No holes or knockouts provided.
- Rolled lip around all sides of enclosure opening to increase strength and help keep dirt and liquids out when the door is open.
- A 10 gauge frame with mounting holes extends completely around enclosure.
- Furnished with collar studs to mount optional panel.

UL® AND CUL®
LISTED

ETL® APPROVED

| ITEM | SIZE H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|---------------|----|---|--------------|--------------|-----------------------|
| SPFM-16126 | 16 | 12 | 6 | 1 | 27 | 218.11 |
| SPFM-20166 | 20 | 16 | 6 | 1 | 38 | 255.70 |
| SPFM-20206 | 20 | 20 | 6 | 1 | 44 | 271.63 |
| SPFM-24206 | 24 | 20 | 6 | 1 | 50 | 291.53 |
| SPFM-24248 | 24 | 24 | 8 | 1 | 61 | 332.83 |
| SPFM-30248 | 30 | 24 | 8 | 1 | 73 | 369.67 |

Finish:

ANSI-61 gray polyester powder.

*SUBPANELS MUST BE ORDERED
SEPARATELY. SEE PAGE 15.

FREESTANDING NEMA 12 ENCLOSURES

Application:

Designed to house a wide variety of electrical controls, terminals and instruments, providing protection from dust, dirt, oil, and water.

ETL® APPROVED

Construction:

- € Fabricated from 12 gauge steel.
- € Extra deep for added interior space.
- € Continuously welded seams.
- € 3-point latching mechanism with oil-tight keylocking handle provided for doors.
- € Lifting eyes are provided for easy handling.

Finish:

ANSI-61 gray polyester powder.

***SEE PAGE 30
FOR SUBPANELS.**

ACCESSORIES MAY BE ORDERED SEPARATELY.

FREESTANDING NEMA 12 SINGLE DOOR

UL® & CUL®
LISTED

NEMA 12 DOUBLE DOOR FREESTANDING ENCLOSURES

| ITEM | SIZE ADD 1/16" H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-------------|----------------------------|----|----|--------------|--------------|-----------------------|
| SPFS-602418 | 60 | 24 | 18 | 1 | 240 | 843.93 |
| SPFS-722418 | 72 | 24 | 18 | 1 | 272 | 935.50 |
| SPFS-723018 | 72 | 30 | 18 | 1 | 285 | 1,033.55 |
| SPFS-723618 | 72 | 36 | 18 | 1 | 338 | 1,131.71 |
| SPFS-902420 | 90 | 24 | 20 | 1 | 315 | 1,114.79 |
| SPFS-903620 | 90 | 36 | 20 | 1 | 430 | 1,354.51 |
| SPFS-603624 | 60 | 36 | 24 | 1 | 325 | 1,118.84 |
| SPFS-722424 | 72 | 24 | 24 | 1 | 300 | 1,040.05 |
| SPFS-723024 | 72 | 30 | 24 | 1 | 335 | 1,144.94 |
| SPFS-723624 | 72 | 36 | 24 | 1 | 370 | 1,249.61 |
| SPFS-903624 | 90 | 36 | 24 | 1 | 460 | 1,446.06 |
| SPFS-722430 | 72 | 24 | 30 | 1 | 348 | 1,144.94 |
| SPFS-723630 | 72 | 36 | 30 | 1 | 428 | 1,367.55 |
| SPFS-723636 | 72 | 36 | 36 | 1 | 465 | 1,485.10 |
| SPFS-903636 | 90 | 36 | 36 | 1 | 560 | 1,720.95 |



| ITEM | SIZE ADD 1/16" H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|----------------------------|----|----|--------------|--------------|-----------------------|
| SPFSD-604818 | 60 | 48 | 18 | 1 | 430 | 1,490.10 |
| SPFSD-724818 | 72 | 48 | 18 | 1 | 492 | 1,640.95 |
| SPFSD-726018 | 72 | 60 | 18 | 1 | 568 | 1,846.45 |
| SPFSD-727218 | 72 | 72 | 18 | 1 | 645 | 2,051.96 |
| SPFSD-904820 | 90 | 48 | 20 | 1 | 590 | 1,911.54 |
| SPFSD-907220 | 90 | 72 | 20 | 1 | 783 | 2,422.19 |
| SPFSD-724824 | 72 | 48 | 24 | 1 | 530 | 1,777.84 |
| SPFSD-726024 | 72 | 60 | 24 | 1 | 645 | 1,997.32 |
| SPFSD-727224 | 72 | 72 | 24 | 1 | 694 | 2,216.46 |
| SPFSD-907224 | 90 | 72 | 24 | 1 | 825 | 2,545.32 |
| SPFSD-726036 | 72 | 60 | 36 | 1 | 750 | 2,298.57 |
| SPFSD-907236 | 90 | 72 | 36 | 1 | 1000 | 2,915.36 |

FREESTANDING NEMA 12 DOUBLE DOOR DUAL ACCESS

FREESTANDING NEMA 12 SINGLE DOOR - DUAL ACCESS

| ITEM | SIZE ADD 1/16" H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|---------------|----------------------------|----|----|--------------|--------------|-----------------------|
| SPFSDA-722424 | 72 | 24 | 24 | 1 | 335 | 1,227.32 |
| SPFSDA-723024 | 72 | 30 | 24 | 1 | 385 | 1,350.91 |
| SPFSDA-723624 | 72 | 36 | 24 | 1 | 424 | 1,474.45 |
| SPFSDA-903624 | 90 | 36 | 24 | 1 | 536 | 1,706.28 |
| SPFSDA-722430 | 72 | 24 | 30 | 1 | 385 | 1,350.87 |
| SPFSDA-722436 | 72 | 24 | 36 | 1 | 425 | 1,474.45 |
| SPFSDA-723636 | 72 | 36 | 36 | 1 | 495 | 1,759.79 |
| SPFSDA-903636 | 90 | 36 | 36 | 1 | 555 | 2,030.69 |

| ITEM | SIZE ADD 1/16" H W D | | | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------------|----------------------------|----|----|--------------|--------------|-----------------------|
| SPFSDAD-724824 | 72 | 48 | 24 | 1 | 595 | 2,037.82 |
| SPFSDAD-726024 | 72 | 60 | 24 | 1 | 615 | 2,289.26 |
| SPFSDAD-727224 | 72 | 72 | 24 | 1 | 695 | 2,540.78 |
| SPFSDAD-907224 | 90 | 72 | 24 | 1 | 825 | 2,917.56 |
| SPFSDAD-726036 | 72 | 60 | 36 | 1 | 750 | 2,634.76 |

UL® & CUL®

24 LISTED

PHONE: (573) 722-5591 • FAX: (573) 722-5489

NEMA 12 HEAVY DUTY FREESTANDING DISCONNECT ENCLOSURES WITH SUBPANEL

Application:

Designed to house a wide variety of electrical controls, terminals and instruments, providing protection from dust, dirt, oil, and water.

SINGLE DOOR

| ITEM | SIZE H W D | SUBPANEL SIZE | SHPG. WT. | LIST PRICE EACH |
|-------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| SP-72XM2818 | 72 27 ¹ / ₂ 18 | 60 x 21- ³ / ₄ | 368 | 1707.43 |
| SP-72XM3418 | 72 33 ¹ / ₂ 18 | 60 x 27- ³ / ₄ | 430 | 1892.75 |
| SP-72XM4018 | 72 39 ¹ / ₂ 18 | 60 x 33- ³ / ₄ | 559 | 2077.42 |
| SP-84XM4018 | 84 39 ¹ / ₂ 18 | 72 x 33- ³ / ₄ | 630 | 2309.37 |
| SP-90XM4018 | 90 39 ¹ / ₂ 18 | 78 x 33- ³ / ₄ | 750 | 2261.75 |
| SP-90XM4020 | 90 39 ¹ / ₂ 20 | 78 x 33- ³ / ₄ | 865 | 2488.30 |
| SP-84XM4024 | 84 39 ¹ / ₂ 24 | 72 x 33- ³ / ₄ | 750 | 2358.44 |
| SP-90XM4024 | 90 39 ¹ / ₂ 24 | 78 x 33- ³ / ₄ | 910 | 2647.75 |

DOUBLE DOOR

| ITEM | SIZE H W D | SUBPANEL SIZE | SHPG. WT. | LIST PRICE EACH |
|-------------|--------------------------------------|------------------|--------------|-----------------------|
| SP-72XM5418 | 72 53 ³ / ₄ 18 | 60 x 48 | 695 | 2996.88 |
| SP-72XM6618 | 72 65 ³ / ₄ 18 | 60 x 60 | 815 | 3376.86 |
| SP-72XM7818 | 72 77 ³ / ₄ 18 | 60 x 72 | 895 | 3756.79 |
| SP-84XM7818 | 84 77 ³ / ₄ 18 | 72 x 72 | 1200 | 4168.60 |
| SP-90XM7818 | 90 77 ³ / ₄ 18 | 78 x 72 | 1250 | 4091.89 |
| SP-90XM7820 | 90 77 ³ / ₄ 20 | 78 x 72 | 1330 | 4458.30 |
| SP-72XM7824 | 72 77 ³ / ₄ 24 | 60 x 72 | 965 | 4008.36 |
| SP-84XM7824 | 84 77 ³ / ₈ 24 | 72 x 72 | 1200 | 4156.94 |
| SP-90XM7824 | 90 77 ³ / ₄ 24 | 78 x 72 | 1392 | 4672.40 |

THREE DOOR

| ITEM | SIZE H W D | SUBPANEL SIZE | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------------------------------|---|--------------|-----------------------|
| SP-72XM3EQ18 | 72 99 ¹ / ₂ 18 | (1) 60 x 60 and (1) 60 x 27- ³ / ₄ | 1330 | 4611.52 |
| SP-72XM3EW18 | 72 117 ¹ / ₂ 18 | (1) 60 X 72 and (1) 60 x 33- ³ / ₄ | 1540 | 5189.65 |
| SP-84XM3EW18 | 84 117 ¹ / ₂ 18 | (1) 72 x 72 and (1) 72 x 33- ³ / ₄ | 1750 | 5787.12 |
| SP-84XM3EW24 | 84 117 ¹ / ₂ 24 | (1) 72 x 72 and (1) 72 x 33- ³ / ₄ | 1836 | 5927.49 |
| SP-90XM3EW24 | 90 117 ¹ / ₂ 24 | (1) 78 x 72 and (1) 78 x 33- ³ / ₄ | 1950 | 6457.42 |

Construction:

- € Fabricated from 12 gauge steel.
- € Doors feature continuous hinges and 3-point padlocking handles.
- € Mechanical interlock on multiple door models prevents any door from opening before right master door is opened.
- € Full subpanels included with enclosures.
- € Multiple door models feature removable centerpost in double door openings.
- € Heavy duty lifting eyes and print pocket installed.

Finish:

ANSI-61 gray polyester powder.

UL® & CUL®
LISTED

ETL® APPROVED

FOUR DOOR

| ITEM | SIZE H W D | SUBPANEL SIZE | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------------------------------|------------------|--------------|-----------------------|
| SP-84XM4EW18 | 84 157 ¹ / ₂ 18 | (2) 72 x 72 | 2300 | 7520.39 |
| SP-90XM4EW18 | 90 157 ¹ / ₂ 24 | (2) 78 x 72 | 2400 | 7561.82 |
| SP-84XM4EW24 | 84 157 ¹ / ₂ 24 | (2) 72 x 72 | 2536 | 7572.73 |
| SP-90XM4EW24 | 90 157 ¹ / ₂ 24 | (2) 78 x 72 | 2600 | 7753.66 |

FIVE DOOR

| ITEM | SIZE H W D | SUBPANEL SIZE | SHPG. WT. | LIST PRICE EACH |
|--------------|---------------------------------------|---|--------------|-----------------------|
| SP-84XM5EW18 | 84 196 ³ / ₄ 18 | (2) 72 x 72 and (1) 72 x 33- ³ / ₄ | 2580 | 8982.55 |
| SP-90XM5EW18 | 90 196 ³ / ₄ 18 | (2) 78 x 72 and (1) 78 x 33- ³ / ₄ | 2800 | 9168.82 |
| SP-84XM5EW24 | 84 196 ³ / ₄ 24 | (2) 72 x 72 and (1) 72 x 33- ³ / ₄ | 2830 | 9089.14 |
| SP-90XM5EW24 | 90 196 ³ / ₄ 24 | (2) 78 x 72 and (1) 78 x 33- ³ / ₄ | 2900 | 9370.33 |

OIL-TIGHT PUSH BUTTON ENCLOSURES

ALL PUSH BUTTON ENCLOSURES ARE NEMA 12 RATED.

UL® & CUL® LISTED

ETL® LISTED

Finish:

ANSI 61 INSIDE AND OUT

Hole Size: 30mm

May be ordered with
22 mm holes or with
blank cover.*

**STANDARD OIL-TIGHT
PUSH BUTTON ENCLOSURE***

**EXTRA DEEP OIL-TIGHT
PUSH BUTTON ENCLOSURE***

| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-----|-------------|--------------|--------------|-----------------------|
| SPPBXD-1 | 4 | 4 4¾ | 3 | 9 | 39.62 |
| SPPBXD-2 | 6 | 4 4¾ | 2 | 8 | 45.57 |
| SPPBXD-3 | 8 | 4 4¾ | 1 | 5 | 51.42 |
| SPPBXD-4 | 10 | 4 4¾ | 1 | 6 | 57.22 |
| SPPBXD-4S | 7¼ | 6¼ 4¾ | 1 | 6 | 58.28 |
| SPPBXD-6 | 9½ | 6¼ 4¾ | 1 | 8 | 66.59 |
| SPPBXD-9 | 9½ | 8½ 4¾ | 1 | 9 | 77.41 |
| SPPBXD-10 | 14 | 6¼ 4¾ | 1 | 10 | 83.16 |
| SPPBXD-12 | 11¾ | 8½ 4¾ | 1 | 9 | 83.84 |
| SPPBXD-16 | 11¾ | 10¾ 4¾ | 1 | 12 | 99.59 |
| SPPBXD-16V | 20¾ | 6¼ 4¾ | 1 | 13 | 107.99 |
| SPPBXD-20 | 14 | 10¾ 4¾ | 1 | 15 | 111.32 |
| SPPBXD-25 | 14 | 13 4¾ | 1 | 16 | 125.41 |
| SPPBXD-30 | 16¼ | 13 4¾ | 1 | 18 | 138.75 |
| SPPBXD-36 | 16¼ | 15¼ 4¾ | 1 | 20 | 154.64 |

**MINIATURE OIL-TIGHT
PUSH BUTTON ENCLOSURE****

Hole size on Miniature Oil-Tight Push Button Enclosure is 22 mm. All others are 30 mm.



| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|--------|-------------|--------------|--------------|-----------------------|
| SPPBGX-1 | 3¼ | 2¾ 3½ | 1 | 2 | 32.24 |
| SPPBGX-2 | 5-1/8 | 2¾ 3½ | 1 | 2 | 36.14 |
| SPPBGX-3 | 7 | 2¾ 3½ | 1 | 3 | 40.24 |
| SPPBGX-4 | 8-7/8 | 2¾ 3½ | 1 | 4 | 44.19 |
| SPPBGX-6 | 8½ | 5 4¼ | 1 | 5 | 56.09 |
| SPPBGX-9 | 8½ | 6½ 4¼ | 1 | 6 | 62.46 |
| SPPBGX-12 | 10-3/8 | 6½ 4¼ | 1 | 8 | 69.37 |
| SPPBGX-16 | 10-3/8 | 8 4¼ | 1 | 8 | 70.81 |
| SPPBGX-20 | 12¼ | 8 4¼ | 1 | 9 | 84.72 |
| SPPBGX-25 | 12¼ | 9½ 4¼ | 1 | 9 | 92.99 |
| SPPBGX-30 | 14-1/8 | 9½ 4¼ | 1 | 10 | 101.71 |




| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------|-----|-------------|--------------|--------------|-----------------------|
| SPPB-1 | 3½ | 3¼ 2¾ | 3 | 5 | 31.71 |
| SPPB-2 | 5½ | 3¼ 2¾ | 2 | 5 | 36.16 |
| SPPB-3 | 8 | 3¼ 2¾ | 1 | 3 | 40.62 |
| SPPB-4 | 10¼ | 3¼ 2¾ | 1 | 4 | 45.07 |
| SPPB-4S | 7¼ | 6¼ 3 | 1 | 5 | 50.38 |
| SPPB-5 | 12½ | 3¼ 2¾ | 1 | 5 | 49.68 |
| SPPB-6 | 9½ | 6¼ 3 | 1 | 6 | 57.22 |
| SPPB-6VL | 14¾ | 3¼ 2¾ | 1 | 6 | 54.26 |
| SPPB-7 | 18 | 3¼ 2¾ | 1 | 6 | 60.80 |
| SPPB-8 | 20¼ | 3¼ 2¾ | 1 | 8 | 65.26 |
| SPPB-9 | 9½ | 8½ 3 | 1 | 8 | 66.72 |
| SPPB-9VL | 22½ | 3¼ 2¾ | 1 | 8 | 69.86 |
| SPPB-10 | 24¾ | 3¼ 2¾ | 1 | 8 | 74.25 |
| SPPB-12 | 11¾ | 8½ 3 | 1 | 9 | 75.29 |
| SPPB-16 | 11¾ | 10¾ 3 | 1 | 11 | 86.43 |
| SPPB-20 | 14 | 10¾ 3 | 1 | 12 | 96.81 |
| SPPB-25 | 14 | 13 3 | 1 | 14 | 109.56 |

**PENDANT OIL-TIGHT
PUSH BUTTON ENCLOSURE***



| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|---------|-----|-------------|--------------|--------------|-----------------------|
| SPPEN-1 | 4 | 2½ 2½ | 1 | 2 | 35.92 |
| SPPEN-2 | 6¼ | 2½ 2½ | 1 | 3 | 40.11 |
| SPPEN-3 | 8½ | 2½ 2½ | 1 | 3 | 43.89 |
| SPPEN-4 | 10¼ | 2½ 2½ | 1 | 4 | 47.67 |
| SPPEN-5 | 13 | 2½ 2½ | 1 | 4 | 51.85 |
| SPPEN-6 | 16¼ | 2½ 2½ | 1 | 5 | 58.66 |
| SPPEN-7 | 18½ | 2½ 2½ | 1 | 6 | 61.29 |
| SPPEN-8 | 20¾ | 2½ 2½ | 1 | 6 | 65.28 |




ALL PUSH BUTTON ENCLOSURES ARE NEMA 12 RATED.

UL® & CUL® LISTED

ETL® LISTED

Finish:

ANSI 61 INSIDE AND OUT




SLOPING FRONT OIL-TIGHT 30 MM PUSH BUTTON ENCLOSURE

| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|-----|------------------------------------|--------------|--------------|-----------------------|
| SPPBA-1 | 3½ | 3¼ 4 ⁷ / ₈ | 3 | 7 | 41.24 |
| SPPBA-2 | 3½ | 5½ 4 ⁷ / ₈ | 2 | 4 | 47.97 |
| SPPBA-3 | 3½ | 7¾ 4 ⁷ / ₈ | 1 | 4 | 54.69 |
| SPPBA-4 | 3½ | 10 4 ⁷ / ₈ | 1 | 5 | 61.35 |
| SPPBA-4S | 7¼ | 6¼ 6¾ | 1 | 6 | 69.01 |
| SPPBA-6 | 7¼ | 8½ 6¾ | 1 | 7 | 79.88 |
| SPPBA-8 | 7¼ | 10¾ 6¾ | 1 | 9 | 90.46 |
| SPPBA-9 | 9½ | 8½ 7 ⁷ / ₈ | 1 | 10 | 94.81 |
| SPPBA-10 | 7¼ | 13 6¾ | 1 | 13 | 104.06 |
| SPPBA-12 | 7¼ | 15¼ 6¾ | 1 | 13 | 113.87 |
| SPPBA-12S | 11¾ | 8½ 9 | 1 | 11 | 109.64 |
| SPPBA-16 | 7¼ | 19¾ 6¾ | 1 | 16 | 126.83 |
| SPPBA-16S | 11¾ | 10¾ 9 | 1 | 13 | 131.37 |
| SPPBA-20 | 11¾ | 13 9 | 1 | 16 | 141.03 |
| SPPBA-25 | 14 | 13 10 ¹ / ₈ | 1 | 20 | 160.40 |
| SPPBA-30 | 14 | 15¼ 10 ¹ / ₈ | 1 | 20 | 178.18 |

LARGE CONTINUOUS HINGE-COVER 30 MM PUSH BUTTON ENCLOSURE WITH PANEL

| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|-----|-------------|--------------|--------------|-----------------------|
| SPPBYX-4S | 8½ | 7½ 6 | 1 | 10 | 74.99 |
| SPPBYX-6 | 11 | 7½ 6 | 1 | 12 | 86.43 |
| SPPBYX-9 | 11 | 10 6 | 1 | 15 | 100.63 |
| SPPBYX-12 | 3 | 10 6 | 1 | 17 | 113.99 |
| SPPBYX-16 | 13½ | 12½ 6 | 1 | 19 | 129.48 |
| SPPBYX-20 | 16 | 12½ 6 | 1 | 25 | 145.69 |
| SPPBYX-25 | 16 | 15 6 | 1 | 27 | 164.09 |
| SPPBYX-30 | 18½ | 15 6 | 1 | 29 | 181.60 |
| SPPBYX-36 | 18½ | 17½ 6 | 1 | 34 | 202.02 |
| SPPBYX-42 | 21 | 17½ 6 | 1 | 38 | 221.59 |



SLOPING FRONT OIL-TIGHT 30 MM PUSH BUTTON ENCLOSURE WITH HINGED LID

| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------|--------------------------------|-------------------------------------|--------------|--------------|-----------------------|
| SPPBC-8 | 10 ³ / ₈ | 12 6 ¾ | 1 | 14 | 95.61 |
| SPPBC-9 | 12¼ | 9¾ 7 ⁷ / ₈ | 1 | 16 | 100.01 |
| SPPBC-12 | 12¼ | 12 7 ⁷ / ₈ | 1 | 17 | 122.91 |
| SPPBC-16 | 14¼ | 12 9 | 1 | 18 | 136.53 |
| SPPBC-20 | 14¼ | 14¼ 9 | 1 | 23 | 161.69 |
| SPPBC-25 | 16¼ | 14¼ 10 ¼ | 1 | 24 | 184.46 |
| SPPBC-30 | 18½ | 14¼ 11 ¹³ / ₈ | 1 | 28 | 200.22 |
| SPPBC-36 | 18½ | 16½ 11 ⁵ / ₈ | 1 | 29 | 213.85 |

SLIMLINE OIL-TIGHT 30 MM PUSH BUTTON ENCLOSURE



| ITEM | H | SIZE W D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------|-----|-------------|--------------|--------------|-----------------------|
| SPPSL-1 | 4 | 2½ 2½ | 5 | 8 | 31.05 |
| SPPSL-2 | 6¼ | 2½ 2½ | 4 | 9 | 34.70 |
| SPPSL-3 | 8½ | 2½ 2½ | 3 | 8 | 38.58 |
| SPPSL-4 | 10¾ | 2½ 2½ | 2 | 7 | 42.49 |
| SPPSL-5 | 13 | 2½ 2½ | 1 | 4 | 46.31 |
| SPPSL-6 | 16¼ | 2½ 2½ | 1 | 6 | 51.85 |
| SPPSL-7 | 18½ | 2½ 2½ | 1 | 7 | 57.00 |
| SPPSL-8 | 20¾ | 2½ 2½ | 1 | 7 | 61.50 |
| SPPSL-9 | 23 | 2½ 2½ | 1 | 8 | 66.08 |
| SPPSL-10 | 25¼ | 2½ 2½ | 1 | 8 | 70.59 |



OIL-TIGHT CONSOLETS

Application:

Designed to house electrical controls and instruments and provide protection from dirt, dust, oil, and water.

Construction:

- € Fabricated from 14 gauge steel.
- € May be mounted so that the control surface is at either a 60° or 30° angle.
- € Cover is attached by a continuous hinge on the long side.
- € Consolets may be mounted on desktops, machinery, or on pedestal (see below).

Finish:

ANSI-61 gray polyester powder.



UL® & CUL®
LISTED
ETL® APPROVED

| ITEM | SURFACE SIZE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-----------------|--------------|--------------|-----------------------|
| SPCL-8C8 | 8 8 | 1 | 9 | 83.79 |
| SPCL-8C12 | 8 12 | 1 | 11 | 92.73 |
| SPCL-8C16 | 8 16 | 1 | 14 | 101.84 |
| SPCL-8C20 | 8 20 | 1 | 17 | 110.71 |
| SPCL-12C12 | 12 12 | 1 | 15 | 107.94 |
| SPCL-12C16 | 12 16 | 1 | 20 | 120.21 |
| SPCL-12C20 | 12 20 | 1 | 24 | 132.87 |
| SPCL-12C24 | 12 24 | 1 | 28 | 144.71 |
| SPCL-16C16 | 16 16 | 1 | 25 | 139.90 |
| SPCL-16C20 | 16 20 | 1 | 29 | 155.60 |
| SPCL-16C24 | 16 24 | 1 | 35 | 171.40 |
| SPCL-16C30 | 16 30 | 1 | 42 | 194.85 |
| SPCL-16C36 | 16 36 | 1 | 47 | 218.04 |
| SPCL-20C20 | 20 20 | 1 | 36 | 179.64 |
| SPCL-20C24 | 20 24 | 1 | 42 | 198.66 |
| SPCL-20C30 | 20 30 | 1 | 50 | 226.91 |

PEDESTAL FOR CONSOLE AND PUSH BUTTON ENCLOSURES

Application:

Designed for floor mounting of console and push button enclosures.

Finish:

ANSI-61 gray polyester powder.

Construction:

- € Two column and base sizes are available.
- € Columns and bases are interchangeable.
- € Columns are flanged at each end and contain a gasketed access plate.
- € Columns are fabricated from 14 gauge steel with the flanges fabricated from 10 gauge steel.
- € Bases fabricated from 10 gauge steel.

ETL® APPROVED

| ITEM | SURFACE SIZE | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|-----------------|--------------|--------------|-----------------------|
| SP-44COL | 4 4 | 1 | 17 | 148.88 |
| SP-66COL | 6 6 | 1 | 23 | 223.43 |
| SP-18BASE | 18 18 | 1 | 18 | 87.79 |
| SP-24BASE | 24 24 | 1 | 39 | 205.42 |

COLUMNS AND BASES ARE
ORDERED SEPARATELY.

We Specialize in Custom-Made Enclosures

Visit our web page at www.electrical-enclosures.com or
email us at info@electrical-enclosures.com for more
information or a custom quotation.

CUSTOM-MADE OIL-TIGHT CONSOLES

Application:

Designed to house electrical controls and instruments and provide protection from dust, dirt, and oil.

Construction:

- € Enclosure fabricated from 14 gauge steel.
- € The control panel is hinged for easy access.
- € The body and top are combined in one unit.
- € Subpanels are available for the back and sides of the enclosure.

Finish:

ANSI-61 gray polyester powder.

UL® & CUL®
ETL® LISTED LISTED
**CUSTOM-MADE OIL-TIGHT
CONSOLES-SUBPANEL OPTIONAL**

| ITEM | DESCRIPTION | SIZE H W D | SHPG. WT. | LIST PRICE EACH |
|-----------|-------------------|---------------|--------------|-----------------------|
| SP-14B | Console Body Only | 50 24 23 | 181 | 1,405.40 |
| SP-14T | Top Only | 16 24 12 1/2 | 45 | 311.06 |
| SP-14W | Writing Desk | ** 24 10 | 10 | 104.91 |
| SP-14P1 | Swing Out Panel | 22 18 1/8 | 18 | 123.15 |
| SP-14P2 | Half Panel | 22 17 | 26 | 101.01 |
| SP-14P3 | Full Panel | 42 1/4 17 | 24 | 145.45 |
| SP-1436B | Console Body Only | 50 36 23 | 235 | 1,642.65 |
| SP-1436T | Top Only | 16 36 12 1/2 | 62 | 385.33 |
| SP-1436W | Writing Desk | ** 36 10 | 12 | 134.92 |
| SP-1436P1 | Swing Out Panel | 22 30 1/8 | 39 | 154.09 |
| SP-1436P2 | Half Panel | 22 29 | 34 | 124.42 |
| SP-1436P3 | Full Panel | 42 1/4 29 | 44 | 190.60 |
| SP-1448BD | Console Body Only | 50 48 23 | 290 | 1,981.15 |
| SP-1448T | Top Only | 16 48 12 1/2 | 79 | 459.60 |
| SP-1448W | Writing Desk | ** 48 10 | 14 | 164.87 |
| SP-1448P2 | Half Panel | 22 41 | 43 | 148.00 |
| SP-1448P3 | Full Panel | 42 1/4 41 | 57 | 235.69 |
| SP-1460BD | Console Body Only | 50 60 23 | 311 | 2,188.79 |
| SP-1460T | Top Only | 16 60 12 1/2 | 96 | 533.90 |
| SP-1460W | Writing Desk | ** 60 10 | 20 | 194.85 |
| SP-1460P2 | Half Panel | 22 53 | 42 | 171.61 |
| SP-1460P3 | Full Panel | 42 1/4 53 | 77 | 280.82 |
| SP-1472BD | Console Body Only | 50 72 23 | 382 | 2,396.48 |
| SP-1472T | Top Only | 16 72 12 1/2 | 112 | 608.15 |
| SP-1472W | Writing Desk | ** 72 10 | 25 | 224.93 |
| SP-1472P2 | Half Panel | 22 65 | 50 | 195.32 |
| SP-1472P3 | Full Panel | 42 1/4 65 | 102 | 326.08 |

| | ITEM | SIZE H W D | SHPG. WT. | LIST PRICE |
|--|------------|---------------|--------------|---------------|
| SP-1 CUSTOM-MADE CONSOLES SUBPANEL INCLUDED | SP1-C18 | 40 18 20 | 100 | 713.11 |
| | SP1-C24 | 40 24 20 | 115 | 792.26 |
| | SP1-C30 | 40 30 20 | 140 | 915.55 |
| | SP1-C36 | 40 36 20 | 165 | 1,032.51 |
| | *SP1-C42 | 40 42 20 | 210 | 1,230.81 |
| | *SP1-C48 | 40 48 20 | 235 | 1,350.64 |
| SP-2 CUSTOM-MADE CONSOLES SUBPANEL INCLUDED | SP2-C24 | 56 24 20 | 170 | 1,289.48 |
| | SP2-C36 | 56 36 20 | 250 | 1,570.94 |
| | *SP2-C48 | 56 48 20 | 305 | 1,906.49 |
| BODY ONLY | SP2B-24 | 36 24 20 | 140 | 1,071.92 |
| | SP2B-36 | 36 36 20 | 184 | 1,257.54 |
| | *SP2B-48 | 36 48 20 | 230 | 1,543.43 |
| TOP ONLY | SP2T-24 | 20 24 10 | 30 | 270.56 |
| | SP2T-36 | 20 36 10 | 60 | 374.30 |
| | SP2T-48 | 20 48 10 | 75 | 442.06 |
| DESK ONLY | SP2D-1024 | 10 24 | 10 | 101.97 |
| | SP2D-1036 | 10 36 | 15 | 131.05 |
| | SP2D-10 48 | 10 48 | 20 | 160.18 |

CUSTOM-MADE OIL-TIGHT CONSOLES-SUBPANEL OPTIONAL

| ITEM | DESCRIPTION | SIZE H W D | SHPG. WT. | LIST PRICE EACH |
|----------|------------------------|---------------|--------------|-----------------------|
| SP-924B | Console Body | 48 24 18 | 150 | 943.65 |
| SPP-3020 | Interior Subpanel | 27 17 | 16 | 45.05 |
| SP-936B | Console Body | 48 36 18 | 186 | 1,158.13 |
| SPP-3030 | Interior Subpanel | 27 27 | 24 | 71.04 |
| SPP-3020 | Interior Side Subpanel | 27 17 | 16 | 45.05 |

CUSTOM-MADE OIL-TIGHT CONSOLES-SUBPANEL INCLUDED

| ITEM | DESCRIPTION | SIZE H W D | SHPG. WT. | LIST PRICE EACH |
|-----------|-------------------|---------------|--------------|-----------------------|
| SP-10B | Console Body Only | 40 24 17 | 129 | 1103.47 |
| SP-10T | Top Only | 16 24 ** | 27 | 278.51 |
| SP-10W | Writing Desk | ** 24 10 | 10 | 104.99 |
| SP-12B | Console Body Only | 36 36 20 | 184 | 1,294.53 |
| SP-12T | Top Only | 20 36 ** | 60 | 385.33 |
| SP-12W | Writing Desk | ** 36 10 | 15 | 134.92 |
| SP-1224B | Console Body Only | 36 24 20 | 148 | 1,124.40 |
| SP-1224T | Top Only | 20 24 ** | 43 | 337.27 |
| SP-1224W | Writing Desk | ** 24 10 | 12 | 104.99 |
| SP-1248BD | Console Body Only | 36 48 20 | 230 | 1,596.45 |
| SP-1248T | Top Only | 20 48 ** | 75 | 455.09 |
| SP-1248W | Writing Desk | ** 48 10 | 20 | 164.87 |

SUBPANELS FOR NEMA 4 & NEMA 12 FREESTANDING ENCLOSURES

REGULAR SUBPANELS FOR FREESTANDING SINGLE DOOR

| ITEM | SIZE H W | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-----------------------------------|--------------|--------------|-----------------------|
| SP-60P24F1 | 48 20 | 1 | 52 | 147.47 |
| SP-60P24F2 | 24 ⁷ / ₈ 20 | 1 | 26 | 96.47 |
| SP-72P24F1 | 60 20 | 1 | 65 | 161.65 |
| SP-72P24F2 | 30 ⁷ / ₈ 20 | 1 | 32 | 103.86 |
| SP-90P24F1 | 78 20 | 1 | 55 | 187.76 |
| SP-90P24F2 | 39 ⁷ / ₈ 20 | 1 | 28 | 117.11 |
| SP-72P30F1 | 60 26 | 1 | 74 | 187.76 |
| SP-72P30F2 | 30 ⁷ / ₈ 26 | 1 | 45 | 117.22 |
| SP-60P36F1 | 48 32 | 1 | 78 | 190.46 |
| SP-60P36F2 | 24 ⁷ / ₈ 32 | 1 | 35 | 121.59 |
| SP-72P36F1 | 60 32 | 1 | 80 | 213.93 |
| SP-72P36F2 | 30 ⁷ / ₈ 32 | 1 | 43 | 130.81 |
| SP-90P36F1 | 78 32 | 1 | 108 | 256.04 |
| SP-90P36F2 | 39 ⁷ / ₈ 32 | 1 | 56 | 151.77 |

ACCESORIES FOR NEMA'S DRIP SHIELD KITS FOR NEMA ENCLOSURES

Application:

The drip shield protects the door and hardware from dripping water and settling dust.

Construction:

€ Fabricated from 14 gauge steel. ANSI-61 gray polyester powder.

Finish:

| ITEM | HEIGHT | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|----------|--------|--------------|--------------|-----------------------|
| SPDSK-12 | 12 | 1 | 2 | 25.50 |
| SPDSK-16 | 16 | 1 | 2 | 27.29 |
| SPDSK-20 | 20 | 1 | 2 | 29.92 |
| SPDSK-24 | 24 | 1 | 4 | 32.24 |
| SPDSK-30 | 30 | 1 | 4 | 35.92 |
| SPDSK-36 | 36 | 1 | 5 | 39.69 |
| SPDSK-42 | 42 | 1 | 3 | 43.33 |
| SPDSK-48 | 48 | 1 | 6 | 46.98 |
| SPDSK-60 | 60 | 1 | 7 | 54.27 |
| SPDSK-72 | 72 | 1 | 9 | 61.69 |



SIDE-MOUNTED PANELS FOR NEMA 4 & NEMA 12 FREESTANDING ENCLOSURES

| ITEM | SIZE H W | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-------------|--------------|--------------|-----------------------|
| SP-60SMP14 | 48 14 | 1 | 24 | 84.86 |
| SP-72SMP14 | 60 14 | 1 | 28 | 96.58 |
| SP-72SMP20 | 60 20 | 1 | 42 | 118.13 |
| SP-90SMP14 | 78 14 | 1 | 40 | 138.67 |
| SP-90SMP20 | 78 20 | 1 | 55 | 144.83 |

REGULAR SUBPANELS FOR FREESTANDING DOUBLE DOOR

| ITEM | SIZE H W | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-----------------------------------|--------------|--------------|-----------------------|
| SP-60P48F1 | 48 44 | 1 | 108 | 271.21 |
| SP-60P48F2 | 24 ⁷ / ₈ 44 | 1 | 60 | 168.30 |
| SP-72P48F1 | 60 44 | 1 | 131 | 331.41 |
| SP-72P48F2 | 30 ⁷ / ₈ 44 | 1 | 74 | 211.87 |
| SP-72P60F1 | 60 56 | 1 | 145 | 384.20 |
| SP-72P60F2 | 30 ⁷ / ₈ 56 | 1 | 73 | 239.00 |
| SP-72P72F1 | 60 68 | 1 | 187 | 436.99 |
| SP-72P72F2 | 30 ⁷ / ₈ 68 | 1 | 103 | 266.00 |
| SP-90P48F1 | 78 44 | 1 | 165 | 379.34 |
| SP-90P48F2 | 39 ⁷ / ₈ 44 | 1 | 88 | 234.84 |
| SP-90P72F1 | 78 68 | 1 | 238 | 526.56 |
| SP-90P72F2 | 39 ⁷ / ₈ 68 | 1 | 113 | 310.79 |

TOUCH UP PAINT

Application:

Touch up paint for Schaefer's standard colors is available in 1/2 ounce bottles with brushes built into the caps.

Touch up bottles are ideal for touching up small scratches that might occur in the field.

For special colors, please call for price and availability.

| ITEM | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|--------------|--------------|--------------|-----------------------|
| SPBT-ANSI 61 | 1 | 1 | 3.98 |
| SPBT-WHITE | 1 | 1 | 3.98 |

ACCESORIES FOR NEMA'S (CONTINUED)

NEMA 12 FLOOR STAND KITS

Construction:

- € Available in 6-inch, 12-inch, 18-inch, and 24-inch heights.
- € They can be installed at the factory or field installation.

Finish:

ANSI-61 gray polyester powder.

| ITEM | SIZE H D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-------------|--------------|--------------|-----------------------|
| SPFSK-68 | 6 8 | 1 | 19 | 69.38 |
| SPFSK-610 | 6 10 | 1 | 21 | 76.15 |
| SPFSK-612 | 6 12 | 1 | 23 | 87.40 |
| SPFSK-618 | 6 18 | 1 | 31 | 103.35 |
| SPFSK-128 | 12 8 | 1 | 29 | 89.79 |
| SPFSK-1210 | 12 10 | 1 | 32 | 96.64 |
| SPFSK-1212 | 12 12 | 1 | 35 | 103.40 |
| SPFSK-1216 | 12 16 | 1 | 42 | 117.00 |
| SPFSK-1218 | 12 18 | 1 | 47 | 123.78 |



| ITEM | SIZE H D | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|------------|-------------|--------------|--------------|-----------------------|
| SPFSK-1220 | 12 20 | 1 | 50 | 130.52 |
| SPFSK-188 | 18 8 | 1 | 40 | 110.12 |
| SPFSK-1810 | 18 10 | 1 | 44 | 117.00 |
| SPFSK-1812 | 18 12 | 1 | 47 | 123.76 |
| SPFSK-1816 | 18 16 | 1 | 58 | 137.30 |
| SPFSK-248 | 24 8 | 1 | 52 | 130.52 |
| SPFSK-2410 | 24 10 | 1 | 56 | 137.30 |
| SPFSK-2412 | 24 12 | 1 | 60 | 144.00 |
| SPFSK-2416 | 24 16 | 1 | 70 | 157.67 |

OIL TIGHT HOLE SEALS



CARBON STEEL HOLE SEALS

| ITEM | FOR | HOLE DIAMETER | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|---------|-----------------------------------|------------------|--------------|--------------|-----------------------|
| SP-SPBG | Miniature pushbutton holes | $\frac{7}{8}$ | 10 | 1/2 | 3.49 |
| SP-S050 | $\frac{1}{2}$ inch conduit holes | $\frac{7}{8}$ | 10 | 1/2 | 3.49 |
| SP-S075 | $\frac{3}{4}$ inch conduit holes | $1\frac{1}{8}$ | 10 | 1 | 4.55 |
| SP-SPB | Standard pushbutton hole | $1\frac{13}{64}$ | 10 | 1 | 4.91 |
| SP-S100 | 1 inch conduit holes | $1\frac{3}{8}$ | 10 | 1 | 6.26 |
| SP-S125 | $1\frac{1}{4}$ inch conduit holes | $1\frac{5}{8}$ | 10 | 2 | 7.02 |
| SP-S150 | $1\frac{1}{2}$ inch conduit holes | 2 | 10 | 2 | 7.99 |

STAINLESS STEEL HOLE SEALS

| ITEM | FOR | HOLE DIAMETER | STD. PKG. | SHPG. WT. | LIST PRICE EACH |
|-----------|-----------------------------------|------------------|--------------|--------------|-----------------------|
| SP-SPBGSS | Miniature pushbutton holes | $\frac{7}{8}$ | 10 | 1/2 | 9.74 |
| SP-S050SS | $\frac{1}{2}$ inch conduit holes | $\frac{7}{8}$ | 10 | 1/2 | 9.74 |
| SP-S075SS | $\frac{3}{4}$ inch conduit holes | $1\frac{1}{8}$ | 10 | 1 | 12.44 |
| SP-SPBSS | Standard pushbutton hole | $1\frac{13}{64}$ | 10 | 1 | 13.72 |
| SP-S100SS | 1 inch conduit holes | $1\frac{3}{8}$ | 10 | 1 | 16.69 |
| SP-S125SS | $1\frac{1}{4}$ inch conduit holes | $1\frac{5}{8}$ | 10 | 2 | 19.18 |
| SP-S150SS | $1\frac{1}{2}$ inch conduit holes | 2 | 10 | 2 | 21.51 |

Application:

Hole seals can be used to cover pushbutton holes, knockout openings, and conduit openings from dust, dirt, oil and water.

Construction:

- € Available in either carbon steel or stainless steel.
- € Hole seals come standard with a wing nut and gasket.

Finish:

Carbon steel hole seals have an ANSI-61 gray polyester powder finish.

HOLE SEALS ARE SOLD IN
PACKAGES OF 10 ONLY.
PACKAGES CANNOT BE BROKEN.

LOUVER PLATE KITS



Construction:

- Fabricated from 14- gauge steel.
- Includes all screws and nuts needed for field installation.
- Kits are designed to provide ventilation in enclosures when required.

Finish:

ANSI-61 gray polyester powder.

| ITEM | DIMENSIONS | | # OF | LOUVER | CUTOUT SIZE | | SHPG. | LIST |
|----------|------------|-------|---------|--------|-------------|-------|-------|-------|
| | H | W | LOUVERS | LENGTH | H | W | WT. | PRICE |
| SP-VK23 | 3 1/4 | 3 1/4 | 2 | 2 1/2 | 2 | 1 3/4 | 1/2 | 12.86 |
| SP-VK33 | 3 7/8 | 4 1/2 | 3 | 2 1/2 | 2 5/8 | 3 | 1/2 | 13.36 |
| SP-VK34 | 4 3/4 | 4 1/2 | 4 | 2 1/2 | 3 1/2 | 3 | 1/2 | 14.02 |
| SP-VK43 | 4 1/2 | 5 1/2 | 3 | 4 | 3 1/2 | 4 | 1/2 | 14.39 |
| SP-VK44 | 5 5/8 | 5 1/2 | 4 | 4 | 4 3/8 | 4 | 1 | 15.35 |
| SP-VK64 | 5 5/8 | 7 1/2 | 8 | 2 1/2 | 4 3/8 | 6 | 1 | 16.79 |
| SP-VK66 | 7 7/8 | 7 1/2 | 12 | 2 1/2 | 6 5/8 | 6 | 1 | 18.15 |
| SP-VK84 | 5 13/16 | 9 1/2 | 8 | 4 | 4 9/16 | 8 | 1 | 17.61 |
| SP-VK86 | 8 3/16 | 9 1/2 | 12 | 4 | 6 15/16 | 8 | 2 | 20.00 |
| SP-VK88 | 10 9/16 | 9 1/2 | 16 | 4 | 9 5/16 | 8 | 2 | 22.43 |
| SP-VK812 | 15 5/16 | 9 1/2 | 24 | 4 | 14 1/16 | 8 | 3 | 26.54 |

We Specialize in Custom-Made Enclosures

Visit our web page at www.electrical-enclosures.com or
email us at info@electrical-enclosures.com for more
information or a custom quotation.




SCHAEFER'S ELECTRICAL ENCLOSURES

Elite Series Enclosures

Construction:

- Fabricated from 14 gauge carbon steel.
- Continuously welded seams.
- Hidden lift-off hinges.
- Slotted quarterturn latch(es).
- Mounting holes provided in back (sealing washers included).
- Print pocket provided.
- Oil-resistant door gasket.
- Subpanel studs for Elite type subpanel (see page 34).



Finish:

ANSI-61 gray polyester powder.

UL® & CUL®
LISTED

| ITEM | SIZE H W D | SHPG. WT. | LIST PRICE EACH |
|-----------|---------------|--------------|-----------------------|
| ES-12126 | 12 12 6 | 15 | 143.90 |
| ES-16126 | 16 12 6 | 23 | 153.58 |
| ES-16166 | 16 16 6 | 27 | 165.46 |
| ES-16206 | 16 20 6 | 33 | 177.33 |
| ES-20166 | 20 16 6 | 33 | 177.33 |
| ES-20206 | 20 20 6 | 38 | 191.27 |
| ES-24166 | 24 16 6 | 39 | 194.63 |
| ES-24206 | 24 20 6 | 44 | 211.30 |
| ES-24246 | 24 24 6 | 52 | 227.94 |
| ES-16128 | 16 12 8 | 27 | 161.10 |
| ES-16168 | 16 16 8 | 31 | 174.08 |
| ES-16208 | 16 20 8 | 29 | 186.98 |
| ES-20168 | 20 16 8 | 35 | 186.98 |
| ES-20208 | 20 20 8 | 44 | 202.15 |
| ES-20248 | 20 24 8 | 45 | 223.56 |
| ES-24168 | 24 16 8 | 41 | 199.94 |
| ES-24208 | 24 20 8 | 49 | 217.24 |
| ES-24248 | 24 24 8 | 55 | 234.51 |
| ES-24308 | 24 30 8 | 64 | 260.38 |
| ES-30208 | 30 20 8 | 55 | 246.78 |
| ES-30248 | 30 24 8 | 63 | 260.38 |
| ES-30308 | 30 30 8 | 79 | 291.11 |
| ES-36248 | 36 24 8 | 77 | 286.26 |
| ES-36308 | 36 30 8 | 97 | 321.75 |
| ES-36368 | 36 36 8 | 104 | 357.30 |
| ES-161210 | 16 12 10 | 29 | 166.50 |
| ES-161610 | 16 16 10 | 31 | 178.23 |
| ES-162010 | 16 20 10 | 40 | 191.67 |
| ES-201610 | 20 16 10 | 40 | 191.67 |
| ES-202010 | 20 20 10 | 46 | 207.71 |
| ES-202410 | 20 24 10 | 51 | 211.30 |

| ITEM | SIZE H W D | SHPG. WT. | LIST PRICE EACH |
|-----------|---------------|--------------|-----------------------|
| ES-242010 | 24 20 10 | 51 | 193.85 |
| ES-242410 | 24 24 10 | 63 | 221.45 |
| ES-243010 | 24 30 10 | 69 | 245.98 |
| ES-302410 | 30 24 10 | 69 | 245.98 |
| ES-303010 | 30 30 10 | 83 | 274.95 |
| ES-362410 | 36 24 10 | 84 | 270.58 |
| ES-363010 | 36 30 10 | 95 | 303.86 |
| ES-363610 | 36 36 10 | 108 | 337.13 |
| ES-423610 | 42 36 10 | 124 | 382.81 |
| ES-482410 | 48 24 10 | 101 | 406.54 |
| ES-483610 | 48 36 10 | 138 | 416.87 |
| ES-603610 | 60 36 10 | 171 | 485.23 |
| ES-202012 | 20 20 12 | 48 | 205.32 |
| ES-242012 | 24 20 12 | 57 | 227.40 |
| ES-242412 | 24 24 12 | 65 | 238.88 |
| ES-302412 | 30 24 12 | 79 | 265.56 |
| ES-303012 | 30 30 12 | 94 | 296.75 |
| ES-362412 | 36 24 12 | 89 | 300.79 |
| ES-363012 | 36 30 12 | 101 | 327.80 |
| ES-363612 | 36 36 12 | 125 | 363.38 |
| ES-423612 | 42 36 12 | 135 | 399.02 |
| ES-482412 | 48 24 12 | 105 | 355.63 |
| ES-483612 | 48 36 12 | 151 | 434.73 |
| ES-603612 | 60 36 12 | 176 | 505.88 |
| ES-242416 | 24 24 16 | 75 | 270.72 |
| ES-363016 | 30 30 16 | 102 | 370.92 |
| ES-483616 | 48 36 16 | 176 | 476.18 |
| ES-242420 | 24 24 20 | 81 | 294.53 |
| ES-302420 | 30 24 20 | 96 | 328.16 |
| ES-363020 | 36 30 20 | 127 | 404.47 |



SCHAEFER'S

ELECTRICAL ENCLOSURES

SUBPANELS ONLY FOR ELITE SERIES

SUBPANELS FOR:

Elite Series Enclosures

ADD 8% IF ORDERING LESS
THAN STANDARD CARTONS.



Construction:

Fabricated from 12 or 14 gauge
steel (see table).

Flanges on sides that are more
than 22.2" long except ES-P2420
and ES-P2424 which have flanges
on two sides.

Finish:

White polyester powder.

| ITEM | SIZE H W | SHPG. WT. | GAUGE | LIST PRICE EACH |
|----------|-------------|--------------|-------|-----------------------|
| ES-P1212 | 10.2 10.2 | 2.4 | 14 | 6.19 |
| ES-P1612 | 14.2 10.2 | 4 | 14 | 7.76 |
| ES-P1616 | 14.2 16.2 | 7 | 12 | 20.35 |
| ES-P2016 | 18.2 14.2 | 8 | 12 | 23.68 |
| ES-P2416 | 22.2 14.2 | 11 | 12 | 31.74 |
| ES-P2020 | 18.2 18.2 | 10 | 12 | 28.09 |
| ES-P2420 | 22.2 18.2 | 14 | 12 | 36.32 |
| ES-P3020 | 28.2 18.2 | 16.3 | 12 | 42.78 |
| ES-P2424 | 22.2 22.2 | 17 | 12 | 44.67 |
| ES-P3024 | 28.2 22.2 | 18 | 12 | 52.40 |
| ES-P3624 | 34.2 22.2 | 23.6 | 12 | 60.12 |
| ES-P4224 | 40.2 22.2 | 28.6 | 12 | 67.93 |
| ES-P4824 | 46.2 22.2 | 32 | 12 | 75.74 |
| ES-P3030 | 28.2 28.2 | 25.8 | 12 | 65.88 |
| ES-P3630 | 34.2 28.2 | 30.4 | 12 | 76.35 |
| ES-P4830 | 46.2 28.2 | 42 | 12 | 97.40 |
| ES-P6030 | 58.2 28.2 | 52 | 12 | 118.50 |
| ES-P3636 | 34.2 34.2 | 35 | 12 | 89.09 |
| ES-P4236 | 40.2 34.2 | 43 | 12 | 101.86 |
| ES-P4836 | 46.2 34.2 | 50 | 12 | 114.67 |
| ES-P6036 | 58.2 34.2 | 58 | 12 | 140.30 |

*Visit our web page at www.electrical-enclosures.com or
email us at info@electrical-enclosures.com for more
information or a custom quotation.*



Conditions of Sale

ACCEPTANCE - All orders are subject to acceptance by Schaefer's Electrical Enclosures.

TERMS - 1%, 10 days, Net 30 days. All open accounts must be approved by Schaefer's Electrical Enclosures. A 1½% monthly interest charge will be made on past due accounts.

PRICES - Prices and product availability subject to change without notice. Call for current prices and availability. Schaefer's Electrical Enclosures reserves the right to correct any prices due to printing error.

FREIGHT - F.O.B. point of shipment. Freight allowance is 1000 Lb.

Freight charges are prepaid and added to the invoice on orders that do not qualify for freight allowance (unless requested to ship "Freight Collect"). Freight charges are added at the published I.C.C. rates, no additional charges will be made; likewise, no allowance will be given when actual charges are less.

Routing will be via common carrier. On freight allowed orders, Schaefer's Electrical Enclosures reserves the right to choose the most economical routing. Providing the order qualifies for the allowance, allowances on orders that specify more expensive routing will be equal to standard routing.

Air or express charges will be freight collect unless other arrangements have been made prior to acceptance of order.

DELIVERY - Delivery dates given prior to the order or after placement of the order are good faith estimates made by us and are based upon prompt receipt of all necessary information from the purchaser. Therefore, Schaefer's Electrical Enclosures will not be held liable for any damages, losses, or claims due to inability to meet such delivery dates.

DAMAGE OR LOSS OF GOODS IN TRANSIT - Any risk of loss or damage to goods passes to the purchaser at time of delivery to carrier either at the Schaefer's Electrical Enclosures plant or any other shipping point. Claims for loss or damage of goods should be made by the purchaser against the carrier. Any aid and assistance in securing a satisfactory adjustment will be provided by Schaefer's Electrical Enclosures if an immediate inspection of goods at time of delivery and a timely claim filing was made by purchaser.

TAXES - All applicable sales and/or other taxes will be added to the prices of materials purchased and will appear as separate additional items on each invoice, or in lieu thereof the purchaser, prior to delivery, shall provide Schaefer's Electrical Enclosures with a properly executed tax exemption certificate acceptable to the proper taxing authorities. These items subject to the same terms of payment as described above.

CANCELLATION - No charge will be made to purchaser when canceling normal quantities of standard catalog goods, provided written notice is received at factory in time to stop shipment. Special order items or orders for standard catalog goods in quantities that exceed the norm that are in the process of manufacture may be canceled, however, the purchaser shall reimburse Schaefer's Electrical Enclosures for any expense incurred with respect to the canceling of these orders. Engineering expenses and/or any special steps taken in the manufacturing process of such orders will be included in these charges.

RETURNED MATERIAL - Authorization and shipping instructions must be obtained prior to return of materials or Schaefer's Electrical Enclosures will refuse these items. In addition, only unused saleable materials of current design will be eligible for return.

A minimum restocking charge of 20% of the price originally paid for the material, plus all transportation charges paid by us will be deducted from our Credit Memo on the returned goods. All transportation charges on returned material must be prepaid. Any cost in excess of 20% restocking charge incurred in repackaging and restoring the material to saleable condition will be deducted from Credit Memo.

Material must be returned before one year from the date of invoice, or it will not be accepted.

Special order items fabricated to the customer's specifications may not be returned for credit unless it's due to poor workmanship or defective materials supplied by Schaefer's Electrical Enclosures. If this is the case, appropriate credit will be issued, provided proper authorization for return has been obtained from Schaefer's Electrical Enclosures.

REWORK - Credit will be allowed for rework ONLY if authorization by Schaefer's Electrical Enclosures is obtained in writing in advance of such rework being obtained.

WARRANTIES - Schaefer's Electrical Enclosures warrants goods manufactured by it to be free from defects in materials and workmanship for a period of one (1) year from the date of shipment from its plant. Goods proven to be defective shall be repaired or replaced at Schaefer's Electrical Enclosures option. All liability requirements shall be deemed fulfilled upon repair or replacement of such goods. Coverage under this warranty does not include incidental or consequential damages other than the coverage described above. The warranty and remedies set for above are exclusive and in lieu of all others, written or oral, expressed or implied.

PENALTY CLAUSE - No penalty clause of any description, in any specifications, or order, will be effective unless approved in writing over the signature of an officer of Schaefer's Electrical Enclosures.



Alpha Numeric Index

| Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number |
|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|
| ES | | ES-363016 | 33 | SP-1248W | 29 | SP2D-1036 | 29 | SP-84XM4018 | 25 |
| ES-12126 | 33 | ES-363020 | 33 | SP-12B | 29 | SP2T-24 | 29 | SP-84XM4024 | 25 |
| ES-161210 | 33 | ES-36308 | 33 | SP-12T | 29 | SP2T-36 | 29 | SP-84XM4EW18 | 25 |
| ES-16126 | 33 | ES-363610 | 33 | SP-12W | 29 | SP2T-48 | 29 | SP-84XM4EW24 | 25 |
| ES-16128 | 33 | ES-363612 | 33 | SP-1436B | 29 | SP-44COL | 28 | SP-84XM5EW18 | 25 |
| ES-161610 | 33 | ES-36368 | 33 | SP-1436P1 | 29 | SP-60P24F1 | 30 | SP-84XM5EW24 | 25 |
| ES-16166 | 33 | ES-423610 | 33 | SP-1436P2 | 29 | SP-60P24F2 | 30 | SP-84XM7818 | 25 |
| ES-16168 | 33 | ES-423612 | 33 | SP-1436P3 | 29 | SP-60P36F1 | 30 | SP-84XM7824 | 25 |
| ES-162010 | 33 | ES-482410 | 33 | SP-1436T | 29 | SP-60P36F2 | 30 | SP-86M3E | 22 |
| ES-16206 | 33 | ES-482412 | 33 | SP-1436W | 29 | SP-60P48F1 | 30 | SP-86M4E | 22 |
| ES-16208 | 33 | ES-483610 | 33 | SP-1448BD | 29 | SP-60P48F2 | 30 | SP-86M5E | 22 |
| ES-201610 | 33 | ES-483612 | 33 | SP-1448P2 | 29 | SP-60SMP14 | 30 | SP-90P24F2 | 30 |
| ES-20166 | 33 | ES-483616 | 33 | SP-1448P3 | 29 | SP-60X4912 | 22 | SP-90P24F2 | 30 |
| ES-20168 | 33 | ES-603610 | 33 | SP-1448T | 29 | SP-60X4918 | 22 | SP-90P36F1 | 30 |
| ES-202010 | 33 | ES-603612 | 33 | SP-1448W | 29 | SP-60X4924 | 22 | SP-90P36F2 | 30 |
| ES-202012 | 33 | ES-P | | SP-1460BD | 29 | SP-60X6112 | 22 | SP-90P48F1 | 30 |
| ES-20206 | 33 | ES-P1212 | 34 | SP-1460P2 | 29 | SP-60X6118 | 22 | SP-90P48F2 | 30 |
| ES-20208 | 33 | ES-P1612 | 34 | SP-1460P3 | 29 | SP-66COL | 28 | SP-90P72F1 | 30 |
| ES-202410 | 33 | ES-P1616 | 34 | SP-1460T | 29 | SP-72P24F1 | 30 | SP-90P72F2 | 30 |
| ES-20248 | 33 | ES-P2016 | 34 | SP-1460W | 29 | SP-72P24F2 | 30 | SP-90SMP14 | 30 |
| ES-24166 | 33 | ES-P2020 | 34 | SP-1472BD | 29 | SP-72P30F1 | 30 | SP-90SMP20 | 30 |
| ES-24168 | 33 | ES-P2416 | 34 | SP-1472P2 | 29 | SP-72P30F2 | 30 | SP-90XM3EW24 | 25 |
| ES-242010 | 33 | ES-P2420 | 34 | SP-1472P3 | 29 | SP-72P36F1 | 30 | SP-90XM4018 | 25 |
| ES-242012 | 33 | ES-P2424 | 34 | SP-1472T | 29 | SP-72P36F2 | 30 | SP-90XM4024 | 25 |
| ES-24206 | 33 | ES-P3020 | 34 | SP-1472W | 29 | SP-72P48F1 | 30 | SP-90XM4EW18 | 25 |
| ES-24208 | 33 | ES-P3024 | 34 | SP-14B | 29 | SP-72P48F2 | 30 | SP-90XM4EW24 | 25 |
| ES-242410 | 33 | ES-P3030 | 34 | SP-14P1 | 29 | SP-72P60F1 | 30 | SP-90XM5EW18 | 25 |
| ES-242412 | 33 | ES-P3624 | 34 | SP-14P2 | 29 | SP-72P60F2 | 30 | SP-90XM5EW24 | 25 |
| ES-242416 | 33 | ES-P3630 | 34 | SP-14P3 | 29 | SP-72P72F1 | 30 | SP-90XM7818 | 25 |
| ES-242420 | 33 | ES-P3636 | 34 | SP-14T | 29 | SP-72P72F2 | 30 | SP-90XM7820 | 25 |
| ES-24246 | 33 | ES-P4224 | 34 | SP-14W | 29 | SP-72SMP14 | 30 | SP-90XM7824 | 25 |
| ES-24248 | 33 | ES-P4236 | 34 | SP-18BASE | 28 | SP-72SMP20 | 30 | SP-924B | 29 |
| ES-243010 | 33 | ES-P4824 | 34 | SP1-C18 | 29 | SP-72X6112 | 22 | SP-936B | 29 |
| ES-24308 | 33 | ES-P4830 | 34 | SP1-C24 | 29 | SP-72X6118 | 22 | SP-S050 | 31 |
| ES-30208 | 33 | ES-P4836 | 34 | SP1-C30 | 29 | SP-72X7312 | 22 | SP-S050SS | 31 |
| ES-302410 | 33 | ES-P6030 | 34 | SP1-C36 | 29 | SP-72X7318 | 22 | SP-S075 | 31 |
| ES-302412 | 33 | ES-P6036 | 34 | SP1-C42 | 29 | SP-72X7324 | 22 | SP-S075SS | 31 |
| ES-302420 | 33 | SP | | SP1-C48 | 29 | SP-72XM2818 | 25 | SP-S100 | 31 |
| ES-30248 | 33 | SP-10B | 29 | SP-24BASE | 28 | SP-72XM3418 | 25 | SP-S100SS | 31 |
| ES-303010 | 33 | SP-10T | 29 | SP2B-24 | 29 | SP-72XM3EQ18 | 25 | SP-S125 | 31 |
| ES-303012 | 33 | SP-10W | 29 | SP2B-36 | 29 | SP-72XM3EW18 | 25 | SP-S125SS | 31 |
| ES-30308 | 33 | SP-1224B | 29 | SP2B-48 | 29 | SP-72XM4018 | 25 | SP-S150 | 31 |
| ES-362410 | 33 | SP-1224T | 29 | SP2-C24 | 29 | SP-72XM5418 | 25 | SP-S150SS | 31 |
| ES-362412 | 33 | SP-1224W | 29 | SP2-C36 | 29 | SP-72XM6618 | 25 | SP-SPB | 31 |
| ES-36248 | 33 | SP-1248BD | 29 | SP2-C48 | 29 | SP-72XM7818 | 25 | SP-SPBG | 31 |
| ES-363010 | 33 | SP-1248T | 29 | SP2D-10 48 | 29 | SP-72XM7824 | 25 | SP-SPBGSS | 31 |
| ES-363012 | 33 | | | SP2D-1024 | 29 | SP-84XM3EW24 | 25 | SP-SPBSS | 31 |



SCHAEFER'S

ELECTRICAL ENCLOSURES

| Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number |
|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|
| SPAF | | SPDSK-16 | 30 | SPFSD-907224 | 24 | SPH-224 | 5 | SPHCD-363616 | 9 |
| SPAF-1212 | 6 | SPDSK-20 | 30 | SPFSD-907236 | 24 | SPH-224N | 5 | SPHCD-364212 | 9 |
| SPAF-22 | 6 | SPDSK-24 | 30 | SPFSDA | | SPH-225 | 5 | SPHCD-364216 | 9 |
| SPAF-44 | 6 | SPDSK-30 | 30 | SPFSDA-722424 | 24 | SPH-225N | 5 | SPHCD-364812 | 9 |
| SPAF-66 | 6 | SPDSK-36 | 30 | SPFSDA-722430 | 24 | SPH-441 | 5 | SPJ | |
| SPAF-88 | 6 | SPDSK-42 | 30 | SPFSDA-722436 | 24 | SPH-4410 | 5 | SPJ-10106 | 13 |
| SPBH | | SPDSK-48 | 30 | SPFSDA-723024 | 24 | SPH-4410N | 5 | SPJ-1084 | 13 |
| SPBH-1212 | 6 | SPDSK-60 | 30 | SPFSDA-723624 | 24 | SPH-441N | 5 | SPJ-1086 | 13 |
| SPBH-22 | 6 | SPDSK-72 | 30 | SPFSDA-723636 | 24 | SPH-442 | 5 | SPJ-12105 | 13 |
| SPBH-44 | 6 | SPE | | SPFSDA-903624 | 24 | SPH-442N | 5 | SPJ-12126 | 13 |
| SPBH-66 | 6 | SPE-1212N | 6 | SPFSDA-903636 | 24 | SPH-443 | 5 | SPJ-14126 | 13 |
| SPBH-88 | 6 | SPE-22 | 6 | SPFSDAD24 | | SPH-443N | 5 | SPJ-16146 | 13 |
| SPBT | | SPE-44 | 6 | SPFSDAD-724824 | 24 | SPH-444 | 5 | SPJ-16148 | 13 |
| SPBT-ANSI 61 | 30 | SPE-66 | 6 | SPFSDAD-726024 | 24 | SPH-444N | 5 | SPJ-443 | 13 |
| SPBT-WHITE | 30 | SPE-88 | 6 | SPFSDAD-726036 | 24 | SPH-445 | 5 | SPJ-444 | 13 |
| SPC | | SPFM | | SPFSDAD-727224 | 24 | SPH-445N | 5 | SPJ-643 | 13 |
| SPC-1212 | 6 | SPFM-16126 | 23 | SPFSDAD-907224 | 24 | SPH-661 | 5 | SPJ-644 | 13 |
| SPC-22 | 6 | SPFM-20166 | 23 | SPFSK | | SPH-6610 | 5 | SPJ-664 | 13 |
| SPC-44 | 6 | SPFM-20206 | 23 | SPFSK-1210 | 31 | SPH-6610N | 5 | SPJ-863 | 13 |
| SPC-66 | 6 | SPFM-24206 | 23 | SPFSK-1212 | 31 | SPH-661N | 5 | SPJ-866 | 13 |
| SPC-88 | 6 | SPFM-24248 | 23 | SPFSK-1216 | 31 | SPH-662 | 5 | SPJ-884 | 13 |
| SPCL | | SPFM-30248 | 23 | SPFSK-1218 | 31 | SPH-662N | 5 | SPJ4 | |
| SPCL-12C12 | 28 | SPFS | | SPFSK-1220 | 31 | SPH-663 | 5 | SPJ4-1084 | 13 |
| SPCL-12C16 | 28 | SPFS-602418 | 24 | SPFSK-128 | 31 | SPH-663N | 5 | SPJ4-12105 | 13 |
| SPCL-12C20 | 28 | SPFS-603624 | 24 | SPFSK-1810 | 31 | SPH-664 | 5 | SPJ4-14126 | 13 |
| SPCL-12C24 | 28 | SPFS-722418 | 24 | SPFSK-1812 | 31 | SPH-664N | 5 | SPJ4-16146 | 13 |
| SPCL-16C16 | 28 | SPFS-722424 | 24 | SPFSK-1816 | 31 | SPH-665 | 5 | SPJ4-443 | 13 |
| SPCL-16C20 | 28 | SPFS-722430 | 24 | SPFSK-188 | 31 | SPH-665N | 5 | SPJ4-643 | 13 |
| SPCL-16C24 | 28 | SPFS-723018 | 24 | SPFSK-2410 | 31 | SPH-881 | 5 | SPJ4-664 | 13 |
| SPCL-16C30 | 28 | SPFS-723024 | 24 | SPFSK-2412 | 31 | SPH-8810 | 5 | SPJ4-863 | 13 |
| SPCL-16C36 | 28 | SPFS-723618 | 24 | SPFSK-2416 | 31 | SPH-8810N | 5 | SPJ4SS | |
| SPCL-20C20 | 28 | SPFS-723624 | 24 | SPFSK-248 | 31 | SPH-881N | 5 | SPJ4SS-1084 | 12 |
| SPCL-20C24 | 28 | SPFS-723630 | 24 | SPFSK-610 | 31 | SPH-882 | 5 | SPJ4SS-12105 | 12 |
| SPCL-20C30 | 28 | SPFS-723636 | 24 | SPFSK-612 | 31 | SPH-882N | 5 | SPJ4SS-14126 | 12 |
| SPCL-8C12 | 28 | SPFS-902420 | 24 | SPFSK-618 | 31 | SPH-883 | 5 | SPJ4SS-16146 | 12 |
| SPCL-8C16 | 28 | SPFS-903620 | 24 | SPFSK-68 | 31 | SPH-883N | 5 | SPJ4SS-443 | 12 |
| SPCL-8C20 | 28 | SPFS-903624 | 24 | SPH | | SPH-884 | 5 | SPJ4SS-643 | 12 |
| SPCL-8C8 | 28 | SPFS-903636 | 24 | SPH-121210N | 5 | SPH-884N | 5 | SPJ4SS-664 | 12 |
| SPDD | | SPFSD | | SPH-12121N | 5 | SPH-885 | 5 | SPJ4SS-864 | 12 |
| SPDD-4242 | 15 | SPFSD-604818 | 24 | SPH-12122N | 5 | SPH-885N | 5 | SPJH | |
| SPDD-4260 | 15 | SPFSD-723036 | 24 | SPH-12123N | 5 | SPHCD | | SPJH-10106 | 13 |
| SPDD-4842 | 15 | SPFSD-723036 | 24 | SPH-12125N | 5 | SPHCD-303016 | 9 | SPJH-1084 | 13 |
| SPDD-4848 | 15 | SPFSD-724818 | 24 | SPH-221 | 5 | SPHCD-303612 | 9 | SPJH-1086 | 13 |
| SPDD-5442 | 15 | SPFSD-724824 | 24 | SPH-2210 | 5 | SPHCD-303616 | 9 | SPJH-12105 | 13 |
| SPDD-6048 | 15 | SPFSD-726018 | 24 | SPH-2210N | 5 | SPHCD-304212 | 9 | SPJH-12108 | 13 |
| SPDD-6060 | 15 | SPFSD-726024 | 24 | SPH-221N | 5 | SPHCD-304216 | 9 | SPJH-12126 | 13 |
| SPDD-7260 | 15 | SPFSD-727218 | 24 | SPH-222 | 5 | SPHCD-304216 | 9 | SPJH-12604 | 13 |
| SPDD-7272 | 15 | SPFSD-727224 | 24 | SPH-222N | 5 | SPHCD-304812 | 9 | SPJH-14086 | 13 |
| SPDSK | | SPFSD-904820 | 24 | SPH-223 | 5 | SPHCD-363616 | 9 | SPJH-14126 | 13 |
| SPDSK-12 | 30 | SPFSD-907220 | 24 | SPH-223N | 5 | | | SPJH-14128 | 13 |



SCHAEFER'S

ELECTRICAL ENCLOSURES

| Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number |
|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|
| SPJH-16106 | 13 | SPJT | | SPL-12290 | 6 | SPLN1-24246 | 4 | SPLRHC-483612 | 9 |
| SPJH-161410 | 13 | SPJT-2212 | 11 | SPL-2245 | 6 | SPLN1-24248 | 4 | SPLRHC-603612 | 9 |
| SPJH-16146 | 13 | SPJT-2218 | 11 | SPL-2290 | 6 | SPLN1-243010 | 4 | SPMP | |
| SPJH-16148 | 13 | SPJT-2224 | 11 | SPL-4445 | 6 | SPLN1-24306 | 4 | SPMP-10104 | 8 |
| SPJH-443 | 13 | SPJT-4412 | 11 | SPL-4490 | 6 | SPLN1-24308 | 4 | SPMP-10126 | 8 |
| SPJH-444 | 13 | SPJT-4418 | 11 | SPL-6645 | 6 | SPLN1-24366 | 4 | SPMP-12126 | 8 |
| SPJH-643 | 13 | SPJT-4424 | 11 | SPL-6690 | 6 | SPLN1-24368 | 4 | SPMP-12166 | 8 |
| SPJH-644 | 13 | SPJT-4436 | 11 | SPL-8845 | 6 | SPLN1-30308 | 4 | SPMP-16166 | 8 |
| SPJH-664 | 13 | SPJT-4448 | 11 | SPL-8890 | 6 | SPLN1-303610 | 4 | SPMP-16206 | 8 |
| SPJH-863 | 13 | SPJT-6612 | 11 | SPLJH | | SPLN1-303612 | 4 | SPMP-20208 | 8 |
| SPJH-866 | 13 | SPJT-6618 | 11 | SPLJH-20167 | 14 | SPLN1-30366 | 4 | SPMP-20248 | 8 |
| SPJH-884 | 13 | SPJT-6624 | 11 | SPLJH-20169 | 14 | SPLN1-30368 | 4 | SPMP-242448 | 8 |
| SPJH4 | | SPJT-6636 | 11 | SPLJH-20207 | 14 | SPLN1X | | SPMP-24308 | 8 |
| SPJH4-443 | 13 | SPJT-6648 | 11 | SPLJH-20209 | 14 | SPLN1X-304211 | 4 | SPMP-243610 | 8 |
| SPJH4-643 | 13 | SPJTH | | SPLJH-24207 | 14 | SPLN1X-304213 | 4 | SPMP-303612 | 8 |
| SPJH4-664 | 13 | SPJTH-121224 | 12 | SPLJH-24209 | 14 | SPLN1X-30429 | 4 | SPMP-363612 | 8 |
| SPJH4-1084 | 13 | SPJTH-121236 | 12 | SPLJH-242411 | 14 | SPLN1X-364211 | 4 | SPMP-664 | 8 |
| SPJH4-1086 | 13 | SPJTH-121248 | 12 | SPLJH-24247 | 14 | SPLN1X-364213 | 4 | SPMP-684 | 8 |
| SPJH4-12105 | 13 | SPJTH-121260 | 12 | SPLJH-24249 | 14 | SPLN1X-36429 | 4 | SPMP-8104 | 8 |
| SPJH4-12126 | 13 | SPJTH-2212 | 12 | SPLJH-30207 | 14 | SPLN1X-364811 | 4 | SPMP-884 | 8 |
| SPJH4-14126 | 13 | SPJTH-2218 | 12 | SPLJH-30209 | 14 | SPLN1X-364813 | 4 | SPN1 | |
| SPJH4-16146 | 13 | SPJTH-2224 | 12 | SPLJH-302413 | 14 | SPLN1X-364817 | 4 | SPN1-10104 | 3 |
| SPJH4-863 | 13 | SPJTH-2230 | 12 | SPLJH-30247 | 14 | SPLN1X-36489 | 4 | SPN1-10106 | 3 |
| SPJH4SS | | SPJTH-2236 | 12 | SPLJH-30249 | 14 | SPLOH | | SPN1-10124 | 3 |
| SPJH4SS-1084 | 12 | SPJTH-2248 | 12 | SPLJH-362411 | 14 | SPLOH-1086 | 9 | SPN1-10126 | 3 |
| SPJH4SS-12106 | 12 | SPJTH-2260 | 12 | SPLJH-36247 | 14 | SPLOH-12106 | 9 | SPN1-12124 | 3 |
| SPJH4SS-12126 | 12 | SPJTH-2272 | 12 | SPLJH-36249 | 14 | SPLOH-12126 | 9 | SPN1-12126 | 3 |
| SPJH4SS-14126 | 12 | SPJTH-4412 | 12 | SPLJH-363013 | 14 | SPLOH-16126 | 9 | SPN1-12128 | 3 |
| SPJH4SS-16146 | 12 | SPJTH-4418 | 12 | SPLJH-36309 | 14 | SPLOH-16166 | 9 | SPN1-12144 | 3 |
| SPJH4SS-644 | 12 | SPJTH-4424 | 12 | SPLJH-42309 | 14 | SPLOH-20166 | 9 | SPN1-12146 | 3 |
| SPJH4SS-664 | 12 | SPJTH-4430 | 12 | SPLJH-42369 | 14 | SPLOH-20208 | 9 | SPN1-12148 | 3 |
| SPJH4SS-864 | 12 | SPJTH-4436 | 12 | SPLJH-483611 | 14 | SPLOH-24208 | 9 | SPN1-12166 | 3 |
| SPJSC | | SPJTH-4448 | 12 | SPLN1 | | SPLOH-24248 | 9 | SPN1-12206 | 3 |
| SPJSC-10104 | 14 | SPJTH-4460 | 12 | SPLN1-12166 | 4 | SPLOH-30248 | 9 | SPN1-12246 | 3 |
| SPJSC-10106 | 14 | SPJTH-4472 | 12 | SPLN1-12168 | 4 | SPLOH-864 | 9 | SPN1-664 | 3 |
| SPJSC-1084 | 14 | SPJTH-6612 | 12 | SPLN1-16166 | 4 | SPLOH-886 | 9 | SPN1-684 | 3 |
| SPJSC-1086 | 14 | SPJTH-6618 | 12 | SPLN1-16206 | 4 | SPLRHC | | SPN1-686 | 3 |
| SPJSC-12105 | 14 | SPJTH-6624 | 12 | SPLN1-16208 | 4 | SPLRHC-16126 | 9 | SPN1-8104 | 3 |
| SPJSC-12126 | 14 | SPJTH-6630 | 12 | SPLN1-16246 | 4 | SPLRHC-16166 | 9 | SPN1-8106 | 3 |
| SPJSC-14126 | 14 | SPJTH-6636 | 12 | SPLN1-20166 | 4 | SPLRHC-20166 | 9 | SPN1-884 | 3 |
| SPJSC-16146 | 14 | SPJTH-6648 | 12 | SPLN1-20206 | 4 | SPLRHC-20208 | 9 | SPN1P | |
| SPJSC-16148 | 14 | SPJTH-6660 | 12 | SPLN1-20208 | 4 | SPLRHC-24208 | 9 | SPN1P-1010 | 3 |
| SPJSC-443 | 14 | SPJTH-6672 | 12 | SPLN1-202410 | 4 | SPLRHC-24248 | 9 | SPN1P-1012 | 3 |
| SPJSC-444 | 14 | SPJTH-8812 | 12 | SPLN1-20246 | 4 | SPLRHC-30248 | 9 | SPN1P-1212 | 3 |
| SPJSC-643 | 14 | SPJTH-8824 | 12 | SPLN1-20248 | 4 | SPLRHC-303012 | 9 | SPN1P-1214 | 3 |
| SPJSC-644 | 14 | SPJTH-8836 | 12 | SPLN1-20306 | 4 | SPLRHC-362412 | 9 | SPN1P-1216 | 3 |
| SPJSC-664 | 14 | SPJTH-8848 | 12 | SPLN1-20308 | 4 | SPLRHC-363012 | 9 | SPN1P-1220 | 3 |
| SPJSC-863 | 14 | SPJTH-8860 | 12 | SPLN1-24208 | 4 | SPLRHC-363612 | 9 | SPN1P-1224 | 3 |
| SPJSC-866 | 14 | SPL | | SPLN1-242412 | 4 | SPLRHC-423012 | 9 | SPN1P-66 | 3 |
| SPJSC-884 | 14 | SPL-121245 | 6 | SPLN1-242428 | 4 | SPLRHC-423612 | 9 | SPN1P-68 | 3 |



SCHAEFER'S

ELECTRICAL ENCLOSURES

| Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number |
|----------------------|----------------|----------------------|----------------|----------------------|----------------|-----------------------|----------------|----------------------|----------------|
| SPN1P-810 | 3 | SPN12-303012 | 20 | SPN12D-606012 | 23 | SPN412SS-363612 | 19 | SPN4DSS-4812 | 18 |
| SPN1P-88 | 3 | SPN12-30308 | 20 | SPN12D-606016 | 23 | SPN4 | | SPN4DSS-604810 | 18 |
| SPN12 | | SPN12-30368 | 20 | SPN12D-606024 | 23 | SPN4-16126 | 16 | SPN4DSS-606010 | 18 |
| SPN12-12246 | 20 | SPN12-362410 | 20 | SPN12D-726010 | 23 | SPN4-16128 | 16 | SPN4DSS-626012 | 18 |
| SPN12-12248 | 20 | SPN12-362412 | 20 | SPN12D-726012 | 23 | SPN4-16166 | 16 | SPN4DSS-746012 | 18 |
| SPN12-161210 | 20 | SPN12-36246 | 20 | SPN12D-726016 | 23 | SPN4-16206 | 16 | SPN4DSS-747212 | 18 |
| SPN12-16126 | 20 | SPN12-36248 | 20 | SPN12D-726020 | 23 | SPN4-201610 | 16 | SPN4DSS-747224 | 18 |
| SPN12-16128 | 20 | SPN12-363010 | 20 | SPN12D-726024 | 23 | SPN4-20166 | 16 | SPN4FS | |
| SPN12-16166 | 20 | SPN12-363012 | 20 | SPN12D-727210 | 23 | SPN4-20168 | 16 | SPN4FS-722518 | 18 |
| SPN12-16168 | 20 | SPN12-363016 | 21 | SPN12D-727212 | 23 | SPN4-20206 | 16 | SPN4FS-723124 | 18 |
| SPN12-16206 | 20 | SPN12-363020 | 21 | SPN12D-727216 | 23 | SPN4-20208 | 16 | SPN4FS-723724 | 18 |
| SPN12-16208 | 20 | SPN12-36306 | 20 | SPN12D-727220 | 23 | SPN4-20248 | 16 | SPN4SS | |
| SPN12-20126 | 20 | SPN12-36308 | 20 | SPN12D-727224 | 23 | SPN4-24126 | 16 | SPN4SS-16126 | 17 |
| SPN12-20128 | 20 | SPN12-363612 | 20 | SPN412 | | SPN4-24166 | 16 | SPN4SS-16128 | 17 |
| SPN12-201610 | 20 | SPN12-36368 | 20 | SPN412-12126 | 19 | SPN4-242010 | 16 | SPN4SS-16166 | 17 |
| SPN12-201612 | 20 | SPN12-42248 | 20 | SPN412-16126 | 19 | SPN4-24206 | 16 | SPN4SS-201610 | 17 |
| SPN12-20166 | 20 | SPN12-423010 | 20 | SPN412-16166 | 19 | SPN4-24208 | 16 | SPN4SS-20166 | 17 |
| SPN12-20168 | 20 | SPN12-423012 | 20 | SPN412-20166 | 19 | SPN4-24246 | 16 | SPN4SS-20168 | 17 |
| SPN12-202010 | 20 | SPN12-42308 | 20 | SPN412-20168 | 19 | SPN4-24248 | 16 | SPN4SS-20206 | 17 |
| SPN12-20206 | 20 | SPN12-423610 | 20 | SPN412-202012 | 19 | SPN4-24308 | 16 | SPN4SS-24168 | 17 |
| SPN12-20208 | 20 | SPN12-423612 | 20 | SPN412-20206 | 19 | SPN4-30206 | 16 | SPN4SS-242010 | 17 |
| SPN12-20246 | 20 | SPN12-423616 | 21 | SPN412-20208 | 19 | SPN4-30208 | 16 | SPN4SS-24206 | 17 |
| SPN12-20248 | 20 | SPN12-42368 | 20 | SPN412-24168 | 19 | SPN4-302410 | 16 | SPN4SS-24208 | 17 |
| SPN12-241210 | 20 | SPN12-48248 | 20 | SPN412-24208 | 19 | SPN4-302412 | 16 | SPN4SS-242412 | 17 |
| SPN12-24126 | 20 | SPN12-483010 | 20 | SPN412-242412 | 19 | SPN4-30246 | 16 | SPN4SS-24248 | 17 |
| SPN12-24128 | 20 | SPN12-48308 | 20 | SPN412-242416 | 19 | SPN4-30248 | 16 | SPN4SS-24308 | 17 |
| SPN12-24166 | 20 | SPN12-483610 | 20 | SPN412-24248 | 19 | SPN4-30308 | 16 | SPN4SS-30208 | 17 |
| SPN12-24168 | 20 | SPN12-483612 | 20 | SPN412-30208 | 19 | SPN4-30368 | 16 | SPN4SS-302412 | 17 |
| SPN12-242010 | 20 | SPN12-483616 | 21 | SPN412-302412 | 19 | SPN4-36246 | 16 | SPN4SS-302416 | 17 |
| SPN12-242012 | 20 | SPN12-483620 | 21 | SPN412-30248 | 19 | SPN4-36248 | 16 | SPN4SS-30248 | 17 |
| SPN12-242016 | 20 | SPN12-48368 | 20 | SPN412-30308 | 19 | SPN4-363010 | 16 | SPN4SS-30308 | 17 |
| SPN12-24206 | 20 | SPN12-603610 | 20 | SPN412-36248 | 19 | SPN4-363012 | 16 | SPN4SS-362410 | 17 |
| SPN12-24208 | 20 | SPN12-603612 | 20 | SPN412-363012 | 19 | SPN4-363016 | 16 | SPN4SS-36248 | 17 |
| SPN12-242410 | 20 | SPN12-603616 | 21 | SPN412-363016 | 19 | SPN4-36308 | 16 | SPN4SS-363010 | 17 |
| SPN12-242412 | 20 | SPN12-603620 | 21 | SPN412-36308 | 19 | SPN4-42308 | 16 | SPN4SS-363012 | 17 |
| SPN12-242416 | 21 | SPN12-60368 | 20 | SPN412-363612 | 19 | SPN4-42368 | 16 | SPN4SS-363016 | 17 |
| SPN12-24246 | 20 | SPN12-723012 | 21 | SPN412-402412 | 19 | SPN4-483010 | 16 | SPN4SS-36308 | 17 |
| SPN12-24248 | 20 | SPN12-723016 | 21 | SPN412-423612 | 19 | SPN4-483610 | 16 | SPN4SS-363612 | 17 |
| SPN12-24308 | 20 | SPN12-723020 | 21 | SPN412-483612 | 19 | SPN4-483612 | 16 | SPN4SS-423010 | 17 |
| SPN12-30166 | 20 | SPN12-723024 | 21 | SPN412-483616 | 19 | SPN4-483616 | 16 | SPN4SS-42368 | 17 |
| SPN12-302010 | 20 | SPN12-723612 | 21 | SPN412-603612 | 19 | SPN4-48368 | 16 | SPN4SS-483612 | 17 |
| SPN12-30206 | 20 | SPN12D | | SPN412SS | | SPN4-603610 | 16 | SPN4SS-483616 | 17 |
| SPN12-30208 | 20 | SPN12D-54428 | 23 | SPN412SS-16126 | 19 | SPN4-603616 | 16 | SPN4SS-48368 | 17 |
| SPN12-302410 | 20 | SPN12D-604810 | 23 | SPN412SS-20166 | 19 | SPN4D | | SPN4SS-603612 | 17 |
| SPN12-302412 | 20 | SPN12D-604812 | 23 | SPN412SS-20208 | 19 | SPN4D-624810 | 18 | SPOPA | |
| SPN12-302416 | 21 | SPN12D-604816 | 23 | SPN412SS-24208 | 19 | SPN4D-626012 | 18 | SPOPA-1212 | 6 |
| SPN12-302420 | 21 | SPN12D-604820 | 23 | SPN412SS-24248 | 19 | SPN4D-746012 | 18 | SPOPA-22 | 6 |
| SPN12-302424 | 21 | SPN12D-604824 | 23 | SPN412SS-30248 | 19 | SPN4D-747212 | 18 | SPOPA-44 | 6 |
| SPN12-30246 | 20 | SPN12D-60488 | 23 | SPN412SS-30308 | 19 | SPN4D-747224 | 18 | SPOPA-66 | 6 |
| SPN12-30248 | 20 | SPN12D-606010 | 23 | SPN412SS-36308 | 19 | SPN4DSS | | SPOPA-88 | 6 |



SCHAEFER'S

ELECTRICAL ENCLOSURES

| Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number |
|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|
| SPP | | SPPA-66 | 6 | SPPBGX-2 | 26 | SPPSL-6 | 27 |
| SPP-1010 | 15 | SPPA-88 | 6 | SPPBGX-20 | 26 | SPPSL-7 | 27 |
| SPP-108 | 15 | SPPB | | SPPBGX-25 | 26 | SPPSL-8 | 27 |
| SPP-1210 | 15 | SPPB-1 | 26 | SPPBGX-3 | 26 | SPPSL-9 | 27 |
| SPP-1212 | 15 | SPPB-10 | 26 | SPPBGX-30 | 26 | SPR | |
| SPP-1224 | 15 | SPPB-12 | 26 | SPPBGX-4 | 26 | SPR-1210 | 6 |
| SPP-1224 | 15 | SPPB-16 | 26 | SPPBGX-6 | 26 | SPR-128 | 6 |
| SPP-126 | 15 | SPPB-2 | 26 | SPPBGX-9 | 26 | SPR-42 | 6 |
| SPP-1412 | 15 | SPPB-20 | 26 | SPPBXD | | SPR-64 | 6 |
| SPP-148 | 15 | SPPB-25 | 26 | SPPBXD-1 | 26 | SPR-86 | 6 |
| SPP-1610 | 15 | SPPB-3 | 26 | SPPBXD-10 | 26 | SPRHC | |
| SPP-1612 | 15 | SPPB-4 | 26 | SPPBXD-12 | 26 | SPRHC-1086 | 8 |
| SPP-1612 | 15 | SPPB-4S | 26 | SPPBXD-16 | 26 | SPRHC-12106 | 8 |
| SPP-1614 | 15 | SPPB-5 | 26 | SPPBXD-16V | 26 | SPRHC-12126 | 8 |
| SPP-1616 | 15 | SPPB-6 | 26 | SPPBXD-2 | 26 | SPRHC-664 | 8 |
| SPP-1616 | 15 | SPPB-6VL | 26 | SPPBXD-20 | 26 | SPRHC-864 | 8 |
| SPP-2012 | 15 | SPPB-7 | 26 | SPPBXD-25 | 26 | SPRHC-884 | 8 |
| SPP-2016 | 15 | SPPB-8 | 26 | SPPBXD-3 | 26 | SPRHC-886 | 8 |
| SPP-2020 | 15 | SPPB-9 | 26 | SPPBXD-30 | 26 | SPRSC | |
| SPP-2416 | 15 | SPPB-9VL | 26 | SPPBXD-36 | 26 | SPRSC-10104 | 10 |
| SPP-2420 | 15 | SPPBA | | SPPBXD-4 | 26 | SPRSC-10106 | 10 |
| SPP-2424 | 15 | SPPBA-1 | 27 | SPPBXD-4S | 26 | SPRSC-10124 | 10 |
| SPP-3016 | 15 | SPPBA-10 | 27 | SPPBXD-6 | 26 | SPRSC-10126 | 10 |
| SPP-3020 | 15 | SPPBA-12 | 27 | SPPBXD-9 | 26 | SPRSC-121210 | 10 |
| SPP-3020 | 15 | SPPBA-12S | 27 | SPPBYX | | SPRSC-12124 | 10 |
| SPP-3020 | 15 | SPPBA-16 | 27 | SPPBYX-12 | 27 | SPRSC-12126 | 10 |
| SPP-3024 | 15 | SPPBA-16S | 27 | SPPBYX-16 | 27 | SPRSC-12128 | 10 |
| SPP-3030 | 15 | SPPBA-2 | 27 | SPPBYX-20 | 27 | SPRSC-12154 | 10 |
| SPP-3030 | 15 | SPPBA-20 | 27 | SPPBYX-25 | 27 | SPRSC-12156 | 10 |
| SPP-3624 | 15 | SPPBA-25 | 27 | SPPBYX-30 | 27 | SPRSC-12184 | 10 |
| SPP-3630 | 15 | SPPBA-3 | 27 | SPPBYX-36 | 27 | SPRSC-12186 | 10 |
| SPP-3636 | 15 | SPPBA-30 | 27 | SPPBYX-42 | 27 | SPRSC-12188 | 10 |
| SPP-4224 | 15 | SPPBA-4 | 27 | SPPBYX-4S | 27 | SPRSC-12246 | 10 |
| SPP-4230 | 15 | SPPBA-4S | 27 | SPPBYX-6 | 27 | SPRSC-15186 | 10 |
| SPP-4236 | 15 | SPPBA-6 | 27 | SPPBYX-9 | 27 | SPRSC-15188 | 10 |
| SPP-4824 | 15 | SPPBA-8 | 27 | SPPEN | | SPRSC-15244 | 10 |
| SPP-4830 | 15 | SPPBA-9 | 27 | SPPEN-2 | 26 | SPRSC-15246 | 10 |
| SPP-4836 | 15 | SPPBC | | SPPEN-3 | 26 | SPRSC-161610 | 10 |
| SPP-6030 | 15 | SPPBC-12 | 27 | SPPEN-4 | 26 | SPRSC-18126 | 10 |
| SPP-6036 | 15 | SPPBC-16 | 27 | SPPEN-5 | 26 | SPRSC-18186 | 10 |
| SPP-64 | 15 | SPPBC-20 | 27 | SPPEN-6 | 26 | SPRSC-18188 | 10 |
| SPP-66 | 15 | SPPBC-25 | 27 | SPPEN-7 | 26 | SPRSC-18244 | 10 |
| SPP-7230 | 15 | SPPBC-30 | 27 | SPPEN-8 | 26 | SPRSC-18246 | 10 |
| SPP-7236 | 15 | SPPBC-36 | 27 | SPPSL | | SPRSC-18248 | 10 |
| SPP-86 | 15 | SPPBC-8 | 27 | SPPSL-1 | 27 | SPRSC-24248 | 10 |
| SPP-88 | 15 | SPPBC-9 | 27 | SPPSL-10 | 27 | SPRSC-24308 | 10 |
| SPPA | | SPPBGX | | SPPSL-2 | 27 | SPRSC-444 | 10 |
| SPPA-1212 | 6 | SPPBGX-1 | 26 | SPPSL-3 | 27 | SPRSC-464 | 10 |
| SPPA-22 | 6 | SPPBGX-12 | 26 | SPPSL-4 | 27 | SPRSC-6124 | 10 |
| SPPA-44 | 6 | SPPBGX-16 | 26 | SPPSL-5 | 27 | SPRSC-6126 | 10 |
| | | | | | | SPRSC-664 | 10 |
| | | | | | | SPRSC-666 | 10 |
| | | | | | | SPRSC-684 | 10 |
| | | | | | | SPRSC-686 | 10 |
| | | | | | | SPRSC-8104 | 10 |
| | | | | | | SPRSC-8106 | 10 |
| | | | | | | SPRSC-8124 | 10 |
| | | | | | | SPRSC-8126 | 10 |
| | | | | | | SPRSC-884 | 10 |
| | | | | | | SPRSC-886 | 10 |
| | | | | | | SPRSCG | |
| | | | | | | SPRSCG-4412 | 11 |
| | | | | | | SPRSCG-4424 | 11 |
| | | | | | | SPRSCG-4436 | 11 |
| | | | | | | SPRSCG-4448 | 11 |
| | | | | | | SPRSCG-4460 | 11 |
| | | | | | | SPRSCG-4472 | 11 |
| | | | | | | SPRSCG-6612 | 11 |
| | | | | | | SPRSCG-6624 | 11 |
| | | | | | | SPRSCG-6636 | 11 |
| | | | | | | SPRSCG-6648 | 11 |
| | | | | | | SPRSCG-6660 | 11 |
| | | | | | | SPRSCG-6672 | 11 |
| | | | | | | SPRSCG-8812 | 11 |
| | | | | | | SPRSCG-8824 | 11 |
| | | | | | | SPRSCG-8836 | 11 |
| | | | | | | SPRSCG-8848 | 11 |
| | | | | | | SPRSCG-8860 | 11 |
| | | | | | | SPRSCG-8872 | 11 |
| | | | | | | SPS | |
| | | | | | | SPS-121210N | 5 |
| | | | | | | SPS-12121N | 5 |
| | | | | | | SPS-12122N | 5 |
| | | | | | | SPS-12123N | 5 |
| | | | | | | SPS-12124N | 5 |
| | | | | | | SPS-12125N | 5 |
| | | | | | | SPS-221 | 5 |
| | | | | | | SPS-2210 | 5 |
| | | | | | | SPS-2210N | 5 |
| | | | | | | SPS-221N | 5 |
| | | | | | | SPS-222 | 5 |
| | | | | | | SPS-222N | 5 |
| | | | | | | SPS-223 | 5 |
| | | | | | | SPS-223N | 5 |
| | | | | | | SPS-224 | 5 |
| | | | | | | SPS-224N | 5 |
| | | | | | | SPS-225 | 5 |
| | | | | | | SPS-225N | 5 |
| | | | | | | SPS-441 | 5 |
| | | | | | | SPS-4410 | 5 |



SCHAEFER'S

ELECTRICAL ENCLOSURES

| Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number | Part Number | Page Number |
|----------------------|----------------|----------------------|----------------|-----------------------|----------------|----------------------|----------------|----------------------|----------------|
| SPS-4410N | 5 | SPSC-12156N | 1 | SPSC-8124N | 1 | SPSF-46 | 1 | SPTFM-12126 | 7 |
| SPS-441N | 5 | SPSC-12184 | 1 | SPSC-884 | 1 | SPSF-612 | 1 | SPTFM-12154 | 7 |
| SPS-442 | 5 | SPSC-12184N | 1 | SPSC-884N | 1 | SPSF-66 | 1 | SPTFM-12156 | 7 |
| SPS-442N | 5 | SPSC-12186 | 1 | SPSC-886 | 1 | SPSF-68 | 1 | SPTFM-12184 | 7 |
| SPS-443 | 5 | SPSC-12186N | 1 | SPSC-886N | 1 | SPSF-810 | 1 | SPTFM-12186 | 7 |
| SPS-443N | 5 | SPSC-15154 | 1 | SPSDN12 | | SPSF-812 | 1 | SPTFM-12244 | 7 |
| SPS-444 | 5 | SPSC-15154N | 1 | SPSDN12-202110 | 21 | SPSF-88 | 1 | SPTFM-12246 | 7 |
| SPS-444N | 5 | SPSC-15156 | 1 | SPSDN12-20218 | 21 | SPSL | | SPTFM-15154 | 7 |
| SPS-445 | 5 | SPSC-15156N | 1 | SPSDN12-242110 | 21 | SPSL-121290 | 6 | SPTFM-15156 | 7 |
| SPS-445N | 5 | SPSC-15184 | 1 | SPSDN12-24218 | 21 | SPSL-2290 | 6 | SPTFM-15184 | 7 |
| SPS-661 | 5 | SPSC-15184N | 1 | SPSDN12-242510 | 21 | SPSL-4490 | 6 | SPTFM-15186 | 7 |
| SPS-6610 | 5 | SPSC-15186 | 1 | SPSDN12-24258 | 21 | SPSL-6690 | 6 | SPTFM-15244 | 7 |
| SPS-6610N | 5 | SPSC-15186N | 1 | SPSDN12-302110 | 21 | SPSL-8890 | 6 | SPTFM-15246 | 7 |
| SPS-661N | 5 | SPSC-18184 | 1 | SPSDN12-30218 | 21 | SPSN4 | | SPTFM-18184 | 7 |
| SPS-662 | 5 | SPSC-18184N | 1 | SPSDN12-302510 | 21 | SPSN4-24228 | 16 | SPTFM-18186 | 7 |
| SPS-662N | 5 | SPSC-18186 | 1 | SPSDN12-30258 | 21 | SPSN4-24228 | 16 | SPTFM-18244 | 7 |
| SPS-663 | 5 | SPSC-18186N | 1 | SPSDN12-302612 | 21 | SPSN4-24258 | 16 | SPTFM-18246 | 7 |
| SPS-663N | 5 | SPSC-18246 | 1 | SPSDN12-36110 | 21 | SPSN4-24258 | 16 | SPTFM-24244 | 7 |
| SPS-664 | 5 | SPSC-18246N | 1 | SPSDN12-362510 | 21 | SPSN4-30258 | 16 | SPTFM-24246 | 7 |
| SPS-664N | 5 | SPSC-24246 | 1 | SPSDN12-36258 | 21 | SPSN4-30258 | 16 | SPTSD | |
| SPS-665 | 5 | SPSC-24246N | 1 | SPSDN12-36318 | 21 | SPSN4-36258 | 16 | SPTSD-12189 | 2 |
| SPS-665N | 5 | SPSC-24248 | 1 | SPSDN12-363212 | 21 | SPSN4-36327 | 16 | SPTSD-18189 | 2 |
| SPS-881 | 5 | SPSC-24248N | 1 | SPSDN12-363216 | 21 | SPSN4-36328 | 16 | SPTSD-182410 | 2 |
| SPS-8810 | 5 | SPSC-24306N | 1 | SPSDN12-423110 | 21 | SPSN4-423212 | 16 | SPTSD-242410 | 2 |
| SPS-8810N | 5 | SPSC-24368N | 1 | SPSDN12-42318 | 21 | SPSN4-423212 | 16 | SPTSD-243010 | 2 |
| SPS-881N | 5 | SPSC-24608N | 1 | SPSDN12-423212 | 21 | SPSN4-423812 | 16 | SPTSD-243210 | 2 |
| SPS-882 | 5 | SPSC-30308N | 1 | SPSDN12-423710 | 21 | SPSN4-423812 | 16 | SPTSD-24329 | 2 |
| SPS-882N | 5 | SPSC-30368N | 1 | SPSDN12-42378 | 21 | SPSN4-483812 | 16 | SPTSD-243610 | 2 |
| SPS-883 | 5 | SPSC-363612N | 1 | SPSDN12-423812 | 21 | SPSN4-483812 | 16 | SPTSM | |
| SPS-883N | 5 | SPSC-444 | 1 | SPSDN12-483710 | 21 | SPSN4-603812 | 16 | SPTSM-12124 | 7 |
| SPS-884 | 5 | SPSC-444N | 1 | SPSDN12-48378 | 21 | SPSN4-603812 | 16 | SPTSM-12126 | 7 |
| SPS-884N | 5 | SPSC-464 | 1 | SPSDN12-483812 | 21 | SPT | | SPTSM-12154 | 7 |
| SPS-885 | 5 | SPSC-464N | 1 | SPSDN12-483816 | 21 | SPT-1212 | 6 | SPTSM-12156 | 7 |
| SPS-885N | 5 | SPSC-6124 | 1 | SPSDN12-603710 | 21 | SPT-22 | 6 | SPTSM-12184 | 7 |
| SPSC | | SPSC-6124N | 1 | SPSDN12-60378 | 21 | SPT-44 | 6 | SPTSM-12186 | 7 |
| SPSC-10104 | 1 | SPSC-6126 | 1 | SPSDN12-603812 | 21 | SPT-66 | 6 | SPTSM-122246 | 7 |
| SPSC-10104N | 1 | SPSC-6126N | 1 | SPSDN12-603812A | 21 | SPT-88 | 6 | SPTSM-12244 | 7 |
| SPSC-10106 | 1 | SPSC-664 | 1 | SPSDN12-603816 | 21 | SPTDD | | SPTSM-15154 | 7 |
| SPSC-10106N | 1 | SPSC-664N | 1 | SPSF | | SPTDD-303010 | 2 | SPTSM-15156 | 7 |
| SPSC-10124 | 1 | SPSC-666 | 1 | SPSF-1010 | 1 | SPTDD-303610 | 2 | SPTSM-15184 | 7 |
| SPSC-10124N | 1 | SPSC-666N | 1 | SPSF-1012 | 1 | SPTDD-322410 | 2 | SPTSM-15186 | 7 |
| SPSC-10126 | 1 | SPSC-684 | 1 | SPSF-1212 | 1 | SPTDD-323210 | 2 | SPTSM-15244 | 7 |
| SPSC-10126N | 1 | SPSC-684N | 1 | SPSF-1215 | 1 | SPTDD-323610 | 2 | SPTSM-15246 | 7 |
| SPSC-12124 | 1 | SPSC-686 | 1 | SPSF-1218 | 1 | SPTDD-362410 | 2 | SPTSM-18184 | 7 |
| SPSC-12124N | 1 | SPSC-686N | 1 | SPSF-1515 | 1 | SPTDD-363010 | 2 | SPTSM-18186 | 7 |
| SPSC-12126 | 1 | SPSC-8104 | 1 | SPSF-1518 | 1 | SPTDD-363210 | 2 | SPTSM-18244 | 7 |
| SPSC-12126N | 1 | SPSC-8104N | 1 | SPSF-1818 | 1 | SPTDD-363610 | 2 | SPTSM-18246 | 7 |
| SPSC-12154 | 1 | SPSC-8106 | 1 | SPSF-1824 | 1 | SPTDD-443010 | 2 | SPTSM-24244 | 7 |
| SPSC-12154N | 1 | SPSC-8106N | 1 | SPSF-2424 | 1 | SPTFM | | SPTSM-24246 | 7 |
| SPSC-12156 | 1 | SPSC-8124 | 1 | SPSF-44 | 1 | SPTFM-12124 | 7 | | |



Part **Page**
Number **Number**

SPTWH

| | |
|------------------|---|
| SPTWH-129 | 2 |
| SPTWH-1810 | 2 |
| SPTWH-189 | 2 |
| SPTWH-2410 | 2 |
| SPTWH-249 | 2 |
| SPTWH-3010 | 2 |
| SPTWH-3210 | 2 |
| SPTWH-3610 | 2 |
| SPTWH-4410 | 2 |

SPVK


| | |
|----------------|----|
| SPVK-23 | 32 |
| SPVK-33 | 32 |
| SPVK-34 | 32 |
| SPVK-43 | 32 |
| SPVK-44 | 32 |
| SPVK-64 | 32 |
| SPVK-66 | 32 |
| SPVK-812 | 32 |
| SPVK-84 | 32 |
| SPVK-86 | 32 |
| SPVK-88 | 32 |

SPWF

| | |
|-------------------|----|
| SPWF-244208 | 22 |
| SPWF-244808 | 22 |
| SPWF-302410 | 22 |
| SPWF-304810 | 22 |
| SPWF-306010 | 22 |
| SPWF-364212 | 22 |
| SPWF-364812 | 22 |
| SPWF-366012 | 22 |
| SPWF-424212 | 22 |
| SPWF-424812 | 22 |
| SPWF-426012 | 22 |
| SPWF-484812 | 22 |

SPX

| | |
|----------------|---|
| SPX-1212 | 6 |
| SPX-22 | 6 |
| SPX-44 | 6 |
| SPX-66 | 6 |
| SPX-88 | 6 |



Schaefer's Electrical Enclosures would like to thank you for allowing us to introduce our full line of standard and custom-made electrical enclosures. For over 15 years, our skillful employees have taken great pride in their craftsmanship, and have worked hard to develop a quality product line that is economically priced. We look forward to assisting with your next electrical enclosure project!

